
TANDARDOF DERFECTION



REVISED AND ILLUSTRATED, 1910



2-62232

Poland Bailey Kingeton Feb. 1. 1911. Mass.

Digitized by the Internet Archive in 2007 with funding from Microsoft Corporation

http://www.archive.org/details/americanstandard00ameriala

THE AMERICAN STANDARD OF PERFECTION

ILLUSTRATED

A COMPLETE DESCRIPTION OF ALL RECOGNIZED VARIETIES OF FOWLS

AS REVISED BY

THE AMERICAN POULTRY ASSOCIATION AT ITS THIRTY-FOURTH ANNUAL MEETING AT NIAGARA FALLS NEW YORK, NINETEEN HUNDRED NINE, AND AT ITS THIRTY-FIFTH ANNUAL MEETING AT ST. LOUIS MISSOURI, NINETEEN HUNDRED TEN



Printed and Published by THE AMERICAN POULTRY ASSOCIATION 1910

TO WHOM IT MAY CONCERN:

The public is expressly forbidden, on penalty of the law, to reproduce, duplicate, copy, seek to imitate or to make any other improper use of any of the illustrations contained in this book, all of which are the exclusive property of The American Poultry Association, and protected by copyright in the United States, England and Canada. Permission to make quotations from the text of this book is granted, provided such quotations are disconnected, few in number, and are used solely for the dissemination of knowledge; but these quotations must not be used to an extent nor in a manner that will injure the sale of this work, nor may they be used for advertising purposes, as in circulars, catalogues, etc. Notice is hereby given that any infringement of the copyright on the contents of this book will result in immediate prosecution.

THE AMERICAN POULTRY ASSOCIATION.

Copyright, 1910, by THE AMERICAN POULTRY ASSOCIATION ALL RIGHTS RESERVED

INTRODUCTION.

THE AMERICAN POULTRY ASSOCIATION was organized at a meeting held in the city of Buffalo, New York, February 15, 1873. The attendance was composed principally of delegates from state and county associations, prominent breeders and fanciers from different parts of the United States and Canada, and other interested persons. The object was to formulate and adopt a standard of excellence to be used exclusively by associations in awarding prizes on exhibition poultry. A constitution and by-laws were adopted, and a complete standard was made for all the then-recognized varieties of domestic and ornamental fowls. Mr. W. H. Churchman, of Wilmington, Delaware, was the first president, and Mr. J. M. Wade, of Philadelphia, Pennsylvania, the first secretary. Provision was made for annual meetings, at which changes could be made in the adopted standard, and matters of national importance concerning the poultry interest might be considered and acted on.

Nearly every large city and poultry center of importance has been visited in turn by these annual meetings. The work of standard making was so well done in the beginning that but few changes, and those of minor importance, have been found necessary. New breeds and varieties have been added; but the policy has been, and is, to admit only such as have become well established, and that clearly are entitled to the distinctive term, "standard-bred."

The first edition of the STANDARD was printed and issued to the public in February, 1874. It has been followed by others containing such changes and additions as have been made from time to time by authority of The American Poultry Association.

THE AMERICAN STANDARD OF PERFECTION, as now given to the

poultry world, contains all changes in and additions to the constitution and by-laws, and the text of the STANDARD, as authorized to the present time. The first illustrated revision was begun by the appointment of an Editorial Committee at Chicago, January, 1901, and the appointment of a Committee on Illustrated Standard, at Buffalo, in October, 1901. At Cleveland, December, 1902, these two committees were merged and the number of members increased to fifteen. Several weeks were devoted to the work of carefully revising the description of every variety.

The proposed changes and additions were fully considered, and there was much discussion in the poultry press. Prominent fanciers and breeders, representatives of specialty clubs and foremost poultry artists were called to the assistance of the Committee on Revision. The committee's completed report was presented at the twenty-eighth annual meeting of The American Poultry Association, held at Rochester, New York, February 2, 1904. After four days of earnest consideration, resulting in further amendment, it was adopted by unanimous vote, and ordered published in book form as herewith presented.

The descriptions and illustrations now published in this latest revised edition of THE AMERICAN STANDARD OF PERFECTION are those agreed upon by the high authorities consulted, as correct representations of ideal specimens. In the conception and formation of these ideals, the artistic in form and color, and the possibilities of nature, were the guides, while beauty and utility are the results sought to be obtained. With this brief foreword of explanation, the present edition is offered to the public, in the interests of poultry culture.

INTRODUCTION TO THE 1910 REVISION.

THE constitution of The American Poultry Association provides that "A general revision of THE AMERICAN STANDARD OF PERFECTION shall take place once in five years and not oftener" (Article X, Section 1, Constitution). In pursuance of such purpose the Association at its thirty-third annual meeting at Niagara Falls, New York, August 11, 1908, by resolution appointed a committee, to be known as the Revision Committee for 1910. The committee was empowered to revise and change such of the text and illustrations contained in the STANDARD of 1905 as it wished to recommend in the form of a report.

A general invitation was extended through the poultry press by the president of The American Poultry Association to every fancier, who had bought a copy of the STANDARD OF PER-FECTION, to offer criticisms and suggestions. The secretarytreasurer mailed to all members of the Association, including life, annual, associate, club and society members, letters asking each member to offer criticisms and suggestions as to both the text and illustration of the then present STANDARD OF PERFECTION for incorporation in the new revision of the STANDARD. A vast amount of useful and helpful material was in this way furnished the committee, which at a meeting in Chicago, Illinois, April 6-21, 1909, and at Niagara Falls, August 9-10, 1909, carefully considered every proposed change, omission and addition. The decisions arrived at were embodied in a report to the Association at its thirty-fourth annual meeting, August 10-12, at Niagara Falls, New York. All members had been given notice by mail ninety days before the meeting, of the proposed changes. The report of the committee was taken up in detail by the Association and, after amendment and correction, was adopted as herein published. The illustrations were presented to the thirty-fifth annual meeting of the Association at St. Louis, Missouri, August 15-20, 1910. After alterations, under the direction of special committees of experts, were made, the illustrations were approved by vote of the Association.

As the constitution and by-laws of The American Poultry Association are liable to be amended and changed at each meeting and the general revision of the STANDARD cannot be made oftener than once in five years, the Association has deemed it wise that the constitution and by-laws shall not be printed in the STANDARD, except the article providing for the adoption of new breeds and the article providing for American Poultry Show rules. These two articles will be found herein.

TO THE POULTRY ASSOCIATIONS OF AMERICA.

RECOGNIZING your loyalty to The American Poultry Association, and believing that a few general rules will be beneficial in conducting poultry exhibitions at which THE AMERICAN STANDARD OF PERFECTION is advertised to govern the placing of the awards, we submit the following, with the request that the same importance be attached to them as to other parts of the STANDARD:

Poultry associations at whose exhibitions THE AMERICAN STANDARD OF PERFECTION is used, are requested to give preference to judges who are members of The American Poultry Association. Judges who are members of this organization are accredited thereby, to the extent of being in good standing, and it is reasonable to conclude that they will apply properly the law of the Association as contained in its STANDARD.

Judges employed by you should be required to follow and apply the STANDARD literally, carefully considering each section of every specimen, according to the scale of points provided for the several breeds. No section is to be ignored. Each section is regarded as important by The American Poultry Association, and should a judge pass a specimen without considering all points, the exhibitor shall be allowed the privilege of protesting the decision, and such protest is to be entertained and properly disposed of by the local association.

Protests are to be entertained by local associations only in cases of apparent dishonesty, ignorance or carelessness on the part of the judge. In scoring the specimens in dispute, the judge, together with the president and secretary of the local association (or representatives appointed by the management of the local association), shall constitute a committee of three, and the majority decision of this committee shall be final. Score cards made out by the judge in deciding protested awards are to be retained by the local association.

When protests are entertained, where the judging has been done by score card, the specimens under dispute shall be rescored by the judge, he to act as a member of the committee of three, as provided, the re-scoring to be done in the presence of the other two members of the committee on protests.

Protests are not to be entertained except when made in writing, and the person making same shall deposit with the secretary of the local association the sum of five dollars, this money to be returned to the person making the protest if his protest be sustained; if protest be not sustained, the deposit becomes the property of the local association.

A uniform style of score card is recommended, with a view to having all associations use the same scale of points, and thus assist in making the work of the judges more accurate and uniform. The form of score card printed in this book is used and recommended by a large majority of the leading judges. It is not copyrighted, and local associations are requested to use it, each card to bear these words: "OFFICIAL SCORE CARD OF THE AMERICAN POULTRY ASSOCIATION."

Special consideration is to be given the matter of STANDARD weights and proper size at score-card shows and at comparison shows, respectively. Each specimen at all score-card shows shall be correctly weighed, regardless of circumstances. The practice of allowing a few ounces is expressly forbidden, inasmuch as it works great injustice. It has a harmful influence on the judge, the exhibitor, the local association and the industry at large, and many times deprives prudent and worthy fanciers of prizes rightfully due them.

Any exhibitor found guilty of faking, or of showing borrowed birds, shall be debarred from competition and shall forfeit any prize or prizes that may have been awarded him.

8

STANDARD OF PERFECTION

It is respectfully recommended that local associations, specialty clubs, and other organizations, advertise in their premium lists and otherwise that their exhibitions will be conducted under the rules of The American Poultry Association, and that the instructions to judges, general disqualifications, and other provisions and requirements of THE AMERICAN STANDARD OF PERFEC-TION shall govern.

Fraternally,

THE AMERICAN POULTRY ASSOCIATION.

CONTENTS

	A P	AGE
Admission of new breeds		328
American class		36
Anconas, shape		160
Color		161
ANDALUSIANS, Blue, shape		157
Color		158
Asiatic class		104

B

BANTAMS, Bearded White Polish	276
Black-Breasted Red Malay, shape and color	248
Black Cochin, illustrated	267
Black Japanese	271
Black-Tailed Japanese	270
	273
Booted White, shape	261
Booted White, color	262
Brahma, shape and color	263
Buff Cochin, illustrated	265
Buff-Laced Polish	276
Cochin, shape and color	268
Game, shape and color	231
Golden Sebright	253
Japanese, shape	269
Non-Bearded Polish varieties	277
Ornamental	250
Polish, shape	274
Rose-Comb, shape	257
Rose-Comb, Black	260
Rose-Comb Black, illustrated	259
Rose-Comb, White	260
Sebright, shape	252
Silver Sebright	256
Silver Sebright, illustrated	255
White Japanese	271

STANDARD OF PERFECTION

	PAGE
Вканмая, shape	. 105
Light	. 107
Light, illustrated108	, 109
Dark	. 110
Dark, illustrated	, 113
BUCKEYES, shape	100
Color	. 101
Illustrated	, 10 3

С

CLASS, American	
Asiatic.	
Ducks	
English	
French	
Games and Game Bantams	
Geese	
Hamburgs	
Mediterranean	
Miscellaneous	
Orientals	
Ornamental Bantams	
Polish	
Turkeys	
Cochins, shape	
Black	
Buff	
Buff, illustrated	
Partridge	
Partridge, illustrated	
White.	
Comparison system, in applying the	
Constitution	
Contents	
Cornish	
Dark	
Dark, illustrated	
White	
White-laced, Red.	
White-laced, Red, illustrated	
Crevecoeurs, shape	
Color	
Cutting for defects	
Outling for ucrecto	

	D	PAGE
Description of breeds		36
Diagram of fowl		17
Disqualifications, general		32
Dominiques, shape		92
Dominiques, illustrated	· · · · · · · · · · · · · · · · · · ·	93b
Color		93
Dorkings, shape		164
Colored		167
Silver Gray		166
Silver Gray, illustrated		169
		165
Duck elass		295
DUCKS, Aylesbury, shape and cold)r	297
Black East India, shape an	d color	307
		314
		314
		305
		304
		309
		307
		308
	• • • • • • • • • • • • • • • • • • • •	305
	color	311
		313
		309
	· · · · · · · · · · · · · · · · · · ·	297
		297
		299
		300
		301
		303
	· · · · · · · · · · · · · · · · · · ·	306
		310
		010
	Е	
English class		163
		100
	F	
French class	-	205
Frizzles		205 284
r fizzies	• • • • • • • • • • • • • • • • • • • •	204
	G	
		01-
Game and Game Bantam class		215
Game Bantams		231

STANDARD OF PERFECTION

GAMES. 216 Shape. 216 Birchen 226 Black. 230 Black-Breasted Red. 218 Black-Breasted Red. 218 Black-Breasted Red. 218 Bown Red. 219 Golden Duckwing. 222 Red Pyle. 227 Red Pyle, illustrated. 228 Silver Duckering. 228 Silver Duckering. 228
Shape. 216 Birchen 226 Black. 230 Black-Breasted Red. 218 Black-Breasted Red. 218 Black-Breasted Red. 219 Brown Red. 219 Golden Duckwing. 225 Red Pyle. 227 Red Pyle, illustrated. 228 228 225
Birchen 920 Black. 930 Black-Breasted Red. 916 Black-Breasted Red, Illustrated 920, 921 Brown Red. 919 Golden Duckwing. 929 Red Pyle. 927 Red Pyle, illustrated 928, 926
Black-Breasted Red.218Black-Breasted Red, Illustrated220, 221Brown Red.219Golden Duckwing.225Red Pyle.227Red Pyle, illustrated228, 228
Black-Breasted Red.218Black-Breasted Red, Illustrated220, 221Brown Red.219Golden Duckwing.225Red Pyle.227Red Pyle, illustrated228, 228
Black-Breasted Red, Illustrated .220, 221 Brown Red .219 Golden Duckwing .225 Red Pyle .227 Red Pyle, illustrated .228, 228
Brown Red
Golden Duckwing. 223 Red Pyle. 227 Red Pyle, illustrated. 228
Red Pyle. 227 Red Pyle, illustrated. 228. 228.
Red Pyle, illustrated
Silver Dusleming 226
Silver Duckwing 225
Silver Duckwing, illustrated
White
Geese class
GEESE, African, shape and color
Brown Chinese, color 329
Chinese, shape
Egyptian, shape and color
Embden, shape and color
Toulouse, shape and color
Toulouse, illustrated
White Chinese, color
White Chinese, illustrated
Wild or Canadian, shape and color
General disqualifications 32
Glossary of technical terms 18

\mathbf{H}

Hamburgs class.
HAMBURGS, shape
Black
Golden Penciled
Golden Penciled illustrated
Golden Spangled
Silver Penciled
Silver Spangled
Silver Spangled, illustrated
White
HOUDANS, shape
Color
Illustrated

13

AMERICAN POULTRY ASSOCIATION

	I			PAGE
Instructions to judges				 29
Introduction	· · · · ·	••••	• • • • • • • • •	 3
	J			
JAVAS, shape				 88
Black				
Black, illustrated				
Mottled				
Judges, instructions to				 . 29

L

LA FLECHE, shape	213
Color	214
LANGSHANS, shape	126
Black.	130
Black, illustrated	129
White.	130
LEGHORNS, shape	132
Black.	143
Brown	134
Brown, illustrated	137
Buff	142
Buff, illustrated144.	145
Silver	146
White.	134
White, Single-Comb, illustrated	139
	139
White, hose-comp, mustated	141

\mathbf{M}

MALAYS, Black-Breasted Red	245
Shape	245
Color	247
Mediterranean class	131
MINORCAS, shape	148
Black	
Black, illustrated150,	151
White.	152
Miscellaneous class	278

Ν

Nomenclature	17
New Breeds, admission of	328

14

STANDARD OF PERFECTION

•

Official score card	
Oriental class	
Ornamental Bantam class	
Orpingtons, shape	
Buff	
Buff, illustrated	3,
Black	
White,	

\mathbf{P}

PLYMOUTH Rocks, shape	. 38
Barred	
Barred, illustrated40), 41
Buff	. 43
Buff, illustrated	5, 47
Columbian	. 56
Columbian, illustrated	8, 59
Partridge	. 52
Partridge, illustrated	
Silver Penciled	. 48
Silver Penciled, illustrated), 51
White	. 42
White, illustrated44	, 45
Polish class	. 180
Polish, shape	. 181
Bearded Golden	. 183
Bearded Silver	. 186
Bearded Silver, illustrated	8, 189
Bearded White	. 187
Buff Laced	. 190
Non-Bearded varieties	. 191
White-Crested Black	. 182
White-Crested Black, illustrated	, 185

R EDCAPS, shape	171
Color	172
RHODE ISLAND REDS, shape	94
Color	-96
Illustrated	99

PAGE

AMERICAN POULTRY ASSOCIATION


	5	PAGE
Score card, official		28
Show-Rules		329
SILKIES, shape		279
Color		281
SPANISH, White-Faced Black, shap	e	153
Color	• • • • • • • • • • • • • • • • • • • •	156
Illustrated		155
Sultans, shape	• • • • • • • • • • • • • • • • • • • •	282
Color		283
SUMATRAS, Black, shape		243
Color		244

т

To the Poultry Associations of America
Turkey class
TURKEYS, shape
Black
Bourbon Red
Bronze
Bronze, illustrated
Buff
Narragansett
Slate
White Holland

W

W y	ANDOTTES, shape
	Black
	Buff
	Buff, illustrated
	Columbian
	Columbian, illustrated
	Golden
	Golden, illustrated
	Partridge
	Partridge, illustrated
	Silver
	Silver, illustrated
	Silver Penciled
	Silver Penciled, illustrated
	White
	White, illustrated



NOMENCLATURE DIAGRAM OF FOWL

- 0 Beak.
- 1 Comb.
- 2 Face.
- 3 Wattles.
- 4 Ear-lobe. 5 Hackle.

- 6 Breast. 7 Back. 8 Saddle.

- 9 Saddle feathers. 10 Sickles.

- Sickles.
 Lesser sickles.
 Tail-coverts.
 Ja Main tail feathers.
 Wing-bow.
 Wing-coverts, forming wing-bar.
 Secondaries, wing-bay.
 Primaries, or flight feathers.

- 18 Flight-coverts.
 19 Fluff.
 20 Body.
 21 Thigh.
 22, 22 Knee-joints.
 23, 23 Shanks.
 24 Spur.
 25, 25 Toes, or claws.

GLOSSARY OF TECHNICAL TERMS.

BARRING: Bars or stripes extending across a feather at right angles to its length, or nearly so. (See Figs. 1, 2 and 3.)

BEARD: In chickens, a group of feathers pendent from the throat, as in Houdans and Polish. In turkeys, a tuft of coarse, bristly hairs, four to six inches long, projecting from upper part of breast of mature males.

BEAN: A hard, bean-shaped protuberance growing at tip of the upper mandible of a water fowl. (See Fig. 4.)
BEAK: The projecting mouth parts of chickens and turkeys, consisting of upper and lower mandibles.

BILL: The projecting mouth parts of water fowl, consisting of upper and lower mandibles. (See Fig. 4.)

BLADE: The rear part of a single comb, back of the last well-defined point, usually extending beyond the crown of the head. (See Fig. 5.)

BRASSINESS: Having the color of brass; yellowish.

BREED: A race of fowls, the members of which maintain distinctive shape characteristics that they possess in common. Breed is a broader term than variety. Breed includes varieties, as, for example, the Barred, White and Buff va-

rieties of the Plymouth Rock breed.

Barred Feather, Female (ideal).

BROOD: All the young birds hatched or cared for at one time by one mother, or in one brooder.

CAPE: The short feathers on the back, underneath the hackle, shaped like a cape.

CARRIAGE: The attitude, bearing or style of a bird. CARUNCLES: Small fleshy protuberances, as on the head of a turkey.

CARUNCULATED: Having caruncles.


CAVERNOUS: Applied to the hollow protruding nostrils of the crested breeds.

CHICKS: The young of the domestic hen, properly


sometimes used to designate specimens less than one year old.



Fig. 2. Barred Hackle Feather, Male (ideal).



Grayish White Dark Bars



[°]CHICKENS: Specifically, the young of the domestic hen prior to the development of adult plumage; used as a general term to designate all domestic fowls, except turkeys, ducks, geese, pea-fowl and guinea-fowl.

COCK: A male fowl one year old and over.

* COCKEREL: A male fowl less than one year old.

- COMB: The fleshy protuberance growing on the top of a fowl's head. The standard varieties of combs are: Single, rose, pea, v-shaped and strawberry, all others being modifications of these. (See diagram of fowl; also Figs. 5, 6, 7, 8, 9 and 10.)
- CONDITION: The state of a fowl as regards health, cleanliness and order of plumage.

COVERTS: See tail, flight and wing-coverts.

CREAMINESS: Having the color of cream; light yellow.

- CREST: A crown or tuft of feathers on the head of a fowl. (See Fig. 9.)
- CROP: The receptacle in which a fowl's food is accumulated before it passes into the gizzard.
- CUSHION: The mass of feathers at rear of back of a fowl, partly covering the tail; well-developed in Cochin females.
- Daw: The pinkish-yellow color found in eyes of the Form (ideal). Oriental and some other varieties of Games.
- **DEWLAP:** A pendulous skin developed under the throat.

DISQUALIFICATION: A deformity or serious defect that renders a fowl unworthy to win a prize.



Fig. 4. Head of a Duck (ideal): A, Bill; B, Bean.

DISQUALIFIED: Applied to a fowl that is unworthy to win a prize.

Down: The first hairy covering of chicks; also the tiny tufts of hair-like growth that sometimes are found on the shanks, toes or feet of fowls.

(*Note:* If quill and web are discernible to the eye, it is a feather.)

DRAKE: A male of the duck family.

DUBBING: Cutting off the comb, wattles and ear-lobes, so as to leave the head smooth.

DUCK: A female of the duck family, as distinguished from the drake, or male.

DUCKLING: The young of the duck family, in the downy stage of plumage prior to the development of feathers.

DUCK-FOOTED: The hind toe carried forward. (See Fig. 11.)

EAR-LOBES: The folds of bare skin just below the ears, sometimes called "deaf-ears." Ear-lobes vary in color in different breeds, being red,



Fig. 3. Penciling, Parallel orm (ideal).




Fig. 5. A type of Single Comb (ideal): 1, Base; 2, 2, 2, 2, 2, Points; 3, Blade. For other types see Plymouth Roeks, Minorcas, Javas, etc.



Fig. 7. Pea Comb, Profile (ideal).



Fig. 9. Sultan Head, Male (ideal): 1, 1, V-Shaped Comb; 2, Crest; 3, 3, Muffs; 4, Beard.




Fig. 6. A type of Rose Comb (ideal): 1, Base; 2, Rounded Points; 3, Spike. See Diagram of Fowl, page 15, for Ideal Wyandotte Comb.



Fig. 8. Pea Comb, Quartering View (ideal).



Fig. 10. Strawberry Comb (ideal).



Bay



white, purple, cream, etc.; they also vary greatly in size. (See diagram of fowl.)


- FACE: The bare skin on the head of a fowl around and below the eves. (See diagram of fowl.)
- FAKING: Removing, or attempting to remove, foreign color in face or earlobes when it is a disqualification; removing one or more side sprigs, or trimming a comb in any manner, except the dubbing of Games; artificial coloring of any feather; splicing feathers; injury

to plumage of any fowl entered by another exhibitor; plugging up holes on legs of smooth-legged varieties where feathers or stubs disqualify; staining of legs; in fact, any self-evident attempt on the part of an exhibitor to deceive the judge and thus obtain an unfair advantage in competition.

FEATHER: A growth formed of a discernible quill and a vane (called web) upon each side of it.

(Note: If the quill is not discernible to the eye, it is down.)

FLIGHTS: The primary feathers of the wing, used in flying, but folded up out of sight, or nearly so, when the fowl is at rest.



- FLUFF: The soft feathers about thighs and posterior part of a fowl; also the soft, downy under-part of a feather. (See diagram of fowl; also Fig. 19.)
- FROSTING: A marginal edging or tracing of color on feathers of laced, spangled and peneiled varieties. (See Fig. 13.)

FURNISHED: Applicable to a cockerel with fully-developed comb, hackle, saddle, tail, etc.



Fig. 12. Laced Feather (ideal).

wattles. (See "Wattles.") GIPSY COLOR: Dark purple, approaching black.

HACKLE: The neck plumage of either sex, formed of the hackle feathers. (See diagram of fowl.)

HACKLE FEATHERS: The long, narrow feathers growing on the neck of a fowl, either sex. (See Figs. 2 and 14.) HANGERS: A term sometimes applied to the lesser sickles and tail-coverts.

(See diagram of fowl.) HEN-FEATHERED: A male bird that Frosting (a defect).





GILLS: A term that is applied to the

AMERICAN POULTRY ASSOCIATION

resembles a hen, owing to the absence of sickles, pointed hackle feathers, etc., is said to be "hen-feathered."

- HOCK: See "Knee-Joint." (Also diagram of fowl.)
- JAW: The base of the upper and lower mandibles.
- KNEE-JOINT: The joint between the thigh and shank.
- KNOCK-KNEED: A deformity in which the legs come too near together at the knee-joints and are bent outward, laterally, below the knees.
- LACED, LACING: A feather edged or bordered with a band of color differing from the body color of feather. (See Fig. 12.)
- LEAF COMB: A combination of two small single combs, having serrated, leaf-like edges; the

original Houdan comb, now replaced in America by the v-shaped comb. (See Fig. 9.)

LEG: Includes thigh and shank.

LEG FEATHERS: Feathers growing on the outer side of the shank, as in Asiatics. (See Fig. 28.)

LOPPED COMB: A comb falling over to one side. To disqualify (see "General Disqualifications"), in a single comb, some portion must fall below the horizontal plane where the comb begins to lop; in the rose or pea comb varieties it must lop over (a defect).

far enough to come in contact with one side of the (See Figs. 15 and 27.) fowl's head.

LESSER SICKLES: (See "Sickles.")

- MEALY: Having the appearance of being sprinkled with meal. Applied to buff varieties where the ground color is stippled with a lighter color. (See "Stipple"; also Fig. 16.)
- Mossy: Irregular, dark penciling appearing in centers of laced feathers and destroying the desirable contrast of color. (See Fig. 17.)
- MOTTLED: Plumage marked on the surface with spots of different colors or shades of color.

MUFFS: The cluster of feathers covering the sides of the

Fig. 14. Striped Feather (ideal).


Mealy (a defect).







Fig. 15. Lopped Rose Comb





face below the eyes, extending from the beard to the ear-lobes and found only on bearded varieties. (See Fig. 9.)

- **OBTUSE** ANGLE: An angle greater than a right-angle, i.e., one containing more than 90 degrees.
- PARTI-COLORED: Feathers or fowls having two or more colors.
- ^c **PEA** COMB: A triple comb, of medium length, resembling three straight, single combs placed parallel with one another, and joined at base and rear, each having short but distinctly-divided serrations, the serrations of the two outer rows being lower and smaller than those of the middle row, and those of each row being larger and somewhat thicker midway of the comb than at front and rear. (See Figs. 7 and 8.)

PEN: A male and four females.

PENCILING: Small markings or stripes on a feather.

They may run straight across, as in the penciled Hamburgs, in which case they frequently are called bars, or may follow the out-



Fig. 17. Mossy (a defect).

line of a feather, taking a crescentic form, as in the Dark Brahmas, Partridge Cochins, etc. (See Figs. 3 and 18.)

PEPPERED, PEPPERING: Sprinkled with gray or black. (See "Mealy.")

PLUMAGE: The feathers of a fowl.

POULT: The young of the domestic turkey, properly applied until the sex can be distinguished, when they become cockerels and pullets.

POULTRY: Domestic fowls reared for exhibition, for the table, or for

their eggs or feathers.

Fig. 18. Penciling, Crescentic Form (ideal).

- **PRIMARIES:** The flight feathers of the wing, hidden, or nearly so, when the wing is closed.
- PROFILE: A direct side view of a fowl, applied both to live specimens and to illustrations.
- · PULLET: A female fowl less than one year old.
- Quill: The hollow, horny, basal part or stem of a feather. (See "Shaft"; also Fig. 19.)
- * ROSE COMB: A low, thick, solid comb, the upper surface of which should be covered with small, rounded points. This comb terminates in a well-developed spike, which may turn upward, as in Hamburgs, be



nearly level, as in the Rose-Comb Leghorns, or turn downward, as in the Wyandottes. (See Figs. 6 and 15; also diagram of fowl, page 15. for ideal Wyandotte comb.)



«ROOSTER: A term commonly applied to a cockerel or cock, but not used by fanciers.

- SADDLE: The rear part of the back of a male bird. extending to the tail and covered by the saddle feathers. (See diagram of fowl.)
- SADDLE FEATHERS: The feathers growing out of the saddle. (See diagram of fowl.)
- SADDLE HACKLES: The long, narrow, pointed feathers growing from a male bird's saddle and drooping at the sides.
- SCALY LEGS: A fowl's legs having an incrustation or deposit upon and beneath the scales.

SECONDARIES: The long quill feathers that grow on One Form of Shafting (a the second joint or fore-arm of a fowl's wing, visible when the wing is folded. With the prima-

ries, they constitute the main feathers of the wing. (See diagram of fowl.) SOLID COLOR, SELF-COLOR: A uniform color, unmixed with any other.

SERRATED: Notched along the edge like a saw.

SERRATION: One of the projections of a serrate formation, as a serrated comb.

SHAFT: The stem of a feather, especially the part filled with pith which bears the barbs. (See Figs. 19 and 20.)

SHAFTING: The shaft of the plume portion of the feather being lighter or darker in color than the web of the feather. (See Fig. 20.)

SHANK: The lower, scaly part of a fowl's leg, exclusive of the foot and toes.



Fig. 21. One Form of Side Sprigs (a defect).

SICKLES: The long, curved feathers of a male bird's tail, properly applied to the top pair only, but sometimes used in referring to the prominent


> tail-coverts, which also are called lesser sickles. (See diagram of fowl.)

- SIDE SPRIGS: Extraneous, well-defined growths on the side of a comb. (See Fig. 21.)
- SINGLE COMB: A comb consisting of a single, thin, fleshy, serrated formation, rising from the beak and extending backward over the crown of the head, and, in males, beyond the head. (See Fig. 5.)



Fig. 22. Slipped Wing and Twisted Feather (defects).

defect).





- SLIPPED WING: A wing of a fowl not closely folded and held up in proper position; a defect resulting from injury, or from weakness of muscles of wing. (See Fig. 22.)
- * SPANGLE: A clearly-defined marking of distinctive color, located at the end of a spangled feather. (See Fig. 23.)

SPANGLED: Plumage made up of spangled feathers.

- SPLASHED FEATHER: A feather with colors scattered and irregularly intermixed. (See Fig. 24.)
 - SPUR: A horn-like protuberance, growing from the inner side of the shank of a fowl; may be knob-like or pointed, according to the age of the fowl and the sex. (See diagram of fowl.)
 - SQUIRREL TAIL: A fowl's tail, any portion of which projects forward toward the neck, beyond a perpen-

dicular line drawn from the juncture of tail and back. (See Fig. 25.) STAG: A term used for a young male, chiefly employed by game fanciers.

STATION: Ideal pose, embodying standard style and symmetry, notably height and reach, as applied to Games.



Fig. 23, Spangled Feather (ideal).


- STIPPLE: Verb: To execute in stipple, i.e., draw, paint or engrave by means of dots instead of lines. Noun: The effect obtained in color work by the use of dots instead of lines or strokes. (See Fig. 26.)
- STRAIN: A family of any variety of fowls bred in line by descent by one fancier, or a successor, during a number of years, that has acquired individual characteristics which distinguish it more or less from other

strains or specimens of the same variety.

Fig. 24. Example of a Splashed Feather

(a defeet).

- STRAWBERRY COMB: Approaching in shape the outline and surface of a strawberry. (See Fig. 10.)
- SURFACE COLOR: The visible color of the plumage when a fowl is at rest. (See "Under-Color.")
- SYMMETRY: Perfection of proportion; the harmony of all the parts or sections of a fowl, viewed as a whole, with regard to the standard type of the breed it represents.
- ⁴ TAIL-COVERTS: The curved feathers in front of and at the sides of the tail,



usually of same color as the tail, but sometimes laced or penciled. (See diagram of fowl.)

TAIL FEATHERS, MAIN: The straight and stiff feathers of the tail that are

contained inside the sickles and tail-coverts; the top pair are sometimes slightly curved, but generally are straight. (See diagram of fowl.) THIGHS: That part of the legs above the shanks. diagram of fowl.) THUMB MARK: A disfiguring depression which sometimes appears in the side of a single comb. (See Fig. 27.) TOE-FEATHERING: The feathers on the toes of a fowl. (See Fig. 28.)

Stippled Feather

(ideal).

TOPKNOT: A word wrongly used as meaning crest; no longer employed by fanciers.

TRIO: One male and two females. TWISTED COMB: An irregularlyshaped comb, falling or curving

from side to side, being distorted from the normal, perpendicular position. (See Fig 29.)

TWISTED FEATHER: Feather with quill or shaft (See Fig. 22.) twisted.

TYPICAL: Expressing a characteristic, in color or form, representative of a breed or variety --for example, typical shape, meaning the form peculiar to a breed.

UNDER-COLOR: The color of the downy portion of (defects). the plumage, not visible when the plumage of a fowl is in its natural



Cochin Leg and Toe Feathering: A, Upper Thigh; B, B, Lower Thigh; C, C, Shank; D, D, Toe.

- makes the breed; color the variety."


Fig. 27. Showing Lopped Single Comb, Thumb Mark, Wrinkled Ear-lobe, Wrinkled Wattles and Wattles of Unequal Length



(See

position. (See Fig. 19.)

VARIETY: A subdivision of a breed (see definition of breed) used to distinguish fowls having the standard shape of the breed to which they belong, but differing in color of plumage, shape of comb, etc., from other groups of the same breed. The general difference between the terms "breed" and "variety" is well brought out in the statement, popular among fanciers, "Shape





- VULTURE-HOCK (VULTURE-FEATHERED): The stiff quill feathers growing on the thighs, extending backward, straight beyond the knee-joint or "hock"; to disqualify, they must be without a sufficient quantity of fluffy feathers to relieve the stiff appearance and fill up the sharp angles, viewed in profile. (See Fig. 30.)
- V-SHAPED COMB: A comb formed of two well-defined, horn-like sections. (See Fig. 9.)
- WATTLES The pendent growths at the sides and base of the beak.
- WEB: Web of Feather: The flat or plumed portion of a feather, made up of a series of barbs on either side of the shaft. Web of Feet: The flat skin between the toes. Web of Wings: The triangular skir attaching the wing to the body, visible when wing is extended.



Fig. 30. Vulture-Hock (a defect in Cochins; Standard

in Sultans).

erroneously called "wingries: butts."

- WING-COVERTS: The small, close feathers clothing the bend of the wing and covering the roots of the secondary quills. (See diagram of fowl.)
- WING-FRONTS: The front edge of the wing at the shoulder. This section of the wing is sometimes called wing-butts. The term wing-fronts is recommended. thus avoiding confusion.
- WRY TAIL: Tail of a fowl turned to one side, permanently so. (See Fig. 31.)



Fig. 29 One Form of Twisted Single Comb (a defect).

- WING-BAR: The stripe or bar of color extending across the middle of the wing, formed by the color or marking of the wing-coverts. (See diagram of fowl.)
- WING-BAY: The triangular section of the wing, below the wing-bar, formed by the exposed portion of the secondaries when the wing is folded. (See diagram of fowl.)

WING-Bow: The upper or shoulder part of the wing. (See diagram of fowl.)

WING-POINTS: The ends of the prima-



Fig. 31. Showing Wry Tail (a defect).

(Name	e of Association here)
(Date, month, da	ays and year show is held, here)
OFFICIAL SCORE CARD OF	THE AMERICAN POULTRY ASSOCIATION
Exhibitor	
Variety	Sex

Entry NoBand NoWeight	
-----------------------	--

	Shape	Color	Remarks
Symmetry		•••••	
Weight or Size			
Condition			
Comb			
Head			
Beak			
Eyes			
Wattles and Ear-Lobes			
Neck			
Wings			
Back			
Tail			
Breast			
Body and Fluff			
Legs and Toes			
* Shortness of Feather			
Total Cuts		•••••	Score
			, Judge , Secretary ames and Game Bantams.

**

INSTRUCTIONS TO JUDGES.

MERIT: The merit of specimens shall be determined by a careful examination of all the points in the "Scale of Points," beginning with Symmetry and continuing through the list, deducting from the full value of each section of a perfect bird, for such defects as are found in each specimen.

WEIGHT: (a) All specimens shall be judged according to their standard weights; provided, however, that the disqualifying weights for chicks and poults shall not apply until December 1st of each year. (b) In all breeds of fowl having weight clauses, except Bantams, deduct two points per pound for amount lacking from standard weights, and in that proportion for any fractional part of a pound, using one-fourth pound as the minimum, the specimen to have the benefit of any fraction less than onefourth pound. (c) In all varieties of Bantams, deduct one-half point per ounce for any excess over standard weights. (d) In all varieties of turkeys and geese, and in all varieties of ducks except those prized for their smallness, having weight clauses, deduct three points per pound for amount lacking from standard weights, and in that proportion for any fractional part of a pound, using one-fourth pound as a minimum, the specimen to have the benefit of any fraction less than one-fourth pound. (e) In all varieties of fowls, except Bantams, also in all varieties of tur-

keys and geese, and all varieties of ducks except those prized for their smallness, when adult specimens are equal in score and are above or below standard weight, the one nearest standard weight shall be the prize, except awarded when one specimen is cut for weight and the other is not, the specimen that is standard weight or above be shall





Diagram showing Degrees from Horizontal.

awarded the prize. (f) All chicks or immature specimens — except Bantams and those varieties of ducks prized for their smallness — having an equal score, when cut for lack of weight, the one of less weight shall be awarded the prize, but when each of such specimens are of standard weight, the heaviest one shall win. (g) In all varieties of Bantams, and those varieties of ducks prized for their smallness, other things being equal, the smallest bird shall win. (CAUTION — The weight clause must not be understood to mean that a small, but over-fat bird is within the spirit of the meaning of the Standard; the size must be proportionate to the weight, preserving the ideal shape and type of the standard bird.)

RE-WEIGHING: The judge may, at his option, demand the re-weighing of the specimens in competition, in all cases where standard weights apply.

SIZE: Size shall be determined by comparison of the specimens. In all varieties (except Call and East Indian Ducks) having a section termed "Size," and not being subject to weight clauses, the largest bird, other things being equal, shall win; in Call and East Indian Ducks this rule is reversed and the smallest specimen shall win.

SCORES ENTITLING SPECIMENS TO PRIZES: To receive a first prize



Tail carried at Angle of 45 Degrees.

the specimen must score 90 or more points, except cocks in all parti-colored varieties, which may be awarded first prizes, provided they score 88 points or better. For each receding prize drop one point. A pen to win a first prize, must score 180 points or better, unless it contains a cock of a particolored variety, in which case 178 points or better may win first prize, but first prize shall not be given on a pen if the male in pen scores less than 88 points. No prize shall be awarded an exhibition pen if any bird in the pen scores less than 85 points.

SWEEPSTAKE PRIZES: In competition for sweepstake prizes when solid-colored

specimens compete with parti-colored specimens, white specimens shall be handicapped two points each, black specimens one and one-half points each, and buff specimens one point each, and, after such reduction the specimen then having the highest score, or the specimens having the highest average or combined score, shall be awarded the prize. Bantams, water-fowl or turkeys are not eligible to compete for sweepstake prizes.

OLD AND YOUNG BIRDS: All other points being equal, where prizes are offered on old and young fowls competing together, the former shall be awarded the prizes.

FAKING: Faking of any description shall debar from competition specimens so treated; also every other bird entered by the exhibitor showing the faked specimen or specimens. (See Glossary for what is meant in this connection by faking.)


CREAMINESS AND BRASSINESS: In white varieties, except where the color of plumage is specified as creamy white, the presence of brassiness on surface, or creaminess of quills or under-color, is a serious defect and is to be punished accordingly.

SCORE OF EXHIBITION PEN: In ascertaining the score of an exhibition pen, add the scores of the females together and divide the sum by the

number of females in the pen; to the quotient thus obtained, add the score of the male, and this sum shall be the score of the exhibition pen.

DATED SCORE CARDS: All score cards made out by judges applying the Standard are to be dated by the judge with ink, indelible pencil, or by stamp, on the date the specimens are judged.

FAULTY SCORE CARDS: It shall be considered irregular for a judge to sign a score card unless weight is considered, in all breeds and varieties having standard weights, regardless of season. TIES: In case of ties between two or



Tail carried at Angle of 50 Degrees.

more specimens that cannot be broken by any of the previous rules, the specimen receiving the smallest total sum of cuts for shape shall be awarded the prize. In case of ties in exhibition pens, should either pen contain one or more adult specimens, that pen shall be awarded the prize. In case of all pens containing all young, or all adult specimens, the prize shall be awarded to the pen containing the highest scoring male.

IN APPLYING THE COMPARISON SYSTEM.

TYPICAL SHAPE: In awarding prizes by comparison, judges must consider carefully each and every section of the specimen, and not allow color alone to influence their decisions. The vital importance of typical shape is to be borne constantly in mind, at the same time giving due consideration to color in all sections, including under-color.

HANDLING: All specimens in competition must be handled and examined by the judge, except those that show decided inferiority as seen in the coops.

VALUATION: In awarding prizes under this system, every section of each specimen must be given full consideration, valuing it, both in shape and color, as provided by the Standard "Scale of Points" for the breed. No judge, in applying the Standard by this system, shall give any one section undue prominence in arriving at his decision.

DISQUALIFYING WEIGHTS: Specimens falling below disqualifying weights after December 1st of each year must be debarred from competition, except Bantams, which, when exceeding disqualifying weights, shall suffer a like penalty.

STANDARD SIZE: In determining size, the judge shall decide by comparing the specimens in competition, with due regard to weight in all breeds and varieties where weight is required by the Standard. When a bird fails to attain to, or in case it exceeds, the size proportionate with the type or shape, it must be discounted quite severely. It is desirable that the judge recognize and reward those specimens that come nearest to the ideal, in shape, size and weight, still giving the important and vital matter of correct plumage full credit.

BANTAM TYPE: While smallness of size is desirable in all Bantams, no specimen shall be entitled to win over a larger bird simply because of its small size; it must conform to the type and symmetry demanded for the breed it represents.

GAME TYPE: In judging Games, Game Bantams, Cornish and Sumatras, it is imperative that shape be considered of greatest importance. Specimens lacking in this essential breed-characteristic shall not be awarded first honors, even if there be no competition.

COLOR DEFECTS: A few very small, grayish specks in white fowls shall not debar a specimen that otherwise is superior in color from winning over one less typical in shape and sound in color; provided, however, that the grayish specks do not appear prominently in the primary, secondary, or main tail feathers.

The natural white bird shall not be handicapped by the apparently bleached one, and, other things being equal, the natural white bird shall win.

SCALY LEG: A fowl whose legs and toes are so deformed by what is called "Scaly Leg" as to hide or appear to have destroyed the color, shall not be awarded a first prize.

Note: Under the comparison system judges must deduct the full valuation of the cuts in all sections, where a specified cut is made under the head of "Cutting for Defects."

GENERAL DISQUALIFICATIONS.

Note: In applying the Standard of Perfection, if judges find any of the defects described below, they shall disqualify the specimen and state on the proper card or blank the nature of the disqualification.



Fig. 35. Five-Toed Foot (ideal).

In the Asiatic breeds, except Langshans, and in Cochin Bantams and Booted White Bantams, shanks not feathered down the outer sides; outer toes not feathered to the last joint.

In Langshans, shanks not feathered down the outer sides; feathers not growing beyond the middle joint of the outer toes.

In Silkies and Sultans, shanks not feathered down the outer sides.

In all breeds required to have unfeathered shanks, any feather or feathers, stubs or down on shanks, feet or toes; or unmistakable indications of feathers having been plucked from same.

A wing showing clipped flights or secondaries, or both, except in water-fowl, shall disqualify the specimen and debar it from competition.

Lopped combs, except in Mediterranean and Dorking females; rose combs falling over to one side, or so large as to obstruct the sight; combs foreign to the breed; split or fish-tail comb (see illustration); decidedly wry tails; crooked backs; side sprig or sprigs on all single-comb varieties; plucked hocks; deformed beaks; absence of spike in all rose-comb varieties, except Silkies, Malays and Malay Bantams; decidedly squirrel tail in all breeds, except Japanese Bantams.

In four-toed breeds, more or less than four toes on either foot.

In five-toed breeds, more or less than five toes on either foot.

Legs and toes of color foreign to breed.

Entire absence of main tail feathers.

Positive white in the face of Mediterranean cockerels and pullets, except White-faced Black Spanish.

Absence of crest or beard in any variety described as crested or bearded, or any appearance of crest or beard in any variety where not called for. Absence of knob or dewlap in African Geese.

Absence of knob in Chinese Geese.

Web feet in all breeds of chickens.

Birds unworthy of a score.

In any breed having weight clauses, except Asiatics or Bantams, a specimen falling more than two pounds below Standard weight; any specimen belonging to the Asiatic classes falling more than three pounds below Standard weight; any Bantam weighing more than four ounces over-weight.

Black in the bean or bill of Pekin and Aylesbury drakes.

In varieties where positive white in ear-lobes is a disqualification, judges shall disqualify for unmistakable evidence of an attempt to remove the defect.

Faking in any manner shall disqualify the specimen.

The comb on a specimen which merely turns over a trifle from the natural upright position is not to disqualify.

Under all disqualifying clauses the specimen shall have the benefit of the doubt.

CUTTING FOR DEFECTS.

Judges, in applying the score card, are to discount for the more	re com.
mon defects, as follows:	Points
Too many or too few points on comb, each	$\frac{1}{2}$
Thumb mark on comb, not less than	1

AMERICAN POULTRY ASSOCIATION

		Points
Rear of comb turning around		to 1
Coarse texture of comb	$\frac{1}{2}$	to 1
Roughness, irregularity, hollow center, over-size and ill-shape in		
comb of rose-comb varieties, each defect	12	to 2
Coarse texture of wattles	12	to 1
For missing feather or part of feather in primaries or secondaries,	-	
where foreign color disqualifies	1	to 3
Where feather is broken, but not detached, in primaries or sec-		
ondaries, where foreign color disqualifies	1-2	
For broken or missing feather or feathers in primaries or second-	-	
aries of buff or parti-colored varieties, where foreign color		
does not disqualify	1	
Absence of sickles, where foreign color disqualifies, for each sickle	11	
Absence of sickles, where foreign color does not disqualify, for	-2	
each sickle	1	
Absence of one or more main tail feathers, in varieties subject to	•	
color disqualifications, each	1	
Absence of one or more main tail feathers, where not a disquali-		
fication, each.	1	
For twisted feather or feathers, in wing or tail of any variety	~	to 2
Feathered middle toes in Langshans		to $1\frac{1}{2}$
Brassiness in all varieties, in each section where found		to 2
Creaminess of plumage or quill in white varieties, except where	•	
specified creamy white, in each section where found	1	to $1\frac{1}{2}$
Purple barring in plumage of all varieties, in each section where	2	co x2
found	1	to 2
Frosty edging in any laced section of laced or spangled varieties, in	2	
each section where found	1	to $1\frac{1}{2}$
Irregular, indistinct, crescentic or too heavy lacing in laced varie-	2	
ties, in each section where found	1	to $1\frac{1}{2}$
Irregular barring in Barred Plymouth Rocks, in each section	2	10 12
where found	1	to $1\frac{1}{2}$
Light colored shafting in buff varieties, in each section where	2	
found	1	to $1\frac{1}{2}$
Gray specks in any part of plumage of white varieties, in each sec-	4	
tion where found	1	to 2
Mealiness in plumage of buff varieties, in each section where	4	
found	1	to $1\frac{1}{2}$
Mossy-centered feathers in laced varieties, in each section where	2	
found	1	to $2\frac{1}{2}$
Irregular or deficient penciling in penciled varieties, in each sec-	2	
tion where found	1	to 11/2
Black or white in buff varieties, in each section where found, cut	4	4
from 1 point to the color limit in the section.		

STANDARD OF PERFECTION

	Points
Slate under-color in buff varieties and Rhode Island Reds, in each	
section where found	$\frac{1}{2}$ to 2
Color of eyes not as described for the different varieties	$\frac{1}{2}$ to $1\frac{1}{2}$
If eye shows permanent injury, but retains its form	$\frac{1}{2}$ to 1
If eye is destroyed, leaving only the socket	
Ear-lobes of Wyandottes showing any positive enamel white	$\frac{1}{2}$ to 2
Any positive white in the ear-lobes of any variety of Cochins	$\frac{1}{2}$
Positive white covering one-third or more of the surface of ear-	
lobes of any variety of Cochins	1 to 2
Red markings directly above the eyes of White-Faced Black	
Spanish	$\frac{1}{2}$ to $1\frac{1}{2}$
For positive white in face of cocks of Mediterranean class, except	
in White-Faced Black Spanish	$\frac{1}{2}$ to $2\frac{1}{2}$
Pinched or "Gamy" tails in Leghorn females	$\frac{1}{2}$ to $1\frac{1}{2}$
If tail in any variety shows not to exceed three-fourths develop-	
ment	
If tail in any variety shows not to exceed one-half development	
If tail in any variety shows not to exceed one-fourth development.	3
For black in bean of white ducks (females), except in White Mus-	
	1
For black in bill of white ducks (females), except White Muscovys,	
other than black in bean	1 to $1\frac{1}{2}$
Down between the toes of all clean-shanked varieties	$\frac{1}{2}$ to 2
Crooked keel or breast bone	$\frac{1}{2}$ to 2
For each bare toe in Brahmas	
Crooked toes, each	$\frac{1}{2}$ to 1
In Barred Plymouth Rocks for black feather or feathers, in each	1, 1
section where found	$\frac{1}{2}$ to $1\frac{1}{2}$

DESCRIPTION OF BREEDS.

CLASS I.

Breeds	AMERICAN.	Varieties
Plymouth Rocks		Barred White Buff Silver Pencilee Partridge Columbian
WYANDOTTES		Cilver Golden White Buff Black Partridge Silver Pencileo Columbian
JAVAS	• • • • • • • • • • • • • • • • • • • •	· · · · { Black Mottled
Dominiques	••••••	Rose Comb
RHODE ISLAND REDS.		Single Comb
Buckeyes		•
SCALE OF PO	INTS FOR THE AME	RICAN CLASS.
Symmetry		
	••••••	
	2	
	2	
Eyes - Shape 2, Color 2		
Wattles and Ear-lobes -	- Shape 2, Color 3	
	5	
	•5	
	5	
Tail - Shape 5, Color 5		10
Breast - Shape 6, Color	5	
Body and Fluff - Shape	5, Color 3	
Legs and Toes - Shape	3, Color 3	

PLYMOUTH ROCKS.

The Plymouth Rocks for many years have continued as America's most popular fowl. They belong to those classed as "general purpose fowls," breeds that have proven value as market-poultry and as layers. The pioneer variety was the Barred Plymouth Rock, which was first exhibited in March, 1869, at Worcester, Mass. In size the Plymouth Rock is intermediate between the Asiatic and Mediterranean breeds. The most typical and useful specimens are those which are bred nearest to Standard weights. They mature rapidly and have much merit to commend them to those growing poultry for market, as well as those desiring good egg production, as they are producers of large, brown eggs in goodly numbers. To one who is familiar with the extremes in fowls as regards length of the various sections, the Plymouth Rock will be recognized as medium, or rather long and rather deep in all sections. The six varieties the Barred, White, Buff, Silver Penciled, Partridge and Columbian are identical, except in color. The color of the Barred variety is exceedingly difficult to describe; in fact, the true and exact shades can be learned only by observation. The colors should be modified black and white in all sections, the bars narrow, regular and running parallel across the feathers, the over-lapping of the feathers producing a bluish tinge when viewed under certain light-reflections. The perfect colored Barred Plymouth Rock should show the same shade of color in all sections and be barred to the skin. The White variety of this breed is clear white, as the name indicates. It should be free from brassiness, creaminess and straw color in all sections of the plumage. The combination of clear white plumage, with bright red comb, wattles, ear-lobes, face and eyes, and yellow legs and beak, is both desirable and obtainable. The shade of color in the plumage of the Buff variety is a rich golden buff. What are termed cinnamon and lemon buff are the two extremes that should be avoided. A harmonious blending of buff in all sections is most desirable, i.e., the same shade of color should prevail throughout the specimen. The contrast of black and white in males, and finely penciled steel-gray in females will attract many to the Silver Penciled variety.

STANDARD WEIGHTS.

Cock	$9\frac{1}{2}$ lbs.	Hen	$7\frac{1}{2}$ lbs.
Cockerel	8 lbs.	Pullet	6 lbs.

SHAPE OF MALE.

HEAD: Moderately large, broad, medium in length. BEAK: Stout, comparatively short, regularly curved. EYES: Full, prominent.

COMB: Single, rather small in proportion to size of specimen, set firmly on the head, straight and upright, evenly serrated, having five welldefined points, those in front and at rear a triffe smaller than the other three, giving the comb a semi-oval appearance when viewed from the side; fine in texture; blade not conforming too closely to head.

WATTLES AND EAR-LOBES: Wattles, moderately long, free from serrations, nicely rounded at the lower edges, equal in length, fine in texture, free from folds or wrinkles. Ear-lobes, oblong, smooth, hanging about half the length of wattles.

NECK: Rather long, slightly arched, having abundant hackle flowing well over shoulders.

WINGS: Of medium size, well folded; wing-fronts well covered by the breast feathers and wing-points well covered by the saddle feathers.

BACK: Rather long, broad its entire length, flat at shoulders, nearly horizontal from neck to saddle, where there is a slight concave sweep to tail; saddle feathers, rather long, abundant, filling well in front of tail.

TAIL: Of medium length, moderately well spread, carried at an angle of forty-five degrees from the horizontal, forming no apparent angle with the back; sickles, well curved, covering tops of main tail feathers, conforming to the general shape of the tail; lesser sickles and tail-coverts of medium length, nicely curved and sufficiently abundant to almost hide the stiff feathers of the tail when viewed from front or side.

BREAST: Broad, moderately deep, well rounded.

BODY AND FLUFF: Body, rather long, broad, deep, full; keel-bone, rather long, straight, extending well forward, connecting with breast so as to make no break in outline. Fluff, moderately full.

LEGS AND TOES: Thighs, large, of medium length, well covered with soft feathers. Shanks, of medium length, smooth, straight, stout, set well apart. Toes, straight, of medium length, well spread. Shanks and toes free from feathers, stubs or down.

SHAPE OF FEMALE.

HEAD: Moderately large, broad, medium in length.

BEAK: Comparatively short, regularly curved.

EYES: Full, prominent.

COMB: Single, small, proportional to the size of the specimen, set firmly on the head, straight and upright, evenly serrated, having five welldefined points, those in front and at rear being somewhat smaller and shorter than the other three. WATTLES AND EAR-LOBES: Wattles, small, well rounded, equal in length, fine in texture. Ear-lobes, oblong in shape, smooth.

NECK: Medium in length, nicely curved and tapering to head, where it is comparatively small; hackle, moderately full, flowing well over the shoulders with no apparent break at juncture of neck and back.

WINGS: Of medium size, well folded; wing-fronts, well covered by the breast feathers.

BACK: Rather long, broad its entire length, flat at shoulders, rising with a slightly concave incline to tail.

TAIL: Of medium length, fairly well spread, carried at an angle of thirty-five degrees from the horizontal, forming no apparent angle with the back; tail-coverts, well developed.

BREAST: Broad, moderately deep, well rounded.

BODY AND FLUFF: Body, rather long, moderately deep, full; keel bone, rather long, straight from front to rear and extending well forward, connected with the breast so as to make no break in outline. Fluff, full, of medium length.

LEGS AND TOES: Thighs, of medium size and length, well covered with soft feathers. Shanks, of medium length, set well apart, stout and smooth. Toes, of medium size and length, straight, well spread. Shanks and toes free from feathers, stubs or down.

BARRED PLYMOUTH ROCKS.

Disqualifications.

Positive white in ear-lobes; red in any part of plumage; two or more solid black primaries, secondaries or main tail feathers; shanks other than yellow, with due allowances for fading with age, dark spots not to disqualify. (See general disqualifications.)

COLOR OF MALE AND FEMALE.


BEAK: Yellow.

EYES: Reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

SHANKS AND TOES: Yellow; red showing at outside of shanks back of scales, not a defect in males.

PLUMAGE: Grayish-white, each feather crossed by regular, narrow, parallel, sharply-defined, dark bars that stop short of positive black; free from shafting, brownish tinge or metallic sheen; the light and dark bars to be of equal width and to extend throughout the length of the feathers in all sections of the fowl, each feather on females ending with a narrow, dark tip, the combination of overlapping feathers giving the plumage a bluish appearance.



BARRED PLYMOUTH ROCK MALE



BARRED PLYMOUTH ROCK FEMALE

WHITE PLYMOUTH ROCKS.

Disgualifications.

Positive white in ear-lobes; red, buff or positive black in any part of plumage; shanks other than yellow. (See general disqualifications.)

COLOR OF MALE AND FEMALE.

BEAK: Yellow.

EYES: Reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

SHANKS AND TOES: Rich yellow; red showing at outside of shanks back of scales, not a defect in males.

PLUMAGE: Web, fluff and quills of feathers, in all sections, pure white.

BUFF PLYMOUTH ROCKS.

Disqualifications.

Positive white in ear-lobes; shanks other than yellow. (See general disqualifications.)

COLOR OF MALE.

BEAK: Rich yellow.

EYES: Reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

SHANKS AND TOES: Rich yellow; red showing at outside of shanks, back of scales, not a defect.

PLUMAGE: Surface throughout an even shade of rich, golden buff, free from shafting or mealy appearance, the head, neck, hackle, back, wing-bows and saddle richly glossed: under-color, a lighter shade, free from foreign color. Different shades of buff in two or more sections is a serious defect. A harmonious blending of buff in all sections is most desirable.

COLOR OF FEMALE.

BEAK: Rich vellow.

EYES: Reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

SHANKS AND TOES: Rich yellow.


PLUMAGE: Surface throughout an even shade of rich, golden buff, free from shafting or mealy appearance, the head and neck plumage showing a luster of the same shade as the rest of the plumage; undercolor, a lighter shade, free from foreign color. Different shades of buff in two or more sections is a serious defect. A harmonious blending of buff in all sections is most desirable.



WHITE PLYMOUTH ROCK MALE




WHITE PLYMOUTH ROCK FEMALE



BUFF PLYMOUTH ROCK MALE

STANDARD OF PERFECTION



BUFF PLYMOUTH ROCK FEMALE

SILVER PENCILED PLYMOUTH ROCKS.

Disqualifications.

Positive white in ear-lobes; shanks and toes other than yellow or dusky yellow.

COLOR OF MALE.

HEAD: Plumage, silvery white.

BEAK: Yellow, or dusky yellow.

EYES: Reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Silvery white, with a lustrous, greenish-black stripe extending down each feather, and running nearly parallel with edges of feather, and tapering to a point near its extremity; under-color, slate or bluishwhite.

WINGS: Wing-bows, silvery white; primaries, black, excepting a narrow edging of white on lower edge of lower web; secondaries, black, except lower half of lower web, which should be white, except near end of feathers, at which point the white terminates abruptly leaving the end of the feathers black; wing-coverts, lustrous greenish-black, forming a well-defined bar of this color across wing when folded.

BACK: Silvery white, free from brown; saddle, silvery white, with a black stripe in each feather, same as hackle; under-color, slate or bluish-white.

TAIL: Black; sickles, lustrous greenish-black; coverts, lustrous greenish-black, edged with white.

BREAST: Black; under-color, slate or bluish-white.

BODY AND FLUFF: Body, black; under-color, slate or bluish-white. Fluff, black, slightly tinged with gray.

LEGS AND TOES: Thighs, black. Shanks and toes, yellow, or dusky yellow; red showing at outer sides of shanks back of scales, not a defect.

COLOR OF FEMALE.

HEAD: Plumage, silvery gray.

BEAK: Yellow, or dusky yellow.

EYES: Reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Silvery white, with broad black stripe running nearly parallel with edges and extending down middle of each feather, tapering to a point near its extremity and free from white shaft; under-color, slate.

WINGS: Primaries, black, with narrow edge of steel-gray penciling on lower web; secondaries, upper web black, lower web gray, with distinct dark penciling extending around outer edge of feather; shoulder and wingcoverts, steel-gray, with distinct dark penciling, outlines of which conform to shape of feather; under-color, slate.

BACK: Steel-gray, with distinct dark penciling, outlines of which conform to shape of feather; feathers free from white shaft; under-color, slate.

TAIL: Black, except the two top feathers which are penciled on upper edge; coverts, gray, with distinct dark penciling, outlines of which conform to shape of feather.

BREAST: Steel-gray, with distinct dark penciling, outlines of which conform to shape of feather, the penciling reaching well up on throat; under-color, slate.

BODY AND FLUFF: Body, steel-gray, with distinct dark penciling, outlines of which conform to shape of feather, the penciling reaching well down on thighs. Fluff, steel-gray, tinged with lighter shade; undercolor, slate.

LEGS AND TOES. Thighs, gray, with distinct penciling. Shanks and toes, yellow or dusky yellow.

Note: Each feather in hock, breast, body and wing-bows to have two or more distinct pencilings.



SILVER PENCILED PLYMOUTH ROCK MALE



SILVER PENCILED PLYMOUTH ROCK FEMALE

PARTRIDGE PLYMOUTH ROCKS.

Disqualifications.

Positive white in ear-lobes; positive white extending into tail feathers of cockerel; shanks other than yellow or dusky yellow. (See general disqualifications.)

COLOR OF MALE.

HEAD: Plumage, bright red.

BEAK: Dark horn, shading to yellow at point.

EYES: Reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Bright red, with a lustrous greenish-black stripe running nearly parallel with edges and extending through each feather, tapering to a point near its extremity; under-color, slate.

WINGS: Wing-bows, dark red; fronts, black; primaries, black, lower edges of web, reddish-bay; secondaries, black, outside web reddish-bay terminating with greenish-black at end of each feather; coverts, lustrous greenish-black, forming well-defined bar of this color across wing when folded.

SACK: Dark red; saddle, bright red, with lustrous greenish-black stripe down the middle of each feather, same as in hackle; under-color, slate.

TAIL: Black; sickles and coverts, lustrous greenish-black, edged with bright red.

"BREAST: Lustrous black; under-color, slate.

BODY AND FLUFF: Body, black. Fluff, black; under-color, slate. LEGS AND TOES: Thighs, black, under-color, slate Shank plumage, black or brownish-black. Shanks and toes, yellow or dusky yellow. Toe plumage, black or brownish-black.

COLOR OF FEMALE.

HEAD: Plumage, mahogany brown.

BEAK: Dark horn, shading into yellow at point.

EYES: Reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Bright red, with a lustrous black stripe extending down the middle of each feather, running nearly parallel with edge of feather and tapering to a point near its extremity.

WINGS: Wing-bows, mahogany brown, penciled with black; pri maries, black, with edging of mahogany brown on outer web; secondaries, inner web black, outer web mahogany brown penciled with black, penciling conforming to shape of feather. BACK: Mahogany brown, distinctly penciled with black, the outlines of penciling conforming to shape of feather; under-color, slate.

TAIL: Black, the two top feathers black, penciled with mahogany brown on upper edge; coverts, mahogany brown, penciled with black.


BREAST: Mahogany brown, distinctly penciled with black, the penciling being of same character as that of back and extending to throat; under-color, slate.

BODY AND FLUFF: Body, mahogany brown, penciled with black. Fluff, mahogany brown; under-color, slate.

LEGS AND TOES: Thigh, shank and toe plumage, mahogany brown, penciled with black. Shanks and feet, yellow or dusky yellow.



PARTRIDGE PLYMOUTH ROCK MALE



PARTRIDGE PLYMOUTH ROCK FEMALE

COLUMBIAN PLYMOUTH ROCKS.

Disqualifications.

Positive white in ear-lobes; shanks other than yellow. (See general disqualifications.)

COLOR OF MALE.

HEAD: Plumage, white.

BEAK: Yellow, with dark stripe down upper mandible.

EYES: Bay, or reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Plumage, other than hackle, white; hackle, web white, with solid, lustrous greenish-black stripe extending from fluff down middle of each feather, running nearly parallel with edges of feather and tapering to a point near its extremity. Under-color, white, bluish-white or slate.

WINGS: Wing-bows, white, except fronts which may be partly black; primaries, black, with white edging on lower edge of lower web; secondaries, lower portion of lower web white, sufficient to secure a white wingbay, the white extending around ends of feathers and lacing upper portion of upper web, this color growing wider in the shorter secondaries, the five next to the body being white on surface when wing is folded; remainder of each secondary, black.

BACK: Surface color, white; cape, black and white; saddle, white, with occasional feathers striped with black; under-color, either white, bluish-white or slate.

TAIL: Black, the curling feathers underneath, white, or black and white; sickles and coverts, lustrous greenish-black; lesser coverts, lustrous greenish-black, edged with white.

BREAST: Surface and under-color, white; under-color at juncture with body, white, bluish white or slate.

BODY AND FLUFF: Body, white, except under wings where it may be white, bluish-white or slate; under-color, white or bluish-white. Fluff, white; under-color, white or bluish-white.

LEGS AND TOES: Thighs, surface color, white; under-color, white or bluish-white. Shanks and toes, yellow; red showing at outer sides back of scales not a defect.

COLOR OF FEMALE.

HEAD: Plumage, white.

BEAK: Yellow, or yellow with dark stripe down the upper mandible. EYES: Bay, or reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Hackle, beginning at juncture of head with neck, web, white,

with a solid, wide, lustrous greenish-black stripe, extending down middle of each feather, running nearly parallel with edges of feather and tapering to a point near its extremity.

WINGS: Wing-bows, white; primaries, black, with white edging on lower edge of lower web; secondaries, lower portion of lower web, white, sufficient to secure a white wing-bay, the white extending around the ends and lacing upper portion of upper web, this color growing wider in the shorter secondaries, the five next to the body being white on the surface when wing is folded; remainder of each secondary, black.


BACK: Surface, white, occasional black ticking not a serious defect; cape, white, or black and white; under-color, white, bluish-white or slate.

TAIL: Black, except the two top feathers which are edged with white; tail-coverts, black, edged with white.


BREAST: Surface and under-color, white; under-color, at juncture with body, white or bluish-white.

BODY AND FLUFF: Body, white, except under wings, where it may be white or bluish-white; under-color, white or bluish-white. Fluff, white.

LEGS AND TOES: Thighs, white; under-color, white or bluish-white. Shanks and toes, yellow.



COLUMBIAN PLYMOUTH ROCK MALE



COLUMBIAN PLYMOUTH ROCK FEMALE

WYANDOTTES.

The Wyandottes* are of American origin and were known in their early history by several names - each section of the country where they were found seeming to have a name that was given by the breeder who first introduced them. They were known as Sebrights, Mooneys, American Sebrights and a number of names which their peculiar markings would indicate. The name Wyandotte was not applied until they were admitted to the Standard in 1883. It was thought by some that this name would injure their popularity, but by eliminating all former names it seems to have done much to make them the more popular. Just what breeds entered into the first Silver Wyandottes it is impossible to say. That Dark Brahmas and Silver Spangled Hamburgs were two of them, has been proven, as a cross of these two gives a breed that resembles them, but fails in shape and partly in color, showing that some other an unknown - cross was added. They have, since their admission to the Standard, been one of the most popular middle-weight breeds.

The wide range of color found in the eight varieties allows every admirer to indulge his fancy. Each variety has points of color difficult to obtain, and when obtained, places a high valuation on the specimen. No one variety can claim a higher fancy or commercial value than the other, as all are popular, and all are much sought for. Whichever variety one may choose, he will find interesting color problems to solve. In the Whites, it will be how to secure fine white plumage and escape creaminess and brassiness; in the Blacks, how to obtain greenish, glossy black, without the purple barring; in the Silvers, how to obtain silvery hackles and saddles free from brassiness, large, oval white centers free from mossiness, and breast lacing free from white edging; in the Goldens, how to get the correct shade of golden bay, which in this variety supplants the white of the Silvers; in the Buffs, how to secure an even shade of rich, golden buff, and have the same shade of color prevail through the specimen, and to avoid the out-cropping of black and white; in the Partridge and Silver Penciled varieties, how to obtain the rich foundation color with distinct, clean-cut lacing in neck and back of males, with the fine double penciling in females; in the Columbians, how to keep the surface of neck, back and wing-bows of males free from brassiness, and secure distinct lacing of neck, with black tails, laced coverts and black wing-flights, and the beautiful laced neck and tail-coverts of females, with black wing-flights.

* Note: Fred A. Houdlette, who suggested the name Wyandotte, says the name was given in honor of a coasting vessel bearing the name Wyandotte, which belonged to his father.

STANDARD OF PERFECTION

In shape, Wyandottes have a type peculiarly their own. It is emphatically a bird of curves. Fanciers should strive to maintain its short, broad back and deep, round body. These characteristics exceed in value all color considerations and are found in the typical Wyandotte at all ages, whether alive or dressed. Its curved, close-fitting comb adds to the symmetry of the bird.

STANDARD WEIGHTS.

Cock	$.8\frac{1}{2}$ lbs.	Hen	$6\frac{1}{2}$ lbs.
Cockerel	$7\frac{1}{2}$ lbs.	Pullet	$5\frac{1}{2}$ lbs.

SHAPE OF MALE.

HEAD: Short, round, broad.

BEAK: Short, well curved.

EYES: Large, oval.

COMB: Rose, low, firm on head; top, oval and surface covered with small, rounded points, tapering to a well-defined point at rear; the entire comb curving to conform to shape of skull.

WATTLES AND EAR-LOBES: Wattles, moderately long, nicely rounded at lower edges, equal in length, fine in texture, free from folds or wrinkles. Ear-lobes, oblong, well-defined, hanging about half the length of wattles, smooth.

NECK: Short, well arched; hackle, abundant, flowing well over shoulders.

WINGS: Small, not carried too close to body; sides well rounded.

BACK: Short, broad, flat at shoulders; saddle, broad, full, rising with concave sweep to tail; saddle feathers, abundant.

TAIL: Short, well spread at base, carried at an angle of fifty degrees from the horizontal (see illustration); sickles, moderately long, curving gracefully and closely over tail; coverts, abundant, filling out well in front, almost hiding the stiff feathers.

BREAST: Broad, deep, round.

BODY AND FLUFF: Body, short, deep, round, with low-set keel. Fluff, full-feathered, well rounded.

LEGS AND TOES: Thighs, short, stout, showing outline of shape when viewed sideways, well covered with soft feathers; shanks, short, stout, set well apart, well rounded. Toes, straight. Shanks and toes free from feathers, stubs and down.

SHAPE OF FEMALE.

HEAD: Short, round; crown, broad.

BEAK: Short, well curved.

EYES: Large, oval.

COMB: Rose, similar to that of male, but much smaller.

WATTLES AND EAR-LOBES: Wattles, fine in texture, well rounded. Ear-lobes, oblong in shape, well defined, smooth.

NECK: Short, well arched; hackle, abundant.

WINGS: Small, well rounded, well folded; wing-fronts, well covered by breast feathers.

BACK: Short, broad, flat at shoulders, rising in a concave sweep to a broad, slightly-rounded cushion, which extends well on to main tail; plumage, abundant.

TAIL: Short, well spread at base, carried at an angle of forty degrees from the horizontal. (See illustration.) Coverts, abundant.

BREAST: Broad, deep, round.

BODY AND FLUFF: Body, short, deep, round, with low-set keel. Fluff, full-feathered, well rounded.

LEGS AND TOES: Thighs, short, stout, well spread, showing outline of shape when viewed sideways, well covered with soft feathers; shanks, short, set well apart, stout, well rounded. Toes, straight. Shanks and toes free from feathers, stubs and down.

SILVER WYANDOTTES.

Disqualifications.

Ear-lobes more than one-quarter positive enamel white; shanks other than yellow. (See general disqualifications.)

COLOR OF MALE.

HEAD: Plumage, silvery white, each feather having a black stripe, tapering to a fine point near its extremity.

BEAK: Dark horn, shading to yellow at point.

EYES: Bay, or reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Silvery white, a clear, black stripe through each feather, tapering to a point near its extremity; shafts of feathers, white; undercolor, slate.

WINGS: Primaries, black, lower edge white; secondaries, black, lower half of outer web white, with a narrow black edging wider at the tip, wing-coverts, upper web black, lower web white, with a narrow black stripe along the edge that widens as it approaches the tip, forming a double bar of laced feathers across wing; wing-bows, silvery white; under-color, slate.

BACK: Silvery white; saddle, silvery white, a black stripe through each feather, tapering to a point near its extremity, having a tapering, diamond-shaped center of white: under-color, slate.

TAIL: Black; sickles and greater coverts, lustrous greenish-black;

lesser coverts, black, with diamond-shaped white centers, feathers laced with white.

BREAST: Web of each feather, white, laced with a narrow, lustrous greenish-black, sharply defined lacing, to conform to edge of feather; under-color, slate.

BODY AND FLUFF: Body, web of each feather, white, laced with a narrow, lustrous greenish-black, sharply defined lacing, to conform to edge of feather; under-color, slate. Fluff, slate, powdered with gray; under-color, slate.

LEGS AND TOES: Thighs, web of each feather, white, laced with a narrow, lustrous greenish-black, sharply defined lacing, to conform to edge of feather; under-color, slate. Shanks and toes, yellow; red showing at outer sides, back of scales, not a defect. Shanks, free from feathers, stubs and down.

COLOR OF FEMALE.

HEAD: Plumage, silvery gray.

BEAK: Dark horn, shading to yellow at point.

EYES: Bay, or reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Silvery white, with a black stripe through each feather, tapering to a point near its extremity; shafts of feathers, white; undercolor, slate.

WINGS: Primaries, black, the lower edge, white; secondaries, black, lower half of outer web white, with a narrow black edging. wider at the tip; shoulders and wing-coverts, white, each feather laced with a narrow, lustrous greenish-black, sharply defined lacing, to conform to the edge of the feather; wing-bows, white, each feather laced with a narrow, lustrous greenish-black, sharply defined lacing, to conform to edge of the feather; under-color, slate.

BACK: Web of each feather, white, laced with a narrow, lustrous greenish-black, sharply defined lacing, to conform to edge of feather; under-color, slate.

TAIL: Black; the upper sides of the two top feathers edged with white; greater coverts, black; lesser coverts, black with white centers.

BREAST: White, each feather laced with a narrow, lustrous greenishblack, sharply defined lacing, to conform to edge of feather; under-color, slate.

BODY AND FLUFF: Body, web of each feather, white, laced with a narrow, lustrous greenish-black, sharply defined lacing, to conform to edge of feather; under-color, slate. Fluff, slate, powdered with gray; under-color, slate.

LEGS AND TOES: Thighs, web of each feather, white, laced with a narrow, lustrous greenish-black, sharply defined lacing, to conform to edge of feather; under-color, slate. Shanks and toes, yellow.



SILVER WYANDOTTE MALE



SILVER WYANDOTTE FEMALE

GOLDEN WYANDOTTES.

Disqualifications.

Ear-lobes more than one-quarter positive enamel white; shanks other than yellow or dusky yellow. (See general disqualifications.)

COLOR OF MALE.

HEAD: Plumage, golden bay, each feather having a black stripe, tapering to a fine point near its extremity.

BEAK: Dark horn, shading to yellow at point.

EYES: Bay, or reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Golden bay, with a clear black stripe through each feather, tapering to a point near its extremity; shafts of feathers, golden bay; under-color, slate.

WINGS: Primaries, black, lower edge golden bay; secondaries, black, lower half of outer web golden bay, with a narrow black edging, wider at tip; wing-coverts, upper web black, lower web golden bay, with a narrow black stripe along the edge that widens as it approaches the tip, forming a double bar of laced feathers across wing; wing-bows, golden bay; under-color, slate.

BACK: Golden bay; saddle, golden bay with a black stripe through each feather, tapering to a point near its extremity, having a diamondshaped center of golden bay; under-color, slate, tinged with golden bay.

TAIL: Black; sickles and greater coverts, lustrous greenish-black; lesser coverts, black, with diamond-shaped golden bay centers, feathers laced with golden bay.

BREAST: Web of each feather, golden bay, laced with a narrow, lustrous greenish-black, sharply defined lacing, to conform to edge of feather; under-color, slate, tinged with golden bay.

BODY AND FLUFF: Body, web of each feather, golden bay, laced with a narrow, lustrous greenish-black, sharply defined lacing, to conform to edge of feather; under-color, dark slate, tinged with golden bay. Fluff, slate, tinged with golden bay; under-color, slate.

LEGS AND TOES: Thighs, web of each feather, golden bay, laced with a narrow, lustrous greenish-black, sharply defined lacing, to conform to edge of feather; under-color, slate, tinged with golden bay. Shanks and toes, yellow, or dusky yellow; red showing at outer sides, back of scales, not a defect.

COLOR OF FEMALE.

HEAD: Plumage, golden bay.

BEAK: Dark horn, shading to yellow at point.

EYES: Bay, or reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Golden bay, with a black stripe through the center, each feather tapering to a point near its extremity; shaft of feathers, golden bay; under-color, slate.

WINGS: Primaries, black, the lower edge golden bay; secondaries, black, lower half of outer web golden bay, with a narrow black edging wider at the tip; shoulders and wing-coverts, lustrous black, with ovalshaped, golden bay centers; lacing heavier over wing-bows; under-color, slate, tinged with golden bay.


BACK: Web of each feather, golden-bay, laced with a narrow, lustrous greenish-black, sharply defined lacing, to conform to edge of feather; under-color, slate, tinged with golden bay.

TAIL: Black; the upper sides of the two top feathers edged with golden bay. Greater coverts, black; lesser coverts, black, with golden bay centers.

BREAST: Golden bay, each feather laced with a narrow, lustrous greenish-black, sharply defined lacing, to conform to edge of feather; under-color, slate.

BODY AND FLUFF: Body, web of each feather, golden bay, laced with a narrow, lustrous greenish-black, sharply defined lacing, to conform to edge of feather; under-color, slate, tinged with golden bay. Fluff, slate, tinged with golden bay.

LEGS AND TOES: Thighs, web of each feather, golden bay, laced with a narrow, lustrous greenish-black, sharply defined lacing, to conform to edge of feather; under-color, slate, tinged with golden bay. Legs and toes, yellow or dusky yellow.



GOLDEN WYANDOTTE MALE

STANDARD OF PERFECTION



GOLDEN WYANDOTTE FEMALE

WHITE WYANDOTTES.

Disqualifications.

Ear-lobes more than one-quarter positive enamel white; red, buff or positive black in any part of plumage; shanks other than yellow. (See general disqualifications.)

COLOR OF MALE AND FEMALE.

BEAK: Yellow.

EYES: Bay, or reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

SHANKS AND TOES: Rich yellow; red showing at outer sides, back of scales, not a defect in males.

PLUMAGE: Web, fluff and quills of feathers in all sections, pure white.

BLACK WYANDOTTES.

Disqualifications.

Ear-lobes more than one-quarter positive enamel white; red in any part of plumage or white in any feather extending more than one-half inch; shanks other than black, shading into yellow or willow; bottoms of feet other than yellow. (See general disqualifications.)

COLOR OF MALE AND FEMALE.

BEAK: Black, shaded with yellow.

'EYES: Black, or dark brown.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

SHANKS AND TOES: Black, shading into yellow or willow.

BOTTOMS OF FEET: Yellow.

PLUMAGE: Surface, lustrous greenish-black throughout; undercolor, black.

BUFF WYANDOTTES.

Disqualifications.

Ear-lobes more than one-quarter positive enamel white; shanks other than yellow. (See general disqualifications.)

COLOR OF MALE.

BEAK: Rich yellow.

EYES: Bay, or reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

SHANKS AND TOES: Rich yellow; red showing at outer sides, back of scales, not a defect.

PLUMAGE: Surface throughout an even shade of rich, golden buff, free from shafting or mealy appearance, the head, neck, hackle, back, wing-bows and saddle richly glossed: under-color, a lighter shade, free from foreign color. Different shades of buff in two or more sections is a serious defect. A harmonious blending of buff in all sections is most desirable.

COLOR OF FEMALE.

BEAK: Rich yellow.

EYES: Bay, or reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

SHANKS AND TOES: Rich vellow.

PLUMAGE: Surface throughout an even shade of rich, golden buff, free from shafting or mealy appearance, the head and neck plumage showing luster of the same shade as the rest of the plumage; under-color a lighter shade, free from foreign color. Different shades of buff in two or more sections is a serious defect. A harmonious blending of buff in all sections is most desirable.



WHITE WYANDOTTE MALE



WHITE WYANDOTTE FEMALE



BUFF WYANDOTTE MALE



BUFF WYANDOTTE FEMALE

PARTRIDGE WYANDOTTES.

Disqualifications.

Ear-lobes more than one-quarter positive enamel white; shanks other than yellow or dusky yellow. (See general disqualifications.)

COLOR OF MALE.

HEAD: Plumage, bright red.

BEAK: Dark horn, shading to yellow at point.

EYES: Bay, or reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Bright red, with a lustrous greenish-black stripe running nearly parallel with edges and extending through each feather, tapering to a point near its extremity; under-color, slate.

WINGS: Primaries, black, lower edges reddish-bay; secondaries, black, outside web, reddish-bay, terminating with greenish-black at end of each feather; coverts, lustrous greenish-black, forming a well defined bar of this color across wing, when folded; wing-bows, dark red; fronts, black.

BACK: Dark red; saddle, bright red, with a lustrous greenish-black stripe down the middle of each feather, same as in hackle; under-color, slate.

TAIL: Black; sickles and coverts, lustrous greenish-black; lesser coverts, lustrous greenish-black, edged with bright red.

BREAST: Lustrous black; under-color, slate.

BODY AND FLUFF: Body and fluff, black, marked with reddishbrown, reddish-brown not to predominate; under-color, slate.

LEGS AND TOES: Thighs, black; shanks and toes, yellow; red showing at outer sides, back of scales, not a defect.

COLOR OF FEMALE.

HEAD: Plumage, mahogany brown.

BEAK: Dark brown, shading to yellow at point.

EYES: Bay, or reddish-bay.

COMB, FACE; WATTLES AND EAR-LOBES: Bright red.

NECK: Reddish-bay, center portion of feathers black penciled with mahogany brown extending down middle of each feather, running nearly parallel with edges of feather and tapering to a point near its extremity.

WINGS: Primaries, black, with edging of mahogany brown on outer web; secondaries, inner web, black; outer web, mahogany brown, penciled with black; coverts, mahogany brown, penciled with black, penciling conforming to shape of feather; wing-bows, mahogany brown, penciled with black. **BACK:** Mahogany brown, distinctly penciled with black, the outlines of penciling conforming to shape of feathers; under-color, slate.

TAIL: Black, the two top feathers, black, penciled with mahogany brown; coverts, mahogany brown, penciled with black.

BREAST: Mahogany brown, distinctly penciled with black, the penciling being of the same character as that of back and extending to throat; under-color, slate.

BODY AND FLUFF: Body, mahogany brown, penciled with black; fluff, mahogany brown; under-color, slate.

LEGS AND TOES: Thighs, mahogany brown, penciled with black; shanks and toes, yellow, or dusky yellow.

Note: Each feather in back, breast, body and wing-bows to have two or more distinct pencilings and to be free from shafting.



PARTRIDGE WYANDOTTE MALE

STANDARD OF PERFECTION



PARTRIDGE WYANDOTTE FEMALE

SILVER PENCILED WYANDOTTES.

Disqualifications.

Ear-lobes more than one-quarter positive enamel white; shanks other than yellow, or dusky yellow. (See general disqualifications.)

COLOR OF MALE.

HEAD: Plumage, silvery white.

BEAK: Yellow, or dusky yellow.

EYES: Bay, or reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Silvery white, with a lustrous greenish-black stripe extending down each feather, running nearly parallel with edges of feather and tapering to a point near its extremity; under-color, slate or bluish-white.

WINGS: Primaries, black, excepting a narrow edging of white on lower edge of web; secondaries, black except lower half of lower web which should be white, except near end of feather, at which point the white terminates abruptly, leaving end of feather black; coverts, lustrous greenishblack, forming a well defined bar of this color across wing when folded; bows, silvery white.

BACK: Silvery white, free from brown; saddle, silvery white, with a black stripe in each feather same as hackle; under-color, slate.

TAIL: Black; sickles and coverts, lustrous greenish-black; lesser coverts, lustrous greenish-black, edged with white.

BREAST: Black; under-color, slate, or bluish-white.

BODY AND FLUFF: Body, black; under-color, slate, or bluish-white. Fluff, black, slightly tinged with gray.

LEGS AND TOES: Thighs, black; shanks and toes, yellow, or dusky yellow; red showing at outer sides, back of scales, not a defect.

COLOR OF FEMALE.

HEAD: Plumage, silvery gray.

BEAK: Yellow, or dusky yellow.

EYES: Bay, or reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Silvery white, with broad black stripe running nearly parallel with edges and extending down middle of each feather, tapering to a point near its extremity and free from white shaft; under-color, slate.

WINGS: Primaries, black, with narrow edging of gray penciling on lower web; secondaries, upper web, black; lower web, steel-gray, with distinct dark penciling extending around outer end of feather; shoulder and wing coverts, steel-gray, with distinct dark penciling, outlines of which conform to shape of feather; under-color, slate. BACK: Steel-gray, with distinct dark penciling, outlines of which conform to shape of feathers; feathers free from white shafts; under-color, slate.

TAIL: Black, except the two top feathers, which are penciled on upper edge; coverts, steel-gray with distinct dark penciling, outlines of which conform to shape of feather.

BREAST: Steel-gray, with distinct dark penciling, outlines of which conform to shape of feather, the penciling reaching well up on throat; under-color, slate.


BODY AND FLUFF: Body, steel-gray, with distinct dark penciling, outlines of which conform to shape of feather, the penciling reaching well down on thighs. Fluff, gray, tinged with lighter shade: under-color, slate.

LEGS AND TOES: Thighs, steel-gray, with distinct penciling; shanks and toes, yellow, or dusky yellow.

Note: Each feather in back, breast, body and wing-bows to have two or more distinct pencilings.



SILVER PENCILED WYANDOTTE MALE



SILVER PENCILED WYANDOTTE FEMALE

COLUMBIAN WYANDOTTES.

Disqualifications.

Ear-lobes more than one-quarter positive enamel white; shanks other than yellow.

COLOR OF MALE.

HEAD: Plumage, white.

BEAK: Yellow, with dark stripe down upper mandible.

EYES: Bay, or reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Plumage, other than hackle, white; hackle, web white, with solid, lustrous greenish-black stripe extending from fluff down middle of each feather, running nearly parallel with edges of feather and tapering to a point near its extremity. Under-color, white, bluish-white or slate.

ŴINGS: Wing-bows, white, except fronts which may be partly black; primaries, black, with white edging on lower edge of lower web; secondaries, lower portion of lower web white, sufficient to secure a white wingbay, the white extending around ends of feathers and lacing upper portion of upper web, this color growing wider in the shorter secondaries, the five next to the body being white on surface when wing is folded; remainder of each secondary, black.

BACK: Surface color, white; cape, black and white; saddle, white, with occasional feathers striped with black; under-color, either white, bluish-white or slate.

TAIL: Black, the curling feathers underneath, white, or black and white; sickles and coverts, lustrous greenish-black; lesser coverts, lustrous greenish-black, edged with white.

BREAST: Surface and under-color, white; under-color at juncture with body, white, bluish-white or slate.

BODY AND FLUFF: Body, white, except under wings where it may be white, bluish-white or slate; under-color, white, or bluish-white. Fluff, white; under-color, white, or bluish-white.

LEGS AND TOES: Thighs, surface color, white; under-color, white or bluish-white. Shanks and toes, yellow; red showing at outer sides, back of scales, not a defect.

COLOR OF FEMALE.

HEAD: Plumage, white.

BEAK: Yellow, or yellow with dark stripe down the upper mandible.

EYES: Bay, or reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Hackle, beginning at juncture of head with neck, web, white, with a solid, wide, lustrous greenish-black stripe extending down middle

of each feather, running nearly parallel with edges of feather and tapering to a point near its extremity.

WINGS: Wing-bows, white; primaries, black, with white edging on lower edge of lower web; secondaries, lower portion of lower web, white, sufficient to secure a white wing-bay, the white extending around the ends and lacing upper portion of upper web, this color growing wider in the shorter secondaries, the five next to the body being white on the surface when wing is folded; remainder of each secondary, black.


BACK: Surface, white, occasional black ticking not a serious defect: cape, white, or black and white; under-color white, bluish-white or slate.

TAIL: Black, except the two top feathers which are edged with white: tail-coverts, black edged with white.

BREAST: Surface and under-color, white; under-color, at juncture with body, white or bluish-white.

BODY AND FLUFF: Body, white, except under wings where it may be white or bluish-white; under-color, white or bluish-white. Fluff, white.

LEGS AND TOES: Thighs, white; under-color, white, or bluish-white; shanks and toes, yellow.



COLUMBIAN WYANDOTTE MALE



COLUMBIAN WYANDOTTE FEMALE

JAVAS.

This breed presents the extreme length of body found in the American class. The back and keel are long, which feature, together with the breadth of back, depth of body, the full, well-rounded breast and smooth posterior, gives the breed a type peculiarly its own. The neck and tail of both male and female are medium in length. The thighs are large and well-meated. Shanks are of medium size, standing well apart. The color of the face, comb and wattles of the black variety is described as gipsy (see glossary). The comb of both varieties is rather high at rear, the serrations being nearly on a line. The color of plumage of the black variety is a rich, lustrous black, with greenish sheen. Purple barring is a serious defect. The color of plumage of the mottled variety is black and white throughout. These colors should be sharply divided, each distinct in itself, the black predominating. The skin of both varieties is vellow.

STANDARD WEIGHTS.

Cock	9 <u>‡</u> lbs.	Hen	$7\frac{1}{2}$ lbs.
Cockerel		Pullet	

SHAPE OF MALE.

HEAD: Of medium length and breadth.

BEAK: Stout, well curved.

EYES: Large, full.

COMB: Single, rather small, straight and upright, firm on head, lower in front; evenly serrated, having five well-defined points; fine in texture; blade free from serrations.

WATTLES AND EAR-LOBES: Wattles, of medium length, well rounded at ends, smooth; fine in texture. Ear-lobes, small, oblong.

NECK: Of medium length, arched; hackle, abundant.

WINGS: Rather large, well folded.

BACK: Long, broad, with slight decline to a concave sweep near tail; saddle feathers, abundant.

TAIL: Rather long, moderately full and expanded, carried at an angle of forty-five degrees from the horizontal; sickles, long and gracefully curved; main tail feathers, long.

BREAST: Long, deep, full.

BODY AND FLUFF: Body, long, broad, deep. Fluff, moderate in quantity, even on surface.

LEGS AND TOES: Thighs, of medium length, large, strong, well covered with close-fitting feathers; shanks, of medium length, stout in bone. Toes, of medium length, straight, strong, well spread. Shanks and toes free from feathers, stubs and down.

SHAPE OF FEMALE.

HEAD: Of medium size.

BEAK: Strong, well curved.

EYES: Of medium size, oval, full.

COMB: Single, small, straight and upright, lower in front; evenly serrated, having five well-defined points; fine in texture.

WATTLES AND EAR-LOBES: Wattles, of medium size, well rounded, smooth; fine in texture. Ear-lobes, small.

NECK: Of medium length, slightly arched.

WINGS: Rather large, well folded.

BACK: Long, full near tail-coverts.

TAIL: Rather long, full, slightly expanded.

BREAST: Broad, deep, full.

BODY AND FLUFF: Body, long, broad, deep. Fluff, moderate in quantity, even on surface

LEGS AND TOES: Thighs, of medium length, large, strong, well covered with close-fitting feathers; shanks, of medium length, stout in bone. Toes, of medium length, straight, strong, well spread. Shanks and toes free from feathers, stubs and down.

BLACK JAVAS.

Disgualifications.

Positive white in ear-lobes; foreign color in any part of plumage: skin, or bottoms of feet, other than yellow. (See general disqualifications.)

COLOR OF MALE AND FEMALE.

BEAK: Black.

EYES: Black, or dark brown.

COMB, FACE, WATTLES AND EAR-LOBES: Red, or gipsy color.


SHANKS AND TOES: Shanks, black, or nearly black with a tendency toward willow; black preferred. Toes, same color as shanks, except under parts which must be yellow; bottoms of feet, yellow.

PLUMAGE: Rich, lustrous black with greenish sheen, free from purple barring.



BLACK JAVA MALE





MOTTLED JAVAS.

Disqualifications.

Positive white in ear-lobes; red or brassy color in any part of plumage; skin, or bottoms of feet, other than yellow. (See general disqualifications.)

COLOR OF MALE AND FEMALE.

BEAK: Horn, or horn and yellow. EYES: Reddish-bay. COMB, FACE, WATTLES AND EAR-LOBES: Red. SHANKS AND TOES: Broken leaden-blue and yellow. PLUMAGE: Mottled black and white throughout, black predominating.

DOMINIQUES.

Disqualifications

Permanent white in ear-lobes; any feather or feathers, or portion of a feather, of any color foreign to the breed, excepting solid black and black and white feathers. (See general disqualifications.)

STANDARD WEIGHTS.

Cock	7 lbs.	Hen	5 lbs.
Cockerel	6 lbs.	Pullet	4 lbs.

SHAPE OF MALE.

HEAD: Of medium size, carried well up.

BEAK: Short, stout, regularly curved.

EYES: Large, clear.

COMB: Rose, not so large as to overhang the eyes or beak; firm and straight on head, square in front, uniform on sides, free from hollow in center, terminating in a spike at rear, the point of which turns slightly upward; top covered with small points.

WATTLES AND EAR-LOBES: Wattles, broad, full, pendent. Ear-lobes, oblong, of medium size.

NECK: Of medium length, well arched, tapering; hackle, abundant.

WINGS: Rather large, well folded; wing-bows and points, well covered by breast and saddle feathers.

BACK: Of medium length, broad, rising with concave sweep to tail. TAIL: Long, full, slightly expanded; sickles, long, well curved. BREAST: Broad, round and carried well up. BODY AND FLUFF: Body, broad, full, compact. Fluff, moderately full.

LEGS AND TOES: Thighs, of medium length, large, strong, well covered with soft feathers; shanks, fine in bone. Toes, of medium length, straight, well spread. Shanks and toes free from feathers, stubs and down.

SHAPE OF FEMALE.

HEAD: Small.

BEAK: Short, stout, regularly curved.

EYES: Large, oval.

^{**}Сомв: Rose, similar to that of male, but much smaller.

WATTLES AND EAR-LOBES: Wattles, rather small and well rounded. Ear-lobes, of medium size, oblong.

NECK: Short, slightly arched, tapering.

WINGS: Rather large, well folded.

BACK: Of medium length, broad, slightly concave.

TAIL: Full, rather long, slightly expanded, carried at an angle of forty-five degrees from the horizontal.

BREAST: Round, full.

BODY AND FLUFF: Body, broad, full, compact. Fluff, moderately full.

LEGS AND TOES: Thighs, of medium length, large, strong, well covered with soft feathers; shanks, fine in bone. Toes, of medium length, straight, well spread. Shanks and toes free from feathers, stubs and down.

COLOR OF MALE AND FEMALE.

BEAK: Yellow.

EYES: Reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

SHANKS AND TOES: Yellow.

[•]PLUMAGE: Slate, feathers in all sections of the fowl, crossed throughout their entire length, by regular, parallel, sharply defined, dark and light bars that stop short of positive black and positive white, tip of each feather dark, free from shafting, brownish tinge, or metallic sheen; under-color, slate; excellence to be determined by distinct contrasts, and evenness and clearness of barring. The male may be one or two shades lighter than the female.



DOMINIQUE MALE



DOMINIQUE FEMALE

RHODE ISLAND REDS.

(Single and Rose Comb.)

The Rhode Island Reds are an American production now generally regarded at poultry exhibitions as being a new breed, though they have been bred in large numbers for practical purposes in Rhode Island during many years, taking their name from that State. They are believed to have originated from crosses of the Asiatics, Mediterraneans and Games. Their chief characteristics are: red color, oblong shape, compact form and smooth surface plumage.

Disqualifications.

Ear-lobes more than one-half positive white; one or more entirely white feathers showing in the outer plumage; shanks and feet other than yellow or reddish-horn. (See general disqualifications.)

STANDARD WEIGHTS.

Cock	$8\frac{1}{2}$ lbs.	Hen	$6\frac{1}{2}$	lbs.
Cockerel	$7\frac{1}{2}$ lbs.	Pullet	5	lbs.

SHAPE OF MALE.

HEAD: Medium size, carried horizontally and slightly forward.

BEAK: Medium length, slightly curved.

EYES: Large, oval, prominent.

COMB: Single, medium in size, set firmly upon head, perfectly straight and upright, with five, even and well-defined points, those in front and rear smaller than those in the center; of considerable breadth where it joins to the head; blade smooth, not conforming too closely to shape of head, free from servations.

COMB: Rose, low, firm on head; top, oval in shape, and surface covered with small points terminating in a small spike at the rear. The comb to conform to the general curve of the head.

WATTLES AND EAR-LOBES: Wattles, of medium size, equal in length, regularly curved, free from folds and wrinkles. Ear-lobes, oblong, well defined, smooth, proportionate in size to other head adjuncts.

NECK: Medium length; hackle, abundant, flowing over the shoulders, not too loosely feathered.

WINGS: Of good size, well folded, carried horizontally.

BACK: Broad, long, carried horizontally, with slight concave sweep to tail; saddle feathers, of medium length, abundant.

TAIL: Of medium length, well spread, carried at an angle of forty degrees from the horizontal, thus increasing the apparent length of the fowl; sickles, of medium length, extending slightly beyond main tail feathers; lesser sickles and tail-coverts, of medium length, large, well covered with soft feathers.

BREAST: Deep, full, well rounded.

BODY AND FLUFF: Body, broad, deep, long; keel-bone, long, straight, extending well forward, giving body an oblong appearance; feathers carried close to body. Fluff, moderately full.

SHANKS AND TOES: Shanks, of medium length, well rounded, smooth, set well apart. Toes, of medium length, straight, strong, well spread. Shanks and toes free from feathers, stubs and down.

SHAPE OF FEMALE.

HEAD: Medium size, carried horizontally and slightly forward.

BEAK: Medium length, slightly curved.

EYES: Large, oval.

COMB: Single, medium in size, set firmly upon head, perfectly straight and upright, with five, even and well defined points, those in front and rear smaller than those in center.

COMB: Rose, low, firm on head, much smaller than that of the male, and, in proportion to its length, narrower; covered with small points and terminating in a small, short spike at the rear.

WATTLES AND EAR-LOBES: Wattles, of medium size, equal in length, regularly curved. Ear-lobes, oblong, well defined, smooth, proportionate in size to other head adjuncts.

NECK: Of medium length; hackle, moderately full.

WINGS: Rather large, well folded; fronts, well covered by breast feathers; flights, carried nearly horizontal.

BACK: Broad, long, carried horizontally.

TAIL: Rather short, moderately spread, carried at an angle of thirtyfive degrees from the horizontal.

BREAST: Deep, full, well rounded.

BODY AND FLUFF: Body, broad, deep, long; keel-bone, long, straight, extending well forward, giving body an oblong appearance; feathers carried close to body. Fluff, moderately full.

LEGS AND TOES: Thighs, of medium length, well covered with soft feathers; shanks, of medium length, well rounded. smooth. Toes, of medium length, straight, strong, well spread. Shanks and toes free from feathers, stubs and down.

COLOR OF MALE.

BEAK: Reddish-horn.

EYES: Red.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Rich, brilliant red; under-color, red.

WINGS: Wing-bows, brilliant red; primaries, upper web red, lower web black with narrow edging of red, only sufficient to prevent the black from showing on surface when wings are folded in natural position; primary-coverts, black; secondaries, lower web red, the red extending around the ends of the feathers, the remainder of each feather, black; the five feathers next to the body being red on the surface so that the wing, folded in natural position, shall show one harmonious red color; wingcoverts, red.

BACK: Rich, brilliant red; under-color, red.

TAIL: Main tail and sickle feathers, black or greenish-black; tail coverts, mainly black, but may become red as they approach the saddle.

BREAST: Rich red; under-color, red.

BODY AND FLUFF: Rich red; under-color, red.

SHANKS AND TOES: Rich yellow, or reddish-horn color. A line of red pigment down sides of shanks extending to tip of toes is desirable.

PLUMAGE: General surface, rich, brilliant red except where black is specified, free from shafting or mealy appearance; depth of red color is slightly accentuated on wing-bows and back, but the less contrast between these sections and the hackle and breast, the better. A harmonious blending of all sections is desired. The bird should be so brilliant in luster as to have a glossed appearance. The under-color should be red.

COLOR OF FEMALE.

BEAK: Reddish-horn.

EYES: Red.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Surface color red, with slight ticking at end of feathers on lower hackle; under-color, red.

WINGS: Wing-bows red; primaries, upper web red, lower web black with narrow edging of red, only sufficient to prevent the black from showing on surface when wings are folded in natural position; primary coverts, black; secondaries, lower web red, the red extending around the ends of the feathers; the remainder of each feather, black; the five feathers next to the body, red on the surface, so that the wing, folded in natural position, shall show one harmonious red color; wing-coverts, red.

BACK: Rich red; under-color, red.

TAIL: Black, except the two top feathers which may be edged with red.

BREAST: Rich red; under-color, red.


BODY AND FLUFF: Red; under-color, red.

SHANKS AND TOES: Rich yellow, or reddish-horn color; a line of red pigment down sides of shanks, extending to tip of toes is desirable.

PLUMAGE: General surface color, rich, even red, except where black is specified, free from shafting or mealy appearance; under-color, red.



RHODE ISLAND RED MALE



RHODE ISLAND RED FEMALE

BUCKEYES.

Disqualifications.

Ear-lobes more than one-fourth enamel white; entirely white feathers. (See general disqualifications.)

STANDARD WEIGHTS.

Cock	9 lbs.	Hen	6 lbs.
Cockerel	8 lbs.	Pullet	5 lbs.

SHAPE OF MALE.

HEAD: Of medium size, carried well up.

BEAK: Short, stout, regularly curved.

EYES: Of medium size, full, bright, with bold expression.

COMB: Pea, medium, firm, set closely on head.

WATTLES AND EAR-LOBES: Wattles, medium size, of equal length, moderately rounded. Ear-lobes, of medium size.

NECK: Of medium length, well arched, tapering nicely; hackle, abundant, flowing well over shoulders.

WINGS: Of medium size, well folded; wing-bows and wing-points, well covered by breast and saddle feathers, respectively.

BACK: Broad at shoulders, rather long, rising with slight concave sweep to tail; saddle feathers, abundant.

TAIL: Of medium length and size, carried moderately upright; siekles and coverts, of medium length, nicely curved, sufficiently abundant to cover well the stiff feathers.

BREAST: Broad, deep, well rounded, carried somewhat elevated above the horizontal.

BODY AND FLUFF: Body, rather long, broad, deep, full, heavy for size of bird; keel-bone, long, straight, extending well forward. Fluff, moderately full.

LEGS AND TOES: Thighs, of medium length, large, well covered with soft feathers; shanks, of medium length, stout, smooth, set well apart. Toes, of medium length, straight, strong, well spread. Shanks and toes free from feathers, stubs and down.

SHAPE OF FEMALE.

HEAD: Of medium size, carried well up. BEAK: Short, stout, regularly curved. EYES: Of medium size, full, bright.

COMB: Pea, small, set closely on head.

WATTLES AND EAR-LOBES: Wattles, of equal length, moderately rounded. Ear-lobes, of medium size.

NECK: Of medium length, well curved; hackle, moderately full.

WINGS: Of medium size, well folded.

BACK: Broad, rather long, rising very slightly to tail.

TAIL: Of medium length, fairly well spread, carried moderately upright.

BREAST: Broad, deep, well rounded, carried somewhat elevated above the horizontal.

BODY AND FLUFF: Body, long, broad, deep, full, heavy for size of bird; keel-bone, long, straight, extending well forward. Fluff, moderately full.

LEGS AND TOES: Thighs, of medium length and size, well covered with soft feathers; shanks, of medium length, stout, smooth, set well apart. Toes, of medium length and size, straight, well spread. Shanks and toes free from feathers, stubs and down.

COLOR OF MALE.

BEAK: Yellow, shaded with reddish-horn.

EYES: Reddish-bay.

Comb, Face, Wattles and Ear-Lobes: Bright red.

SHANKS AND TOES: Yellow, red back of seales not a defect.

~ PLUMAGE: General surface, mahogany bay, slightly accentuated on wing-bows; under-color, salmon, or slate and salmon. The unexposed flight feathers and main tail feathers may contain black; sickles and coverts should be shaded bay and black, thus avoiding a sharp contrast between body and tail. Shaft of feathers, bay entire length.

COLOR OF FEMALE.

BEAK: Yellow.

EYES: Reddish-bay.


COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

SHANKS AND TOES: Yellow.

~ PLUMAGE: General surface, mahogany bay. The unexposed flight feathers and main tail feathers may contain black; under-color, salmon, or slate and salmon.



BUCKEYE MALE



BUCKEYE FEMALE

CLASS II.

ASIATIC.

Breeds	Varieties
Breeds Brahmas	Light
	Dark
	Buff
Cochus	Partridge
	White
Cochins.	Black
LANCSHANS	S Black
Langshans	White

SCALE OF POINTS FOR ASIATIC CLASS.

4
6
4
8
6
4
5
9
8
1
9
0
8
8
0

BRAHMAS.

The Brahma male should have that strength and grace of carriage which naturally belongs to a well-proportioned fowl of its size and finish. The head, when well furnished, lends style and character to the bird's commanding appearance. The body should be large, well rounded and free from any tendency to excessive fluff. The Standard does not provide for apparent cushion in Brahmas, either male or female. The Brahma male should be of a distinctive type quite unlike the Cochin in form and feather, being more compactly and firmly put together. The solidity of form and compactness of plumage unite, in the standard Brahma male, to produce a finely-proportioned fowl of large size and active nature. Comb, color and markings should be well defined, embodying the true Brahma characteristics.

The Brahma female has the fine, graceful lines that properly belong to her as the mate of the stately and powerful male of this breed. She lacks rotundity of form as compared with the full-feathered Cochin, her body being more compact and closely feathered. The proper sweep of back from saddle to tail is formed largely by the distinctively Brahma spread of tail, which continues and finishes the back line, and fills out the side lines to proper form, within the true contour of Brahma shape.

SHAPE OF MALE.

HEAD: Of medium length, broad; crown projecting well over eyes. BEAK: Stout, well curved.

EYES: Large, deep set.

[~] Сомв: Pea, small, firm and even on head, lower and narrower in front and at rear than at center; each row evenly serrated; points in front and at rear smaller than those of center.

WATTLES AND EAR-LOBES: Wattles, of medium size, well rounded. Ear-lobes, large, the lower edges on a level with, or slightly below, edges of wattles.

NECK: Moderately long, well arched: hackle, abundant, flowing over shoulders and meeting under throat, dividing at lower ends of wattles and flowing full at sides.

WINGS: Small, carried rather high, with lower line nearly horizontal; sides, well rounded; primaries, closely folded under secondaries.

BACK: Broad, rather long, flat across shoulders carrying its width well back to tail, rising with slightly concave incline from shoulders to middle of saddle, where it takes a more pronounced concave sweep well up on tail; saddle, abundant, flowing full over sides, filling well in front of tail and covering wing-points.

TALL: Rather large, full, well spread, carried high enough to continue concave sweep of back, filled underneath with curling feathers; 'siekles, short, spreading laterally; coverts, plentiful, but not so long as to cover the entire length of lower main tail feathers.

BREAST: Broad, deep, well rounded.

BODY AND FLUFF: Body, rather long, deep, well rounded at sides. Fluff, abundant, smooth in surface, giving specimen a broad but compact appearance.

LEGS AND TOES: Legs, straight, set well apart; thighs, stout, well covered with soft feathers, nicely rounded, free from vulture-like feathering; shanks, large, stout in bone, of sufficient length to properly balance specimen, well covered on outer sides with feathers. Toes, straight, stout; outer and middle toes, well feathered.

SHAPE OF FEMALE.

HEAD: Of medium length, broad; crown projecting well over eyes. BEAK: Stout, well curved.

EYES: Large, deep set.

COMB: Pea, low, firm and even on head; well serrated, the middle row higher and more distinctly serrated than the other two.

WATTLES AND EAR-LOBES: Wattles, small. Ear-lobes, large.

NECK: Of moderate length, slightly arched; rather full under throat, hens having dewlap between wattles.

WINGS: Small, carried rather high, with lower line nearly horizontal; sides, well rounded; fronts, covered by breast feathers; primaries, closely folded under secondaries.

BACK: Broad, rather long, flat across shoulders with moderate incline to tail, carrying the width well back to tail.

TAIL: Medium length, well spread at base, resembling an inverted "V" with wide angle when viewed from rear, carried high enough to continue the sweep of back; tail-coverts, two rows, covering a greater part of both sides of main tail.

BREAST: Broad, deep, well rounded.

BODY AND FLUFF: Body, long, deep, well rounded at sides. Fluff, abundant, smooth in surface, giving specimen a broad but compact appearance.

LEGS AND TOES: Legs, straight, set well apart; thighs, stout, well covered with soft feathers; shanks, of medium length, stout in bone, well feathered on outer sides. Toes, straight, stout; outer and middle toes, well feathered.

106

LIGHT BRAHMAS.

Disqualifications.

Solid black feathers in back; positive black spots prevalent in web of feathers of back, except slight dark or black stripes in saddle of males near tail, or in cape of either sex; vulture-like hocks; shanks any color other than yellow or reddish-yellow; cocks not weighing nine pounds; hens not weighing seven and one-half pounds; cockerels not weighing seven and one-half pounds; pullets not weighing six pounds. (See general disqualifications.)

STANDARD WEIGHTS.

Cock	12 lbs.	Hen	$9\frac{1}{2}$ lbs.
Cockerel	10 lbs.	Pullet	8 lbs.

COLOR OF MALE.

HEAD: Plumage, white.

BEAK: Yellow, with dark stripe down upper mandible.

EYES: Reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Plumage, other than hackle, white; hackle, web white with solid, lustrous greenish-black stripe extending from fluff down middle of each feather, running nearly parallel with edge of feather and tapering to a point near its extremity; under-color, white, bluish-white or slate.

WINGS: Bows, white, except fronts, which may be partly black; primaries, black with white edging on lower edge of lower web; secondaries, lower portion of lower web white, sufficient to secure a white wingbay, the white extending around ends of feathers and lacing upper portion of upper web, this color growing wider in the shorter secondaries, the five next to the body being white on surface when wing is folded; remainder of each secondary, black.


BACK: Surface color, white; cape, black and white; saddle, white; under-color, either white, bluish-white or slate.

TAIL: Black; the eurling feathers underneath, white or black and white; sickles and coverts, lustrous greenish-black; lesser coverts, lustrous greenish-black, edged with white.

BREAST: Surface and under-color, white; under-color, at juncture with body, white, bluish-white or slate.


BODY AND FLUFF: Body, white, except under wings, where it may be white, bluish-white or slate; under-color, white or bluish-white. Fluff, white; under-color, white or bluish-white.

LEGS AND TOES: Thighs, surface color, white; under-color, white or bluish-white; shank feathers, white; outer toe feathering, white and black; if black, laced with white; shanks and toes, yellow.



LIGHT BRAHMA MALE

£



LIGHT BRAHMA FEMALE

COLOR OF FEMALE.

HEAD: Plumage, white.

BEAK: Yellow, with dark stripe down the upper mandible.

EYES: Reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Hackle, beginning at juncture of head with neck, web, white, with a solid, wide, lustrous greenish-black stripe extending down middle of each feather, running nearly parallel with edge of feather and tapering to a point near its extremity.

WINGS: Bows, white; primaries, black with white edging on lower edge of lower web; secondaries, lower portion of lower web white, sufficient to secure a white wing-bay, the white extending around the ends and lacing upper portion of upper web, this color growing wider in the shorter secondaries, the five next to the body being white on surface when wing is folded; remainder of each secondary, black.

BACK: White; cape, white or black and white; under-color, white or bluish-white.

TAIL: Black, except the two top feathers which are edged with white; tail-coverts, black edged with white.

BREAST: Surface and under-color, white; under-color, at juncture with body, white or bluish-white.

BODY AND FLUFF: Body, white, except under wings, where it may be white or bluish-white; under-color, white or bluish-white. Fluff, white.

LEGS AND TOES: Thighs, white; under-color, white or bluish-white; shank feathers, white; outer toe feathers, white and black; if black, laced with white; shanks and toes, yellow.

DARK BRAHMAS.

Disqualifications.

Vulture-like hocks; cocks not weighing nine pounds; hens not weighing seven pounds; cockercls not weighing seven and one-half pounds; pullets not weighing five and one-half pounds. (See general disqualifications.)

STANDARD WEIGHTS.

Cock	11 lbs.	Hen	$8\frac{1}{2}$ lbs-
Cockerel	9 lbs.	Pullet	7 lbs.

COLOR OF MALE.

HEAD: Plumage, silvery white. BEAK: Dark horn shading to yellow at point. EYES: Reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Hackle, silvery white, with a lustrous greenish-black stripe extending down middle of each feather, running nearly parallel with edge of feather, tapering to a point near its extremity; shafts free from white; under-color, slate.

WINGS: Bows, silvery white; primaries, black, except a narrow edging of white on lower edge of lower web; secondaries, black, except lower half of lower web which should be white except near end of feather, at which point the white terminates abruptly, leaving end of feather black; wingcoverts, glossy greenish-black, forming a well-defined bar of this color across wing when folded.

BACK: Silvery white, free from brown; saddle, silvery white, with a black stripe in each feather, same as hackle; under-color, slate.

TAIL: Black; sickles and coverts, lustrous greenish-black; lesser coverts, lustrous greenish-black, edged with white.

BREAST: Black; under-color, slate.

BODY AND FLUFF: Body, black; under-color, slate. Fluff, black, slightly tinged with gray; under-color, slate.

LEGS AND TOES: Thighs, black; shank feathers, black or black mixed with white, black preferred; shanks and toes, yellow. Toe feathers, black.

COLOR OF FEMALE.

HEAD: Plumage, silvery gray.

BEAK: Dark horn, shading to yellow at point.

EYES: Reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.


NECK: Silvery white, with broad black stripe running nearly parallel with edges of and extending down middle of each feather, tapering to a point near its extremity and free from white shaft; under-color, slate.

WINGS: Primaries, black, with narrow edge of gray penciling on lower web; secondaries, upper web black, lower web gray, with distinct dark penciling extending around outer end of feathers; shoulder and wingcoverts, gray, with distinct dark penciling, outlines of which conform to shape of feathers; under-color, slate.


BACK: Gray, with distinct dark penciling, outlines of which conform to shape of feather; feathers free from white shafts; under-color, slate.

TAIL: Black, except the two top feathers which are penciled on upper edge; coverts, gray, with distinct dark penciling, outlines of which conform to shape of feathers.

BREAST: Gray, with distinct dark penciling, outlines of which conform to shape of feather, the penciling reaching well up on throat; undercolor, slate.



DARK BRAMHA MALE



DARK BRAHMA FEMALE

BODY AND FLUFF: Body, gray, with distinct dark penciling reaching well down on thighs. Fluff, gray, tinged with lighter shade; under-color, slate.

LEGS AND TOES: Thighs, gray, with distinct penciling; shanks and toc feathers, same shade of gray; toe feathers, penciled. Shanks and tocs, yellow or dusky yellow.

Note: Each feather in back, breast, body and wing-bows to have two or more distinct pencilings.

114

COCHINS.

The Cochin male should be a very deep-bodied, massive, vigorous bird, possessing a dignified carriage, but showing a tendency to lean forward. The keel should be low and the saddle, or cushion, well up. The outline of every section should be well rounded and free from flat or concave surfaces. The extraordinary profusion of long, loose plumage, and the great abundance of downy fibre in the under fluff, produce a large, bulky appearance, conveying the idea of even greater weight than exists in reality. Hard or close-fitting plumage is a very serious defect.

The Cochin female should correspond, in a feminine way, with the male, but should be shorter and rounder, possessing a more plump appearance. The back of the Cochin female seems shorter than it really is, owing to the difference in the character of the neck and cushion plumage. The cushion is more pronounced than in the male, being very large and full, rising from the base of the hackle, or from the cape, and very nearly covering the tail. The abdomen is more fully developed than that of the male Cochin. Head, comb, wattles and ear-lobes are much smaller than in the male, and are of the finest texture.

STANDARD WEIGHTS.

Cock	11 lbs.	Hen	$9\frac{1}{2}$ lbs.
Cockerel	9 lbs.	\mathbf{P} ullet	7 lbs.

SHAPE OF MALE.

HEAD: Rather short, broad, deep, prominent over eyes; juncture with neck, well defined.

BEAK: Short, stout at base, curving to point.

EYES: Medium, large, mild in expression.

[•] COMB: Single, of medium size, set firmly on head, stout at base, upright, straight from front to rear, low in front, carefully rounded toward rear; serrations, moderately deep, dividing comb into five regular points, the middle one the highest; free from wrinkles or side sprigs; fine in texture.

FACE: Of fine texture.

WATTLES AND EAR-LOBES: Wattles, rather long, well rounded at lower edges, thin and fine in texture. Ear-lobes. well defined, hanging about two-thirds as low as wattles; smooth.

NECK: Short, full, well proportioned, beautifully arched from rear

of head to back; hackle, very long and abundant, flowing well over shoulders and cape.

WINGS: Carried well up, small and completely folded; fronts, embedded in plumage of breast; tips, nicely tucked under saddle plumage; wing-bows, smooth and exceedingly well rounded; loose or hanging flights very objectionable.

BACK: Apparently short, very broad, well rounded.

SHOULDERS: Very broad; flat across under hackle.

SADDLE OR CUSHION: Rising from back at base of hackle or cape, very broad and round; plumage very profuse and long; saddle feathers, flowing over tips of wings and mingling with fluff and under-plumage of tail.

TAIL: Main tail, short, well spread at base, filled underneath with profusion of soft feathers and enveloped by coverts and lesser sickles, showing as little stiff feathers as possible; saddle and tail to have soft, round, bulky appearance.

BREAST: Carried forward, very full, well rounded, of great breadth and depth.

BODY AND FLUFF: Body, moderately long, broad, deep, well rounded from point of breast to abdomen; abdomen, well let down between the legs, broad and well rounded from breast bone to tail, depending more for fullness on length of feathers than on muscular development. Fluff, full, soft, abundant.

LEGS: Very strong, large, straight, set well apart. Thighs, of moderate length; the more long, soft, outstanding plumage, extending well down the shanks and covering knee or hock joints, the better, having the appearance of two great globes of feathers concealing the legs from view. Hocks, covered with flexible feathers, curving inward about the joints; free from vulture-like feathering. Shanks, short, stout in bone; plumage, long, beginning just below hocks and covering front and outer sides of shanks, from which it should be outstanding, the upper part growing out from under thigh plumage and continuing into foot feathering. There should be no marked break in the outlines between the plumage of these sections; they should merge naturally into each other and blend together.

'TOES: Straight, stout, well spread; middle and outer toes, completely feathered to ends.

SHAPE OF FEMALE.

HEAD: Neat looking, fairly full in skull; fashioned after that of male, except finer in form.

BEAK: Short, stout at base, curving to point.

EYES: Of medium size, mild in expression.

COMB: Single, small, straight and upright, nicely rounded to conform

116

to shape of head; divided into five points; free from side sprigs and other imperfections; fine in texture.

FACE: Of fine texture.

WATTLES AND EAR-LOBES: Wattles, small, nicely rounded; fine in texture. Ear-lobes, oblong, fairly well defined; fine in texture.

NECK: Short, nicely arched; hackle, very full, flowing well over shoulders and cape.

WINGS: Small, completely folded; fronts, embedded in plumage of breast; tips, concealed between cushion and thigh plumage; wing-bows, smooth and exceedingly well rounded; loose or hanging flights very objectionable.

BACK: Apparently short, very broad, well rounded.

SHOULDERS: Broad; flat across under hackle.

CUSHION: Rising very full from back at base of hackle or cape, very large and round; plumage, profuse, flowing over tips of wings, well into thigh fluff and almost covering tail feathers.

TAIL: Short, broad at base, carried rather low; well filled underneath with profusion of soft feathers and nearly enveloped by tail-coverts, which help to form the cushion.

BREAST: Carried low in front, full, well rounded, of great breadth and depth.

BODY AND FLUFF: Body, of medium length, broad, deep, full and well rounded from point of breast to abdomen; abdomen, well let down between legs, full and round from breast bone to tail, with great length and fullness of feather. Fluff, full, soft, profuse.

LEGS: Moderately large, straight, strong, set well apart; thighs, of medium length, with great profusion of long, soft, outstanding fluff plumage, completely hiding hocks or knee-joints, and covering shanks almost to feet; hocks should be covered with a profusion of soft, flexible feathers, curving inward about knee-joints; free from vulture-like feathers. Shanks, short, stout in bone, covered profusely with long plumage.

TOES: Straight, well spread; middle and outer toes completely feathered to ends.

BUFF COCHINS.

Disqualifications.

Vulture-like hocks; plucked hocks; shanks other than yellow in color; bare middle toes; cocks not weighing nine pounds; hens not weighing seven pounds; cockerels not weighing seven pounds; pullets not weighing five pounds. (See general disqualifications.)

COLOR OF MALE.

BEAK: Rich yellow.

EYES: Reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red. SHANKS AND TOES: Rich yellow.

PLUMAGE: Surface throughout, an even shade of rich, golden buff, free from shafting or mealy appearance; the head, neck, hackle, back, wing-bows and saddle richly glossed; under-color, a lighter shade, free from foreign color. Different shades of buff in two or more sections is a serious defect. A harmonious blending of buff in all sections is most desirable.

COLOR OF FEMALE.

BEAK: Rich yellow.

EYES: Reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

SHANKS AND TOES: Rich yellow.

PLUMAGE: Surface throughout an even shade of rich, golden buff, free from shafting or mealy appearance; the head and neck plumage showing luster of the same shade as the rest of the plumage; under-color, a lighter shade, free from foreign color. Different shades of buff in two or more sections is a serious defect. A harmonious blending of buff in all sections is most desirable.

PARTRIDGE COCHINS.

Disqualifications.

Positive white extending into web of tail feathers of cockerel; vulturelike hocks; plucked hocks, shanks other than yellow or dusky yellow, bare middle toes. (See general disqualifications.)

COLOR OF MALE.

HEAD: Plumage, bright red.

BEAK: Dark horn, shading to yellow at point.

EYES: Reddish-bay.

Comb, Face, Wattles and Ear-Lobes: Bright red.

NECK: Bright red, with a lustrous greenish-black stripe running nearly parallel with edges and extending through each feather, tapering to a point near its extremity; under-color, slate.

WINGS: Wing-bows, dark red; fronts, black; primaries, black, lower edges of web reddish-bay; secondaries, black, outside web reddish-bay terminating with greenish-black at end of each feather; coverts, lustrous greenish-black, forming well-defined bar of this color across wing when folded.

 \neg BACK: Dark red; saddle, bright red, with a lustrous greenish-black stripe down the middle of each feather, same as in hackle; under-color, slate.

TAIL: Black; sickles and coverts, lustrous greenish-black, edged with bright red.

- BREAST: Lustrous black; under-color, slate.

BODY AND FLUFF: Body, black. Fluff, black; under-color, slate.

LEGS AND TOES: Thighs, black; under-color, slate. Shank plumage, black or brownish-black. Shanks and toes, yellow or dusky yellow. Toe plumage, black or brownish-black.

COLOR OF FEMALE.

HEAD: Plumage, mahogany brown.


BEAK: Dark horn, shading into yellow at point.

EYES: Reddish-bay.


COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Bright red with a lustrous black stripe extending down the middle of each feather, running nearly parallel with edge of feather and tapering to a point near its extremity.

WINGS: Wing-bows, mahogany brown, penciled with black: primaries, black, with edging of mahogany brown on outer web: secondaries, inner web black, outer web mahogany brown, penciled with black, penciling conforming to shape of feather.



BUFF COCHIN MALE




BUFF COCHIN FEMALE



PARTRIDGE COCHIN MALE

STANDARD OF PERFECTION



PARTRIDGE COCHIN FEMALE

BACK: Mahogany brown, distinctly penciled with black, the outlines of penciling conforming to shape of feather; under-color, slate.

TALL: Black, the two top feathers black penciled with mahogany brown on upper edge; coverts, mahogany brown penciled with black.

BREAST: Mahogany brown, distinctly penciled with black, the peneiling being of same character as that of back and extending to throat; under-color, slate.

BODY AND FLUFF: Body, mahogany brown, penciled with black. Fluff, mahogany brown; under-color, slate.

LEGS AND TOES: Thigh, shank and toe plumage, mahogany brown penciled with black. Shanks and toes, yellow or dusky yellow.

WHITE COCHINS.

Disqualifications.

Feathers other than white in any part of plumage: vulture-like hocks; plucked hocks; shanks other than yellow; bare middle toes. (See general disqualifications.)

COLOR OF MALE AND FEMALE.

BEAK: Yellow. EYES: Reddish-bay. Comb, Face, Wattles and Ear-Lobes: Bright red. Legs and Toes: Rich yellow. PLUMAGE: Web, fluff and quills of feathers in all sections pure white.

BLACK COCHINS.

Disqualifications.

Feathers other than black in any part of plumage, except in foor or toe-feathering of standard size specimens, and in under-color of neck of bantam males; vulture-like hocks: plueked hocks: shanks other than black or yellow, or black gradually shading into yellow: bare middle toes; bottoms of feet other than yellow. (See general disqualifications.)

COLOR OF MALE AND FEMALE.

BEAK: Black, shaded with yellow.

EYES: Black or dark brown.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

LEGS AND TOES: Black or yellow; black gradually shading into yellow preferred. Bottoms of feet, yellow.

PLUMAGE: Surface, lustrous greenish black throughout, under color, black.

LANGSHANS.

The general characteristics of Langshans are: Great proportionate depth of keel, with round contour of breast; fineness of bone for size of fowl; smooth white skin and pinkish-white flesh. The male develops great length of tail feathers, the sickles not uncommonly attaining a length of sixteen or seventeen inches. Its large, well-spread tail, carried erect, with abundant, close-lying saddle feathers, full-hackled neck and upright earriage, gives the effect of a short back. The surface of plumage throughout is close and smooth, being very brilliant with greenish reflections in the black, and silvery white in the white variety.

The body, in both sexes of both varieties, should be evenly balanced on firm, straight legs with very little backward bend at the knee-joints. The legs are sinewy, the toes long and slender, free from coarseness, and the middle toes should be devoid of feathers. Height of the Langshan should be gained by depth of body and erectness of carriage, not from what may well be described as stilliness of legs. Close-standing kneejoints, narrowness of body and the presence of foreign color are highly objectionable.

STANDARD WEIGHTS.

Coek	$9\frac{1}{2}$ lbs.	Hen	$7\frac{1}{2}$ lbs.
Cockerel	8 lbs.	Pullet	$6\frac{1}{2}$ lbs.

SHAPE OF MALE.

HEAD: Of good size, rather broad.

BEAK: Stout at base, well curved.

EYES: Moderately large, round.

⁻Сомв: Single, rather large, straight, upright; evenly serrated, having five points, blade free from serrations; not conforming closely to neck; fine in texture.

WATTLES AND EAR-LOBES: Wattles, of moderate length, well rounded. Ear-lobes, oblong, well developed.

NECK: Of good length, well arched; hackle, abundant, flowing well over shoulders.

WINGS: Of medium size, well folded, carried close to body.

BACK: Short, broad, flat at shoulders. rising from middle of back in a decidedly sharp concave sweep to tail; saddle feathers, abundant, flowing well over sides. TAIL: Large, full, well spread at base, carried at an angle of seventy degrees from the horizontal; sickles, long, extending decidedly beyond the tail; coverts, long — the longer the better.

BREAST: Broad, round, deep.

BODY AND FLUFF: Body, broad and deep in front of thighs. Fluff, fairly developed, but not so abundant as to hide profile of hocks.

LEGS AND TOES: Thighs, strong, well covered with soft feathers; shanks, rather long, stout in bone, straight, set well apart, feathered down the outer sides. Toes, long, straight, slender; outer toes, feathered to the end; middle toes, free from feathers.

SHAPE OF FEMALE.

HEAD: Smaller and narrower than that of male.

BEAK: Stout at base, well curved.

EYES: Moderately large, round.

COMB: Single, smaller than that of male, straight and upright: evenly serrated, having five points; fine in texture.

WATTLES AND EAR-LOBES: Wattles, fairly developed, well rounded; fine in texture. Ear-lobes, fairly developed, oblong; fine in texture.

NECK: Of good length, with full hackle.

WINGS: Of good size, well folded, carried close to body.


BACK: Of medium length, broad, flat at shoulders, rising from middle of back in a sharp concave sweep ending well up on tail.

TAIL: Well spread at base, carried at an angle of sixty-five degrees from the horizontal; carried well above and beyond the cushion and furnished with long coverts.

BREAST: Broad, round, deep.

BODY AND FLUFF: Body, short, broad, deep, well balanced. Fluff, well developed.

LEGS AND TOES: Thighs, strong, well covered with soft feathers; shanks, of good length, small-boned, set well apart, feathered down outer sides. Toes, long, straight, slender; outer toes, feathered to ends; middle toes, free from feathers.



BLACK LANGSHAN MALE

STANDARD OF PERFECTION



BLACK LANGSHAN FEMALE

BLACK LANGSHANS.

Disqualifications.

Comb other than single; one-half inch or more of white in any part of the plumage, except in foot or toe-feathering; yellow skin; bottoms of feet yellow in any part. (See general disqualifications.)

COLOR OF MALE AND FEMALE.

BEAK: Dark horn, shading to pinkish tint near lower edge.

EYES: Black or dark brown.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

SKIN ON BODY: Pinkish-white.

LEGS AND TOES: Bluish-black, showing pink between scales. Web and bottoms of feet, pinkish-white.

PLUMAGE: Surface, lustrous greenish-black; under-color, black.

WHITE LANGSHANS.

Disqualifications.

Comb other than single; feathers other than white in any part of plumage; yellow skin; bottoms of feet yellow in any part. (See general disqualifications.)

COLOR OF MALE AND FEMALE.

BEAK: Light slate-blue, shading to pinkish-white. EYES: Dark brown. COMB, FACE, WATTLES AND EAR-LOBES: Bright red. LEGS AND TOES: Slaty-blue, showing pink between scales. PLUMAGE: Web, fluff and quills of feathers in all sections pure white.

CLASS III.

MEDITERRANEAN.

Breeds	Varieties
	Single-Comb Brown
	Rose-Comb Brown
	Single-Comb White
LEGHORNS	Rose-Comb White
E EGHORN <i>5</i>	Single-Comb Buff
	Rose-Comb Buff
	Single-Comb Black
	Silver
	Single-Comb Black
Minorcas	· · · · · · · · · · · · · · · · · · ·
	Single-Comb White
Spanish	White-Faced Black
BLUE ANDALUSIANS	

Anconas

~

SCALE OF POINTS.

Symmetry	ł
Size	ł
Condition	ł
Comb 10)
Head — Shape 2, Color 4	
Eyes — Shape 2, Color 2	ŀ
Beak - Shape 2, Color 2	ł
Wattles and Ear-Lobes - Shape 4, Color 6 10)
Neck — Shape 3, Color 4	
Wings — Shape 4, Color 4 8	3
Back - Shape 5, Color 4)
Tail — Shape 6, Color 4 10)
Breast — Shape 5, Color 4)
Body and Fluff — Shape 3, Color 2	5
Legs and Toes Shape 3, Color 3	3
$\frac{1}{100}$	ī

LEGHORNS.

The Leghorn breed of fowls originated in Italy. It comprises a group characterized by rather small sizes, yellow legs, white ear-lobes and great activity and sprightliness. All varieties of Leghorns are hardy and prolific. The males are very alert and strikingly erect in carriage; the • females are non-sitters, few of them showing a tendency to broodiness, being especially valuable, therefore, as egg producers. The most typical and useful specimens are those approaching nearest to standard requirements in size and shape. Leghorns, being essentially a breed of comparatively small size, of great alertness and of graceful curves, should be bred strictly on these lines.

The eight varieties of Leghorns—the Single-Comb Brown, Rose-Comb Brown, Single-Comb White, Rose-Comb White, Single-Comb Buff, Rose-Comb Buff, Single-Comb Black and Single-Comb Silver—are identical, except in color. The Single-Comb and Rose-Comb varieties are identical both in shape and color, combs excepted. Decidedly short backs, short shanks and low-set bodies are objectionable in the Leghorns. The wide range of plumage in the seven varieties of this breed enables all admirers of the Leghorn to indulge their fancy. Each variety has its points of beauty in plumage, some of which are exceedingly difficult to produce, thus presenting interesting problems for fanciers to master.

SHAPE OF MALE.

HEAD: Moderate in length, fairly deep.

BEAK: Not too long, nicely curved.

EYES: Medium size and nearly round.

COMB, SINGLE: Medium size, straight and upright, firm and even on head, having five distinct points, deeply serrated and extending well over back of the head with no tendency to follow shape of neck; smooth, free from twists, folds and excrescences.

COMB, ROSE: Square in front, firm and even on head, tapering evenly from front to rear and terminating in a well-developed spike which extends horizontally well back of head; flat and covered with small, rounded points.

FACE: Smooth, fine in texture, round.

6

WATTLES AND EAR-LOBES: Wattles, long, thin, well rounded; smooth in texture; free from folds or wrinkles. Ear-lobes, a broadened almondshape, smooth, of moderate size, fitting closely to head. NECK: Long, nicely arched; hackle abundant, flowing well over the shoulders.

WINGS: Large, well folded.

BACK: Of moderate length, somewhat rounded at shoulders, slightly sloping downward from shoulders to center of back, then rising in a gradually increasing concave sweep to tail.

TAIL: Large, well spread; main tail feathers carried at an angle of forty-five degrees from the horizontal; sickles, long, well curved; coverts, abundant.

BREAST: Well rounded: carried well forward.

BODY AND FLUFF: Body, of moderate length and fairly deep; straight from front to rear. Fluff, short.

LEGS AND TOES: Thighs and shanks, moderately long and slender.

SHAPE OF FEMALE.

HEAD: Moderate in length and fairly deep, well rounded.

BEAK: Not too long, nicely curved.

EYES: Medium in size and nearly round.

COMB, SINGLE: Medium in size, deeply serrated, having five distinct points, the front portion of comb and first point to stand erect and the remainder of comb drooping gradually to one side; fine in texture, free from folds or wrinkles.

COMB, ROSE: Small, square in front, firm and even on head, tapering evenly from front to rear and terminating in a well developed spike, which extends horizontally back of head; flat and covered with very small, rounded points.

FACE: Smooth, fine in texture, nearly round.

WATTLES AND EAR-LOBES: Wattles, of moderate size, thin, well rounded. Ear-lobes, oval in shape, smooth, thin, free from folds or wrinkles, fitting closely to the head.

NECK: Long, slender and gracefully arched.

WINGS: Large, well folded.

BACK: Of moderate length, somewhat rounded, with a slight slope downward from shoulders to center of back, and then rising in a concave incline to the tail.

TAIL: Long, full, well spread, carried at an angle of forty degrees from the horizontal.

BREAST: Well rounded, carried well forward.

BODY AND FLUFF: Body, moderately long, fairly deep, straight from front to rear. Fluff, rather short, more developed than in male.

LEGS AND TOES: Thighs and shanks moderately long, slender. Toes straight.

WHITE LEGHORNS.

(Single and Rose Comb.)

Disqualifications.

Red covering more than one-half the surface of car-lobes in cockerels and pullets; feathers other than white in any part of plumage; shanks other than yellow. (See general disqualifications.)

COLOR OF MALE AND FEMALE.

BEAK: Yellow.

EYES: Reddish-bay.

COMB, FACE AND WATTLES: Bright red.

EAR-LOBES: White.

SHANKS AND TOES: Rich yellow, red showing on outside back of scales, not a defect in males.

PLUMAGE: Web, fluff and quills of feathers in all sections pure white.

BROWN LEGHORNS.

(Single and Rose Comb.)

Disqualifications.

Red covering more than one-half of surface of ear-lobes in cockerels and pullets; white in any part of plumagc, except in under-color of hackle and saddle of both sexes, any age, also except one inch or less at base of sickles and one-half inch or less at base of primaries of cock birds (white showing in the foregoing excepted sections is to be cut one and onehalf points in each section where found); shanks other than yellow. (See general disqualifications.)

COLOR OF MALE.

HEAD: Plumage, dark red.

BEAK: Horn.

EYES: Reddish-bay.

COMB, FACE AND WATTLES: Bright red.

EAR-LOBES: White or creamy white.

NECK: Rich, brilliant red, with a lustrous greenish-black stripe running nearly parallel with edges of and extending through each feather and tapering to a point near its extremity.

WINGS: Bows, rich, brilliant red; wing-fronts, black; primaries, black, lower web edged with brown; secondaries, black, edge of lower web a rich brown of sufficient width to secure a wing-bay of same color; coverts, lustrous greenish-black, forming a well-defined wing-bar when wing is folded.

BACK AND SADDLE: Back, rich, brilliant red; saddle feathers, rich, brilliant red with a lustrous greenish-black stripe running through the middle of each feather, same as in hackle.

TAIL: Black: siekles and coverts, lustrous greenish-black.

BREAST: Lustrous black.

BODY AND FLUFF: Black.

LEGS AND TOES: Thighs, black; shanks, yellow. Toes, yellow or dusky yellow.

UNDER-COLOR: Dark slate.

COLOR OF FEMALE.

HEAD: Plumage, golden yellow, tinged with dark brown.

BEAK: Horn.

COMB, FACE AND WATTLES: Bright red.

EAR-LOBES: White or creamy-white.

NECK: Golden yellow, with broad, black stripe extending down middle of each feather and tapering to a point near its extremity.

WINGS: Bows, same color as described for back; primaries, slatybrown, the outer web slightly edged with brown; secondaries, brown, the outer web finely stippled with lighter brown; coverts, same color as described for back.

BACK: Web of feathers, on surface, light brown, finely stippled with a darker brown, the lighter shade predominating. More importance is attached to fineness, sharp definition of stippling, evenness of color and freedom from shafting than to the particular shade of color, but it is important that the effect produced be that of a soft, even brown that is not suggestive of gray, as one extreme to be avoided — or of red, as the other; the parts of the feathers not exposed, to be brown shading into slate in fluff.

TALL: Dull black, except the two highest main tail feathers which are stippled with lighter brown; coverts, same as for back.


BREAST: Rich salmon, shading off lighter under the body; free from shafting.

BODY AND FLUFF: Body, light brown stippled a darker brown, free from shafting. Fluff, slate, plentifully tinged with brown.

LEGS AND TOES: Thighs, slate, plentifully tinged with brown; shanks, yellow. Toes, yellow or dusky yellow.



SINGLE-COMB BROWN LEGHORN MALE



SINGLE-COMB BROWN LEGHORN FEMALE



SINGLE-COMB WHITE LEGHORN MALE



SINGLE-COMB WHITE LEGHORN FEMALE



ROSE-COMB WHITE LEGHORN MALE



ROSE-COMB WHITE LEGHORN FEMALE

BUFF LEGHORNS.

(Single and Rose Comb.)

Disqualifications.

Red covering more than one-half the surface of ear-lobes in cockerels and pullets; shanks other than yellow. (See general disqualifications.)

COLOR OF MALE.

BEAK: Rich yellow.

EYES: Reddish-bay.

COMB, FACE AND WATTLES: Bright red.

EAR-LOBES: White or creamy white.

LEGS AND TOES: Rich yellow, red showing at outside, back of scales, not a defect.

PLUMAGE: Surface throughout an even shade of rich, golden buff, free from shafting or mealy appearance; the head, neck, hackle, back, wingbow and saddle richly glossed; under-color, a lighter shade, free from foreign color. Different shades of buff in two or more sections is a serious defect. A harmonious blending of buff in all sections is most desirable.

COLOR OF FEMALE.

BEAK: Rich yellow. EYES: Reddish-bay. COMB, FACE AND WATTLES: Bright red. EAR-LOBES: White or creamy white. LEGS AND TOFS: Rich yellow.

PLUMAGE: Surface throughout an even shade of rich, golden buff, free from shafting or mealy appearance; the head and neck plumage showing a luster of the same shade as the rest of the plumage; under-color, lighter shade, free from foreign color. Different shades of buff in two or more sections is a serious defect. A harmonious blending of buff in all sections is most desirable.


BLACK LEGHORNS.

D is qualifications.


Red covering more than one-half the surface of ear-lobes in cockerels and pullets; feathers other than black in any part of plumage; shanks other than yellow or yellowish-black. (See general disqualifications.)

COLOR OF MALE AND FEMALE.

BEAK: Yellow, or yellowish-black. EYES: Reddish-bay. COMB, FACE AND WATTLES: Bright red. EAR-LOBES: White. LEGS AND TOES: Yellow, or yellowish-black. PLUMAGE: Surface, lustrous greenish-black; under-color, black.



SINGLE-COMB BUFF LEGHORN MALE



SINGLE-COMB BUFF LEGHORN FEMALE

SILVER LEGHORNS.

Disqualifications.

Red covering more than one-half the surface of ear-lobes in cockerels and pullets; red in any part of the plumage; shanks other than yellow. (See general disqualifications.)

COLOR OF MALE.

HEAD: Plumage, silvery white.

BEAK: Yellow.

EYES: Red.

COMB, FACE AND WATTLES: Bright red.

EAR-LOBES: White.

NECK: Plumage, other than hackle, rich, glossy black; hackle, silvery white with narrow black stripe extending down middle of each lower hackle feather, terminating near extremity of feather.

WINGS: Shoulders, black; wing-fronts, black; wing-bows, silvery white; wing-coverts, black, forming a distinct bar across the wing; primaries, black, except the lower feathers, the outer edges of which should be silvery white; secondaries, part of outer web of feathers in wing-bay, white, remainder of feathers black.

BACK: Silvery white.

CAPE: Black.

SADDLE FEATHERS: Silvery white.

TAIL: Black; sickles, lustrous black; upper coverts, lustrous black; lower coverts, silvery white.

BREAST: Black.

BODY AND FLUFF: Black.

LEGS AND TOES: Thighs, black; shanks, yellow. Toes, yellow. UNDER-COLOR: Gray.

COLOR OF FEMALE.

HEAD: Plumage, silvery gray.

BEAK: Yellow.

EYES: Red.

COMB, FACE AND WATTLES: Bright red.

EAR-LOBES: White.

NECK: Plumage, other than hackle, light salmon; hackle, silvery gray, with narrow black stripe extending down middle of each feather, terminating near extremity of feather.

WINGS: Bows, light gray, free from dark marks or bars; primaries and secondaries, upper web, gray, lower web, slaty-gray; coverts, light gray, free from dark marks or red. BACK: Light gray, free from dark marks or bars.

TAIL: Black, except the two upper feathers, which are light gray: coverts, gray.

BREAST: Light salmon, shading to grav toward sides.

BODY AND FLUFF: Body, light ashy-gray, free from dark marks or bars. Fluff, light ashy-gray.

LEGS AND TOES: Thighs, light gray; shanks and toes, yellow. UNDER-COLOR: Gray.

MINORCAS.

Minorcas are the largest of the Mediterranean class. Formerly they were called Red-Faced Black Spanish. They are distinguished by long bodies, very large combs, long, full wattles, large, white ear-lobes, darkcolored legs and pinkish-white or flesh-colored skin. The Minorca head is carried rather high; the back is long and sloping; the tail is spread somewhat and only moderately elevated, being carried at an angle of forty degrees from the horizontal. Their legs are firm, muscular and set squarely under the long, powerful-looking bodies. At the shoulders the back has the appearance of being rather flat. The lines of breast and body are well rounded, and the general bearing of the birds, male and female, is graceful, and commanding for their size. The Minorca plumage is compact, smooth on surface, fitting closely to the body in all sections. The beetle-green, brilliant black surface color of the Black variety should be free from purple, and the plumage of the White variety should be free from foreign color.

STANDARD WEIGHTS.

Single Comb Black.

Cock9lbs.Cockerel $7\frac{1}{2}$ lbs.	Hen Pullet	~
Single Comb White and	Rose Comb Black.	
Cock 8 lbs.		$6\frac{1}{2}$ lbs.
Cockerel $6\frac{1}{2}$ lbs.	Pullet	$5\frac{1}{2}$ lbs.

SHAPE OF MALE.

HEAD: Moderately long, wide, deep.

BEAK: Of good length, stout, well curved.

EYES: Large, oval.

COMB, SINGLE: Moderately large, straight and upright, firm and even on head; smooth; deeply and evenly serrated, having six regular and distinct points, the middle points the longest and same in length as width of blade; front not to extend beyond point half way between nostrils and point of beak, but extending well over back of head, with a tendency to follow shape of neck.

COMB, ROSE: Moderately large, square in front, firm and even on head, tapering evenly from front to rear, terminating in a well-developed spike which extends well back of head and inclines slightly below the horizontal; top, flat, and covered with small, rounded points. FACE: Full and smooth.

WATTLES AND EAR-LOBES: Wattles, long, large, thin, free from folds and wrinkles, smooth and fine in texture. Ear-lobes, large, almondshaped, smooth, thin, free from folds and wrinkles, fitting closely to head.

NECK: Rather long, arched; hackle, abundant, flowing well over shoulders.

WINGS: Large, well folded.

BACK: Long, flat at shoulders, broad and rounded at sides, sloping decidedly downward to tail; saddle feathers, long.

TAIL: Large and full, main tail feathers carried at an angle of forty degrees from the horizontal; sickles, large, long, well curved; coverts, abundant.

BREAST: Deep, well rounded and prominent.

BODY AND FLUFF: Body, long, broad, deep, straight from front to rear. Fluff, rather short.

LEGS AND TOES: Thighs, of medium length, stout; shanks long, straight and strong, set well apart. Toes, straight,

SHAPE OF FEMALE.

HEAD: Moderately long, wide, deep.

BEAK: Of good length, stout, well curved.

EYES: Large, oval.

COMB, SINGLE: Moderately large, forming one loop over beak, then drooping down opposite side of head; deeply and evenly serrated, with six regular and distinct points.

COMB, ROSE: Moderately large, square in front, firm and even on head, tapering evenly from front to rear, terminating in a well-developed spike, which extends back of head and inclines slightly below the horizontal; top, flat, and covered with small, rounded points.

FACE: Full and smooth.

WATTLES AND EAR-LOBES: Wattles, long, large, thin, free from folds and wrinkles, smooth, and fine in texture. Ear-lobes, large, almondshaped, smooth, thin, free from folds and wrinkles, fitting closely to head.

NECK: Rather long, slightly arched.

Wings: Large, well folded.

BACK: Long, flat at shoulders, broad, and rounded at sides; sloping decidedly downward to tail.

TAIL: Long, full, and carried at an angle of forty degrees from the horizontal.

BREAST: Deep, well rounded, prominent.

BODY AND FLUFF: Body, long, broad, deep, straight from front to ' rear. Fluff, rather short.

LEGS AND TOES: Thighs, of medium length, stout; shanks, long, straight and strong, set well apart. Toes, straight.



SINGLE-COMB BLACK MINORCA MALE

STANDARD OF PERFECTION



SINGLE-COMB BLACK MINORCA FEMALE

BLACK MINORCAS.

Disqualifications.

Red in ear-lobes covering one-third or more of surface; red in any part of the plumage; pure white in any part of plumage extending more than one-half an inch, or two or more feathers tipped or edged with positive white; shanks other than dark slate or nearly black, except the natural fading from agc. (See general disqualifications.)

COLOR OF MALE AND FEMALE.

BEAK: Black.

Eyes: Dark brown.

COMB, FACE AND WATTLES: Bright red.

EAR-LOBES: White.

LEGS AND TOES: Black or dark slate.

PLUMAGE: Surface, lustrous greenish-black throughout. Undereolor, black or dark slate.

WHITE MINORCAS.

Disgualifications.

Red in ear-lobes, covering one-third or more of the surface; feathers other than white in any part of plumage; shanks other than white or pinkish-white. (See general disqualifications.)

COLOR OF MALE AND FEMALE.

BEAK: Pinkish-white. EYES: Reddish-bay. COMB, FACE AND WATTLES: Bright red EAR-LOBES: White. SHANKS AND TOES: Pinkish-white. PLUMAGE: Web, fluff and quills of feathers in all sections, pure white.

WHITE-FACED BLACK SPANISH.

The White-Faced Black Spanish probably represent the oldest pure-bred fowl in the Mediterranean class. The development of the long, pendulous white face, free from wrinkles, has been the aim of fanciers of this valuable and attractive breed. In general appearanee the Black Spanish are graceful and stylish. They lay an extra large, handsome, white-shelled egg. The rich, glossy, black plumage, the rather large, fivepointed comb and the long, pendulous white face give this early claimant to popular favor a distinct individuality among standard-bred fowl.

Disqualifications.

Decided red in the face, except directly above the eyes: face so puffy as to obstruct the sight; foreign color in any part of plumage: shanks other than blue or dark leaden-blue, except the natural fading from age. (See general disqualifications.)

STANDARD WEIGHTS.

Cock	8 lbs.	Hen	$6\frac{1}{2}$ lbs.
Cockerel	$6\frac{1}{2}$ lbs.	Pullet	$5\frac{1}{2}$ lbs.

SHAPE OF MALE.

HEAD: Long, broad, deep.

BEAK: Rather long, stout.

EYES: Large, oval.

COMB: Single, of medium size, straight and upright, firm and even on head, rising from the base of beak and extending in an arched form beyond back of head; deeply and evenly serrated, having five points; very fine in texture.

FACE: Long, deep, smooth, free from wrinkles, rising well over eyes in an arched form and not obstructing sight, extending toward back of head and to base of beak, covering the cheeks and joining the wattles and ear-lobes; the greater the extent of surface the better.

WATTLES AND EAR-LOBES: Wattles, smooth, very long, thin, ribbonlike. Ear-lobes, very large, free from folds and wrinkles, meeting in front, extending well backward on each side of neck, hanging very low and regularly rounded on lower edges; very smooth.

NECK: Long, well arched; hackle, abundant, flowing well over shoulders.

WINGS: Large, well folded.

BACK; Long, broad and straight, sloping downward to saddle, which rises in a short concave sweep to tail.



WHITE-FACED BLACK SPANISH MALE



WHITE-FACED BLACK SPANISH FEMALE

TAIL: Large and full; main tail feathers carried at an angle of fortyfive degrees from the horizontal; sickles, large, long and well eurved; coverts, abundant.

BREAST: Deep, well rounded.

BODY AND FLUFF: Body, long, moderately wide, straight from front to rear. Fluff, short.

LEGS AND TOES: Thighs, moderate size, long; shanks, long. Toes, straight.

SHAPE OF FEMALE.

HEAD: Long, broad, deep.

BEAK: Rather long, stout.

EYES: Large, oval.

COMB: Single, moderately large, deeply serrated, having five points, drooping to one side; very fine in texture.

FACE: Long, deep, smooth, free from wrinkles, rising well over eyes in arched form and not obstructing sight, extending toward back of head and to base of beak, covering the cheeks and joining wattles and earlobes; the greater the extent of surface the better.

WATTLES AND EAR-LOBES: Wattles, smooth, very long, thin, ribbonlike. Ear-lobes, very large, free from folds and wrinkles, meeting in front, extending well backward on each side of neck, hanging very low and regularly rounded on lower edges, very smooth.

NECK: Long, well arehed.

WINGS: Large, well folded.

BACK: Long, broad and straight, sloping downward to middle of back, which rises in a short concave sweep to tail.

TAIL: Large, carried at an angle of forty-five degrees from the horizontal; the two top main tail-feathers slightly curved, especially in pullets.

BREAST: Deep, well rounded.

BODY AND FLUFF: Body, long, moderately wide, straight from front to rear. Fluff, short.

LEGS AND TOES: Thighs, moderately long; shanks, long. Toes, straight.

COLOR OF MALE AND FEMALE.

BEAK: Black.

Eyes: Dark brown.

COMB: Bright red.

FACE: Pure white.

WATTLES AND EAR-LOBES: Wattles, males, bright red, except inside of upper part, which is white; females, bright red. Ear-lobes, pure white.

LEGS AND TOES: Dark leaden-blue, or black.

PLUMAGE: Surface, lustrous greenish-black, throughout; undercolor, dark slate.

156

BLUE ANDALUSIANS.

The Andalusian has the distinction, unique among domestic fowl, of wearing the national colors — red, white and blue — its face and eyes being red, its ear-lobes white and its plumage blue. The origin of this breed is not clearly established, but it seems to have been well known in Great Britain as early as the eighteenth century, though its introduction into the United States and Canada is of more recent date. Judging by its name, it probably eame from Andalusia, a province in southern Spain. Whether the White and Black Minorcas are off-shoots from the Andalusians, or whether the Andalusians originated from a blending of White and Black Minorcas, coming originally from Spain, is a mooted question, but it is noticeable that anatomically the Andalusians and Minorcas are quite similar.

The typical Andalusian of the Standard must be pre-eminently a symmetrical, graceful, compact fowl, of medium size, without coarseness of structure or elumsiness of carriage. The dark lacing of the plumage should stand out clearly and sharply. It should not merge into, nor blend with the ground-color of the feather. The desired contrast is pronounced and well defined. If the ground-color is quite dark, the contrast cannot be as sharp as when the ground-color of the feather is of the "clear, even, medium" shade required by the Standard. Andalusians that approach closely to Standard requirements are peculiarly attractive, in fact are beautiful examples of the art of poultry culture.

Disqualifications.

Red in ear-lobes covering one-half or more of the surface; red or positive white in color of plumage; shanks other than blue or slaty-blue, except the natural fading from age. (See general disqualifications.)

STANDARD WEIGHTS.

Coek	6	lbs.	Hen	\tilde{a}	lbs.
Coekerel	5	lbs.	Pullet	4	lbs.

SHAPE OF MALE.

HEAD: Moderately long and deep. BEAK: Moderate length. EYES: Large, oval. COMB, SINGLE: Rather large, straight and upright, firm and even on head; evenly serrated, having five points.

FACE: Full and smooth.

WATTLES AND EAR-LOBES: Wattles, long, thin, smooth. Ear-lobes, almond shape.

NECK: Rather long, arched, with hackle flowing well over shoulders. WINGS: Large, well folded.

BACK: Of moderate length, sloping downward to saddle which rises with a short, concave sweep to tail; saddle feathers, long.

TAIL: Large, full; main tail feathers carried at an angle of forty-five degrees from the horizontal. Sickles, large, even, well curved; coverts, abundant.

BREAST: Broad, deep and well rounded.

BODY AND FLUFF: Body, deep, well rounded, straight from front to rear. Fluff, short.

LEGS AND TOES: Thighs, of moderate size, long; shanks, long. Toes, straight.

SHAPE OF FEMALE.

HEAD: Moderately long, deep.

BEAK: Moderate length.

EYES: Large, oval.

COMB, SINGLE: Rather large, rising slightly in front, drooping to one side; evenly serrated, having five distinct points.

FACE: Full, smooth.

WATTLES AND EAR-LOBES: Wattles, moderately long, thin, well rounded. Ear-lobes, almond-shaped.

NECK: Long, arched.

WINGS: Large, well folded.

BACK: Of moderate length, descending toward tail; saddle rising with slight concave sweep to tail.

TAL: Long, carried at an angle of forty-five degrees from the horizontal, fairly well spread.

BREAST: Broad, deep and well rounded.

BODY AND FLUFF: Body, deep, well rounded, straight from front to rear. Fluff, short.

LEGS AND TOES: Thighs, slender, rather long; shanks, long, slender. Toes, straight.

COLOR OF MALE.

HEAD: Plumage, dark slaty-blue.

BEAK: Horn.

EYES: Reddish-bay.

COMB, FACE AND WATTLES: Bright red.

EAR-LOBES: White.

158

NECK: Lustrous bluish-black.

WINGS: Wing-bows, lustrous bluish-black; primaries, a clear, even, medium shade of slaty-blue; secondaries, inner web a clear, even shade of slaty-blue, outer web slaty-blue, each feather having a well-defined lacing of a darker shade; wing-coverts, a clear, even, medium shade of slaty-blue, having a well-defined lacing of a darker shade.

BACK: Lustrous bluish-black.

TAIL: Sickles, lustrous bluish-black; tail-coverts, lustrous bluishblack; main tail feathers, a clear, even slaty-blue, with a well-defined lacing of bluish-black.

BREAST: A clear, even, medium shade of slaty-blue, each feather having a well-defined lacing of a darker shade.

BODY AND FLUFF: Body, a clear, even, medium shade of slaty-blue, each feather having a well defined lacing of a darker shade. Fluff, slatyblue.

LEGS AND TOES: Thighs, a clear, even shade of slaty-blue; shanks and toes, leaden-blue.

COLOR OF FEMALE.

HEAD: Plumage, slaty-blue.

BEAK: Horn.

EYES: Reddish-bay.

COMB, FACE AND WATTLES: Bright red.

EAR-LOBES: White.

NECK: Slaty-blue, laced with a darker shade.

WINGS: Primaries, a clear, even, medium shade of slaty-blue; remainder of the wing an even shade of slaty-blue, darker than that of primaries; feathers in all sections, except primaries, laced with a darker shade.

BACK: Slaty-blue, each feather having a well-defined lacing of a darker shade.

TAIL: Slaty-blue, laced with a darker shade.

BREAST: Slaty-blue, each feather having a well-defined lacing of a darker shade.

BODY AND FLUFF: Body, slaty-blue, each feather having a welldefined lacing of a darker shade. Fluff, slaty-blue.

LEGS AND TOES: Thighs, slaty-blue; shanks and toes, leaden-blue.

ANCONAS.

Disgualifications.

Red in ear-lobes covering more than one-half of surface; red in any part of plumage; shanks other than yellow or yellow mottled with black. (See general disqualifications.)

SHAPE OF MALE.

HEAD: Moderate in length, fairly deep.

BEAK: Not too long, nicely curved.

EYES: Medium size and nearly round.

COMB: Single, medium size, straight and upright, firm and even on head; having five distinct points, deeply serrated and extending well over back of head with no tendency to follow shape of neck; smooth, free from twists, folds and excressences.

FACE: Smooth, fine in texture, nearly round.

WATTLES AND EAR-LOBES: Wattles, long, thin, well rounded, smooth in texture, free from folds or wrinkles. Ear-lobes, a broadened almondshape, of moderate size, smooth, fitting closely to head.

NECK: Long, nicely arched; hackle, abundant, flowing well over shoulders.

WINGS: Large, well folded.

BACK: Of moderate length, somewhat rounded at shoulders, slightly sloping downward from shoulders to center of back, then rising in a gradually increasing concave sweep to tail.

TAIL: Large, well spread; main tail feathers carried at an angle of forty-five degrees from the horizontal; sickles, long, well curved; coverts, abundant.

BREAST: Well rounded, carried well forward.

BODY AND FLUFF: Body, of moderate length, fairly deep, straight from front to rear. Fluff, short.

LEGS AND TOES: Thighs and shanks moderately long and slender.

SHAPE OF FEMALE.

HEAD: Moderate in length, fairly deep. BEAK: Not too long, nicely curved. EYES: Medium in size and nearly round. COMB: Single, medium in size, deeply serrated, having five distinct points, the front portion of comb and first point to stand erect, the remainder of comb drooping gradually to one side; fine in texture, free from folds or wrinkles.

FACE: Smooth, fine in texture, well rounded.

WATTLES AND EAR-LOBES: Wattles, of moderate size, thin, well rounded. Ear-lobes, oval in shape, smooth, thin, free from folds or wrinkles, fitting closely to the head.

NECK: Long, slender and gracefully arched.

WINGS: Large and well folded.

BACK: Of moderate length, somewhat rounded, with a slight slope downward from shoulders to center of back, and then rising in a concave incline to tail.

TAIL: Long, full, and well spread, carried at an angle of forty degrees from the horizontal.

BREAST: Well rounded, earried well forward.

BODY AND FLUFF: Body, moderately long, fairly deep, straight from front to rear. Fluff, rather short, more developed than in male.

LEGS AND TOES: Thighs and shanks, moderately long, slender. Toes, straight.

COLOR OF MALE.

HEAD: Plumage, black.

BEAK: Yellow, upper mandible shaded with black.

EYES: Reddish-bay.

COMB, FACE AND WATTLES: Bright red.

EAR-LOBES: White.

NECK: Lustrous greenish-black; about one feather in five tipped with white.

WINGS: Bows, lustrous greenish-black, one feather in five tipped with white; primaries, black, edged with white; secondaries, black, ending with a white tip; coverts, lustrous greenish-black, many ending in a white spangle.

 \neg BACK: Lustrous greenish-black; saddle, lustrous greenish-black, about one feather in five tipped with white.

TAIL: Main tail feathers black, many tipped with white; sickles and coverts, lustrous greenish-black, ending with white tips.

- BREAST: Lustrous black, about one feather in five tipped with a white spangle.

BODY AND FLUFF: Body, lustrous black, about one feather in five tipped with a white spangle. Fluff, black, slightly tinged with white.

LEGS AND TOES: Thighs, black somewhat tipped with white: undercolor, black or slate. Shanks and toes, yellow or yellow mottled with black.

COLOR OF FEMALE.

HEAD: Plumage, black.

BEAK: Yellow, upper mandible shaded with black.

COMB, FACE AND WATTLES: Bright red.

EAR-LOBES: White.

NECK: Lustrous black, about one feather in five tipped with white. WINGS: Bows, lustrous black, one feather in five ending in a white spangle; primaries, black edged with white; secondaries, black, ending with white tips; coverts, lustrous black, about one feather in five ending with a white spangle.

- BACK: Lustrous black, about one feather in five ending with a white spangle.

TAIL: Black, many feathers ending with a white tip; coverts, black, about one feather in five ending in a white spangle.

-BREAST: Lustrous black, about one feather in five ending with a white spangle.

BODY AND FLUFF: Body, black, about one feather in five ending in a white spangle. Fluff, black, slightly tinged with white.

LEGS AND TOES: Thighs, black, somewhat tipped with white. Shanks and toes, yellow or yellow mottled with black.

CLASS IV.

ENGLISH.

Breeds Dorkings	Varieties
	White
Dorkings	Silver-Gray
	Colored
Redcaps	Rose-Comb
Orpingtons	Single-Comb Buff
Orpingtons,	Single-Comb Black
	Single-Comb White

SCALE OF POINTS FOR THE ENGLISH CLASS.

Symmetry	-1
Weight	6
Condition	-4
Comb	8
Head — Shape 2, Color 2	4
Beak - Shape 2, Color 2	-1
Eyes Shape 2, Color 2	-1
Wattles and Ear-Lobes — Shape 2, Color 3	5
Neck — Shape 4, Color 4	-8
Wings Shape 4, Color 4	8
Back — Shape 5, Color 5	10
Tail — Shape 5, Color 4	-9
	10
Body and Fluff — Shape 5, Color 3	8
Legs and Toes - Shape 5, Color 3	8
· ·	100

DORKINGS.

The Dorkings are among the oldest breeds of domestic fowl in existence. The male is large, with a broad, low-set body that is rectangular in shape, as viewed from the side, possessing a long, deep keel and short legs, which give the bird a solid and compact appearance. The female closely resembles the male, except in feathering, though not as large in size and being a trifle shorter in legs, with a lower-set keel. The skin and flesh of the Dorkings are white. They differ from most other breeds in having five toes. (See Fig. 35.)

SHAPE OF MALE.

HEAD: Rather large.

BEAK: Of medium length, stout, well curved.

EYES: Prominent.

COMB: Silver-Gray and Colored Dorkings, single, rather large, straight and upright; evenly serrated, having six well-defined points, the front and rear points shorter than the other four. White Dorkings, rose, square in front, firm and even on head, terminating in a well-defined spike; top, comparatively flat and covered with small, rounded points.

WATTLES AND EAR-LOBES: Wattles, rather large, well rounded at lower end. Ear-lobes, of medium size, about one-half the length of wattles.

NECK: Rather short, arched; hackle, full and abundant, flowing well over shoulders, making it appear very broad, tapering to head.

WINGS: Large, well folded against body, not drooping.

BACK: Broad, long, straight, declining to tail; saddle feathers, abundant.

TAIL: Large, full, somewhat expanded, carried at an angle of forty degrees from the horizontal; sickles and coverts, abundant, well curved.

BREAST: Broad, deep, full, well rounded, carried forward.

BODY AND FLUFF: Body, long, broad, deep, keel long. Fluff, smooth in surface, moderately developed.

LEGS AND TOES: Thighs, large, short, well meated, set well apart: shanks, short, stout, round in bone. Toes, five upon each foot, front and fifth toes moderately long and smooth; fifth toe well separated from the fourth and directly above it, rising on a slight incline from base to point. Shanks below hock, and toes free from feathers and down.

SHAPE OF FEMALE.

HEAD: Of medium size.

BEAK: Of medium length, stout, well curved.

EYES: Prominent.

COMB: Silver-Gray and Colored Dorkings, single, similar to that of male, but much smaller, and falling over to one side. White Dorkings, rose, similar to that of male, but much smaller.

WATTLES AND EAR-LOBES: Wattles, uniform, rather broad, well rounded. Ear-lobes, of medium size.

NECK: Rather short, arched; hackle, full and abundant, flowing over shoulders, tapering to head.

WINGS: Large, well folded against body.

BACK: Broad, long, straight, declining slightly to tail.

TAIL: Well developed: main feathers broad, close together, carried at an angle of forty degrees from the horizontal.

BREAST: Broad, deep, well rounded. carried forward.

BODY AND FLUFF: Body, long, broad, deep, with long, low-set keel. Fluff, smooth in surface, moderately developed.

LEGS AND TOES: Thighs, large, short, well meated: shanks, short, stout, round in bone. Toes, five upon each foot, front and fifth toes, moderately long and smooth, fifth toe, well separated from fourth and directly over it and rising on a slight incline from base to point. Shanks below hock, and toes, free from feathers and down.

WHITE DORKINGS.

Disqualifications.

Feathers other than white in any part of plumage; shanks other than white or flesh color; absence of fifth toe. (See general disqualifications.)

STANDARD WEIGHTS.

Cock		Hen	
Cockerel	$6\frac{1}{2}$ lbs.	Pullet	5 lbs

COLOR OF MALE AND FEMALE.

BEAK: White. EYES: Reddish-bay. COMB, FACE, WATTLES AND EAR-LOBES: Red. LEGS AND TOES: White. PLUMAGE: Web, fluff and quills of feathers in all sections, pure white.

SILVER-GRAY DORKINGS.

Disqualifications.

Shanks other than white or flesh color; absence of fifth toe. (See general disqualifications.)

STANDARD WEIGHTS.

Cock	8 lbs.	Hen	$6\frac{1}{2}$ lbs.
Cockerel	7 lbs.	Pullet	$5\frac{1}{2}$ lbs.

COLOR OF MALE.

HEAD: Plumage, silvery white.

BEAK: White, streaked with horn.

EYES: Reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Hackle, silvery white; a narrow gray stripe extending down middle of each feather of lower hackle is allowable.

WINGS: Bows, silvery white; primaries, quills black, black on upper web, white on lower web; secondaries, quills black, black on upper web, white on lower web, with a black spot at end of each feather; coverts, lustrous greenish-black, forming a wide bar across wing.

BACK AND SADDLE: Silvery white.

CAPE: Black.

TAIL: Sickles, greenish-black; a little white at base of main tail in cock is allowable; coverts, rich, lustrous black, the lesser coverts having an edging of white.

BREAST: Lustrous black.

- BODY AND FLUFF: Black.

LEGS AND TOES: Thighs, black; shanks and toes, white.

UNDER-COLOR: Slate.

COLOR OF FEMALE.

HEAD: Plumage, silvery white.

BEAK: White, streaked with horn.

EYES: Reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Hackle, silvery white, with a fine, black stripe extending down middle of each feather, tapering to a point near its extremity.

WINGS: Bows, silvery white, finely stippled with ashy-gray; primaries, upper web dark slate, lower web slaty-gray; secondaries, upper web dark slate, lower web slaty-gray; coverts, silvery white stippled with ashygray.

- BACK: Gray, formed of silvery white finely stippled with ashy-gray. TAIL: Black, penciled with gray on outside and dark slate on inside.
- · BREAST: Salmon-red, shading off to ashy-gray at sides.

BODY AND FLUFF: Body, silvery or slaty-gray, free from dark marks across feathers; under part of body, gray. Fluff, gray.

LEGS AND TOES: Thighs, ashy-gray; shanks and toes, white. UNDER-COLOR: Slate.

COLORED DORKINGS.

Disqualifications.

Shanks other than white or flesh color; absence of fifth toe. (See general disqualifications.)

STANDARD WEIGHTS.

Cock	9 lbs.	Hen	7 lbs.
Cockerel	8 lbs.	Pullet	6 lbs.

COLOR OF MALE.

HEAD: Plumage, very light gray.

BEAK: Dark horn.

EYES: Reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Light straw color with a wide, black stripe extending down middle of each feather.

WINGS: Bows, light straw; primaries, black or dark slate; secondaries, upper web black, lower web white; coverts, lustrous greenish-black, forming a wide bar across wing.

BACK: Cape, black and white; saddle feathers, light straw color, with a wide, black stripe extending down middle of each feather.

TAIL: Black; sickles, greenish-black; coverts, lustrous black.

BREAST: Lustrous black.

BODY AND FLUFF: Black.

- LEGS AND TOES: Thighs, black; shanks and toes, white. UNDER-COLOR: Dark slate.


COLOR OF FEMALE.

HEAD: Plumage, black or nearly black.


BEAK: Dark horn.

EYES: Reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.



SILVER-GRAY DORKING MALE



SILVER-GRAY DORKING FEMALE

NECK: Black, with a narrow edging of gray on front feathers, the gray extending to sides.

WINGS: Bows, dark gray laced with black; primaries, dark brown; secondaries, upper web, black, lower web, dark gray; coverts, dark gray laced with black; shafts of feathers, brown.

BACK: Very dark gray marked with black; shafts of feathers, light bay.

TAIL: Dark brown penciled with gray on outside and black on inside. BREAST: Dark salmon edged with black; shafts of feathers, light bay. BODY AND FLUFF: Body, dark brown or black, slightly mixed with

gray. Fluff, dull black or dark gray.

LEGS AND TOES: Thighs, dark gray and brown. Shanks and toes, white.

UNDER-COLOR: Dark slate.

REDCAPS.

This is an old variety, well known to fanciers, having many practical and useful qualities. The male should be of good size, with large, rose comb, well-flowing hackle, a straight back of medium length, large, wellexpanded tail and the full, well-rounded breast characteristic of this variety. The female should be of good size, with even. well-balanced, rose comb, round, well-formed breast, long, well-shaped back and deep, long body. The tail should be of good size and well expanded, giving the bird a well-balanced appearance.

Disqualifications.

Solid white ear-lobes; comb other than rose; foreign-colored feathers indicating impurity, except white in primaries; mottled breast in male; shanks other than slate or leaden-blue in color, except the natural fading from age. (See general disqualifications.)

STANDARD WEIGHTS.

Cock	$7\frac{1}{2}$ lbs.	Hen	6 lbs.
Cockerel	6 lbs.	Pullet	5 lbs.

SHAPE OF MALE.

HEAD: Short, deep.

BEAK: Of medium size, stout at base, well curved.

EYES: Full.

[•] Сомв: Rose, large, not overhanging eyes, square in front, free from hollow in center, top covered with small points, uniform on each side, firm and even on head without inclining to one side, terminating at rear in a well-developed and straight spike.

WATTLES AND EAR-LOBES: Of medium size.

NECK: Rather long, with full hackle flowing well over shoulders.

WINGS: Large, well folded against body.

BACK: Of medium length, sloping straight to tail; saddle feathers, long and sweeping.

\ TAIL: Full, well expanded, carried at an angle of fifty degrees from the horizontal; sickles, long, well curved; coverts, abundant.

BREAST: Broad, deep, prominent.

BODY AND FLUFF: Body, long, rounded, broadest in front and tapering to rear. Fluff, rather short. LEGS AND TOES: Thighs, of medium length, well developed; shanks, rather long. Toes, straight, well spread. Shanks below hocks, and toes, free from feathers and down.

SHAPE OF FEMALE.

HEAD: Short, deep.

BEAK: Of medium size, stout at base, well curved.

EYES: Full.

COMB: Similar to that of male, but smaller.

WATTLES AND EAR-LOBES: Wattles, of medium size, well rounded. Ear-lobes, of medium size.

NECK: Rather long, with full hackle.

WINGS: Large, well folded against body.

BACK: Long, straight, sloping slightly to tail.

TAIL: Long, full, well expanded, carried at an angle of forty-five degrees from the horizontal.

BREAST: Broad, prominent.

BODY AND FLUFF: Body, long, rounded, deep. Fluff, rather short. LEGS AND TOES: Thighs, of medium length, well developed; shanks, of medium length. Toes, straight, well spread. Shanks below hocks, and toes, free from feathers and down.

COLOR OF MALE.

HEAD: Plumage, rich, dark red.

BEAK: Horn.

EYES: Reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Blue-black, each feather edged with red, the entire hackle shading off to black at base.

WINGS: Bows, deep, mahogany-red; primaries, dull black; secondaries, upper web black, lower web black with a broad edging of brown, each feather ending with a bluish-black spangle, shaped like a half moon; coverts, rich, deep brown, each feather ending with a black spangle, shaped like a half moon, forming double black bars across wings.

BACK: Rich red and black; saddle feathers, rich, dark red, with a bluish-black stripe extending down middle of each feather.

TAIL: Black; sickles and coverts greenish-black.

BREAST: Lustrous black.

BODY AND FLUFF: Black.

LEGS AND TOES: Thighs, black; shanks and toes, slate or leadenblue.

UNDER-COLOR: Dark leaden-blue.

COLOR OF FEMALE.

HEAD: Plumage, brown.

BEAK: Horn.

EYES: Reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Black, each feather laced with golden bay.

WINGS: Bows, rich brown, each feather ending with a bluish-black spangle, shaped like a half moon; primaries, dull black, with a narrow edging of brown on lower web; secondaries, black, lower web with a broad edging of brown, each feather ending with a bluish-black spangle, shaped like a half moon; coverts, similar to bows.

BACK: Rich brown, each feather ending with a bluish-black spangle, shaped like a half moon.

TAIL: Black; coverts, brown, each feather ending with a bluish-black spangle, shaped like a half moon.

BREAST: Rich brown, each feather ending with a bluish-black spangle, shaped like a half moon.

BODY AND FLUFF: Body, similar to that of breast, but shading off lighter on under parts. Fluff, black powdered with brown.

LEGS AND TOES: Thighs, light brown. Shanks and toes, slate or leaden-blue.

UNDER-COLOR: Dark leaden-blue.

ORPINGTONS.

The Orpingtons are of English origin and, from their first introduction in their native land, have been one of the most popular breeds of fowls. Their large size, early maturity and winter egg production soon gained for them a reputation in all parts of the world, until today, they are the most popular breed ever originated on English soil.

The originator introduced them in several colors, but the Buffs, Blacks and Whites were, from the first, the most popular. In these three varieties we have nothing to select from except our choice of color, as all are alike so far as size and shape govern. They are large and stately in appearance with rather long, round, deep bodies, full breasts and broad backs; the abundance of hackle and saddle feathers on the male giving the appearance of a rather short back.

The legs are rather short and stand well apart. Shanks large and nearly round. The skin of the three varieties is white. The shanks of the Buffs and Whites are white, or pinkish-white. The Orpingtons have the distinction of being the only breed recognized where all varieties have solid color, and no one variety can claim any distinction over the other, as all are alike popular.

The fanciers of the varieties are striving to maintain the color and shape, and to hold the Buffs with rich, golden buff surface color that harmonizes in all sections, with under-color free from white or black. The Blacks, with their lustrous black surface, free from purple bars. The Whites, with pure white plumage in all sections, free from brassiness.

STANDARD WEIGHTS.

Cock	10 lbs.	Hen	8 lbs.
Cockerel	$8\frac{1}{2}$ lbs.	Pullet	7 lbs.

SHAPE OF MALE.

HEAD: Rather long, broad, deep.

BEAK: Short, stout, regularly curved.

EYES: Large, oval.

COMB: Single, rather large, set firmly on head, perfectly straight and upright; five well-defined points, those at front and rear smaller than middle ones; fine in texture; blades free from serrations.

WATTLES AND EAR-LOBES: Wattles of medium size, well rounded at lower edges. Ear-lobes, medium size, oblong, smooth.

NECK: Rather short, well arched, with abundant hackle.

WINGS: Of medium size, well folded; wing-fronts, well covered by breast feathers; wing-points, well covered by saddle feathers.

BACK: Broad, medium, flat at shoulders, rising with a full concave sweep to tail; saddle feathers, of medium length, abundant.

TAIL: Moderately long, fairly well spread, carried at an angle of forty-five degrees from the horizontal, forming no apparent angle with back where these sections join; sickles, of medium length, spreading laterally beyond main tail feathers; lesser sickles and tail-coverts, of medium length, nicely curved, sufficiently abundant to cover the main tail feathers.

BREAST: Broad, deep, and well rounded.

BODY AND FLUFF: Body, broad, deep; keel-bone, rather long, straight, extending well forward. Fluff, moderately full.

LEGS AND TOES: Thighs, large, rather short, covered with soft feathers; shanks, short, stout in bone, smooth. Toes, of medium length, straight, strong, well spread. Shanks and toes, free from feathers and down.

SHAPE OF FEMALE.

HEAD: Rather large, broad, deep.

BEAE: Short, stout, regularly curved.

EYES: Large, oval.

COMB: Single, of medium size, set firmly on head, perfectly straight and upright; five well-defined points, those in front and rear smaller than middle ones; fine in texture.

WATTLES AND EAR-LOBES: Wattles, of medium length, fine in texture. Ear-lobes, of medium size, oblong.

NECK: Rather short, well arched, nicely tapering to head, having a moderately full hackle.

WINGS: Of medium size, well folded.

BACK: Broad, moderately long, rising with concave sweep to tail.

TAIL: Moderately long, fairly well spread, carried at an angle of forty-five degrees from the horizontal; tail-coverts, abundant.

BREAST: Broad, deep, well rounded.

BODY AND FLUFF: Body, rather long, broad, deep; keel-bone, rather long, straight, extending well forward. Fluff, moderately full.

LEGS AND TOES: Thighs, large, rather short, covered with soft feathers; shanks, short, stout, set well apart, smooth. Toes, of medium length, straight, strong, well spread. Shanks and toes, free from feathers and down.

BUFF ORPINGTONS.

Disqualifications.

Positive white in ear-lobes covering more than one-third of the surface; yellow beak or skin; shanks other than white, or pinkish-white. (See general disqualifications.)

COLOR OF MALE.

BEAK: White, or pinkish-white.

EYES: Reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

SHANKS AND TOES: White, or pinkish-white.

PLUMAGE: Surface throughout an even shade of rich, golden buff, free from shafting or mealy appearance; the head, neck, hackle, back, wingbows and saddle richly glossed. Under-color, a lighter shade of buff, free from foreign color. Different shades of buff in two or more sections, is a serious defect. A harmonious blending of buff in all sections is most desirable.

COLOR OF FEMALE.

BEAK: White, or pinkish-white.

EYES: Reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

SHANKS AND TOES: White, or pinkish-white.

Plumage: Surface throughout an even shade of rich, golden buff, free from shafting or mealy appearance, the head and neck plumage showing a luster of same shade as the rest of the plumage. Under-color, a lighter shade, free from foreign color. Different shades of buff in two or more sections, is a serious defect. A harmonious blending of buff in all sections is most desirable.

BLACK ORPINGTONS.

Disqualifications.

Positive white in ear-lobes covering more than one-third of surface; one-half inch or more of white in any part of plumage; yellow skin.

COLOR OF MALE AND FEMALE.

BEAK: Black.

EYES: Black, or dark brown.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

SHANKS AND TOES: Black; web and bottom of toes, white.

PLUMAGE: Surface, lustrous greenish-black throughout; under-color, black.


WHITE ORPINGTONS.

Disgualifications.

Positive white in ear-lobes covering more than one-third of surface; feathers other than white in any part of plumage; yellow skin; shanks other than white or pinkish-white.

COLOR OF MALE AND FEMALE.

BEAK: White, or pinkish-white. EYES: Reddish-bay. COMB, FACE, WATTLES AND EAR-LOBES: Bright red. SHANKS AND TOES: White, or pinkish-white. PLUMAGE: Web, fluff and quills of feathers in all sections, pure white.



BUFF ORPINGTON MALE



BUFF ORPINGTON FEMALE

CLASS V.

POLISH.

Varieties

Breed

101000		
	White Crested Bearded Golde Bearded Silver Bearded White Buff Laced Non-Bearded Silver Non-Bearded Silver Non-Bearded Silver	Black
	Bearded Golde	en
	Bearded Silver	
Polish	Bearded White	ę
	Buff Laced	
	Non-Bearded	Golden
	Non-Bearded	Silver
	Non-Bearded	White

SCALE OF POINTS.

Symmetry	-4
Size	
Condition	4
Comb	
Crest — Shape 12, Color 8	20
Head — Shape 3, Color 3.	
Wattles and Ear-Lobes 4, Beard* 4	8
Neck — Shape 3, Color 3	
Wings — Shape 4, Color 4	
Back - Shape 4, Color 4	
Tail Shape 5, Color 5	
Breast — Shape 4, Color 4	
Body and Fluff - Shape 3, Color 3	6
Legs and Toes - Shape 3, Color 3	
0 1	100

* Omit "Beard" in the non-bearded varieties, and give the 8 points to "Wattles and Ear-Lobes."

POLISH.

The Polish varieties are regarded by fanciers generally as being strictly ornamental, although they represent one of the oldest breeds of pure-bred fowls. The male, to be a typical specimen, must be of medium size, with a large, flowing, well-balanced crest, rising well in front so as not to obstruct the sight. The back should be of medium length, and the tail large and well expanded, giving the bird a well-balanced appearance. The female is, in many respects, similar to the male. She should be comparatively small, and have a large, oval-shaped crest, fitting rather closely on the head and well balanced. Her back should be straight and rather short, and the tail large and well expanded.

SHAPE OF MALE.

HEAD: Large, with a pronounced protuberance on top of skull.

BEAK: Of medium length, slightly curved.

Nostrills: Large, the crown being elevated above the curved line of beak.

EYES: Large, full.

COMB AND CREST: Comb, V-shaped, of small size, the smaller the better; set evenly on head, retreating into crest; natural absence of comb is preferred. Crest, very large, profuse, rising well in front so as not to obstruct the sight and falling over on both sides and in rear in a regular, even mass.

IN BEARDED VARIETIES.

BEARD: Thick and full, running back of eye in a graceful curve.

WATTLES AND EAR-LOBES: Wattles, of equal length, thin, small, well rounded on the lower edge. Ear-lobes, small.

NECK: Of medium length, slightly arched, with abundant hackle flowing well down on shoulders.

WINGS: Large, well folded.

BACK: Straight, wide across the shoulders, tapering to tail; saddle feathers, abundant, with concave sweep near base of tail.

TAIL: Large, well expanded, carried at an angle of forty-five degrees from the horizontal; sickles and coverts, abundant and covering main tail feathers well.

BREAST: Full, prominent.

BODY AND FLUFF: Body, short, moderately full, tapering from front to rear. Fluff, rather short.

LEGS AND TOES: Thighs, of medium length, small; shanks, of medium length, slender. Toes, straight. Shanks below hocks, and toes, free from feathers and down.

SHAPE OF FEMALE.

HEAD, BEAK, NOSTRILS, EYES, COMB, WATTLES AND EAR-LOBES: Similar to those of male, but smaller.

CREST: Large, profuse, globular, rising well in front, regular and unbroken.

BEARD: Same as male.

NECK: Of medium length, tapering, with full hackle.

WINGS: Large, well folded.

BACK: Straight, broadest at shoulders, tapering with concave sweep near base of tail.

TAIL: Large, broad, well expanded, carried at an angle of forty-five degrees from the horizontal.

BREAST: Full, round.

BODY AND FLUFF: Body, short, moderately full. Fluff, short.

LEGS AND TOES: Thighs, of medium length, small; shanks, of medium length, slender. Toes, straight. Shanks below hocks, and toes, free from feathers and down.

WHITE-CRESTED BLACK POLISH.

Disqualifications.

White in any part of plumage extending over half an inch, except in crest; shanks other than blue or dark leaden-blue, except the natural fading from age. (See general disqualifications.)

COLOR OF MALE AND FEMALE.

BEAK: Bluish-black.

EYES: Black, or brown.

COMB AND CREST: Comb, red. Crest, white; a narrow band of black feathers at base of feathers in front allowable, but the fewer the better. FACE: Red.

WATTLES AND EAR-LOBES: Wattles, red. Ear-lobes, white. SHANKS AND TOES: Blush-black.

PLUMAGE, EXCEPT CREST: Lustrous greenish-black.

BEARDED GOLDEN POLISH.

Disqualifications.

Shanks other than blue or slaty-blue, except the natural fading from age. (See general disqualifications.)

COLOR OF MALE.

BEAK: Dark horn.

EYES: Reddish-bay.

COMB AND CREST: Comb, red. Crest, golden bay, laced with black. BEARD: Golden bay, laced with black.

FACE: Red.

WATTLES AND EAR-LOBES: Wattles, red. Ear-lobes, white.

NECK: Golden bay, each feather laced with black.

WINGS: Primaries, bay, ending with black, the black tapering to a point on lower edge; secondaries, golden bay, with well-defined, black lacing; coverts, golden bay, each feather laced with black, widest at end, forming two well-defined wing-bars.

BACK: Golden bay, the end of each feather laced with black; saddle feathers, abundant, each feather laced with black, the texture of feather giving a rayed appearance.

TAIL: Golden bay, each feather laced with black, widest at end; sickles and coverts, golden bay, each feather laced with black, widest at end.

BREAST: Golden bay, free from mossing, each feather laced with black, the lacing being proportionate to size of feather.

BODY AND FLUFF: Body, golden bay, each feather laced with black. Fluff, bay, tinged with black.

LEGS AND TOES: Thighs, bay, laced with black; shanks and toes, slaty-blue.

UNDER-COLOR: Slate.

COLOR OF FEMALE.

BEAK: Dark horn.

EYES: Reddish-bay.

COMB AND CREST: Comb, red. Crest, in pullets, black, laced with bay, which, after first molt, should be golden bay, laced with black.

BEARD: Golden bay, heavily laced with black.

FACE: Red.

WATTLES AND EAR-LOBES: Wattles, red. Ear-lobes, white.

NECK: Golden bay, each feather laced with black.

WINGS: Primaries, golden bay, each feather ending with black, the black tapering to a point on lower edge; secondaries, golden bay, with



WHITE-CRESTED BLACK POLISH MALE



WHITE-CRESTED BLACK POLISH FEMALE

well-defined black ending; bows, golden bay, each feather laced with black; coverts, golden bay, each feather laced with black, the black growing wider at the extremity, forming two distinctly laced bars across wings.

BACK: Golden bay, each feather laced with black.

TAIL: Golden bay, each feather laced with black, the black being wider at outer end of feather.

BREAST: Golden bay, each feather laced with black.

BODY AND FLUFF: Body, golden bay, each feather laced with black. Fluff, a lighter shade of bay tinged with black.

LEGS AND TOES: Thighs, bay, each feather laced with black. Shanks and toes, slaty-blue.

UNDER-COLOR: Slate.

BEARDED SILVER POLISH.

Disgualifications.

Shanks other than blue or slaty-blue, except the natural fading from age. (See general disqualifications.)

COLOR OF MALE.

BEAK: Dark horn.

EYES: Reddish-bay.

COMB AND CREST: Comb, red. Crest, white, laced with black.

BEARD: White, laced with black.

FACE: Red.

WATTLES AND EAR-LOBES: Wattles, red. Ear-lobes, white.

NECK: White, each feather laced with black.

WINGS: Primaries, white, ending with black, the black tapering to a point on lower edges; secondaries, white, with well-defined black lacing; coverts, white, each feather laced with black, widest at end, forming two well-defined wing bars.

BACK: White, the end of each feather laced with black; saddle feathers, abundant, each feather laced with black, the texture of feathers giving a rayed appearance.

~ TAIL: White, each feather laced with black, widest at ends; sickles and coverts, white, each feather laced with black, widest at ends.

BREAST: White, free from mossing, each feather laced with black, the lacing being proportionate to size of feather.

BODY AND FLUFF: Body, white, each feather laced with black. Fluff, white, tinged with black.

LEGS AND TOES: Thighs, white laced with black; shanks and toes, slaty-blue.

UNDER-COLOR: Slate.

COLOR OF FEMALE.

BEAK: Dark horn.

EYES: Reddish-bay.

COMB AND CREST: Comb, red. Crest in pullets, black, laced with white. Beard, white, heavily laced with black.

FACE: Red.

WATTLES AND EAR-LOBES: Wattles, red. Ear-lobes, white.

NECK: White, each feather laced with black.

WINGS: Primaries, white, each feather ending with black, the black tapering to a point on lower edge; secondaries, white, with well-defined black lacing. Bows, white, each feather laced with black. Coverts, white, each feather laced with black, the black growing wider at the extremity, forming two distinctly laced bars across wing.

BACK: White, each feather laced with black.

TAIL: White, each feather laced with black, the black being wider at outer end of feather.

BREAST: White, each feather laced with black.

BODY AND FLUFF: Body, white, each feather laced with black. Fluff. white, tinged with black.

LEGS AND TOES: Thighs, white, each feather laced with black. Shanks and toes, slaty-blue.

UNDER-COLOR: Slate.

BEARDED WHITE POLISH.

Disqualifications.

Shanks other than blue or slaty-blue, except the natural fading from age. (See general disqualifications.)

COLOR OF MALE AND FEMALE.

BEAK: Dark horn. EYES: Reddish-bay. COMB, FACE AND WATTLES: Red. EAR-LOBES: White. SHANKS AND TOES: Slaty-blue. PLUMAGE: Web, fluff and quills of feathers in all sections, pure white.



BEARDED SILVER POLISH MALE



BEARDED SILVER POLISH FEMALE

BUFF LACED POLISH.

Disqualifications.

Shanks other than blue or slaty-blue, except the natural fading from age. (See general disqualifications.)

COLOR OF MALE.

BEAK: Slaty-blue.

EYES: Reddish-bay.

COMB, FACE AND WATTLES: Bright red.

EAR-LOBES: White.

CREST: Rich buff, laced with pale buff.

BEARD: Rich buff, laced with pale buff.

HEAD: Rich buff, ticked with pale buff.

NECK: Rich buff, each feather laced with pale buff.

WINGS: Wing-bows, rich buff, laced with pale buff; primaries, buff, the outer end having an edging of pale buff; secondaries, rich buff, with a well-defined pale buff lacing; coverts, rich buff, each feather laced with pale buff, widest at ends, forming two-well defined wing-bars.

BACK: Rich buff, the end of each feather laced with pale buff; saddle, rich buff, each feather laced with pale buff.

TAIL: Buff; sickles and coverts, buff, each feather laced with pale buff. BREAST: Rich buff, each feather laced with pale buff.

BODY AND FLUFF: Body, rich buff, each feather laced with pale buff. Fluff, light buff.

LEGS AND TOES: Thighs, buff, laced with pale buff. Shanks and toes, slaty-blue.

COLOR OF FEMALE.

BEAK: Slaty-blue.

EYES: Reddish-bay.

COMB, FACE AND WATTLES: Bright red.

EAR-LOBES: White.

CREST: Buff, laced with pale buff.

BEARD: Buff, each feather laced with pale buff.

NECK: Buff, each feather laced with pale buff.

WINGS: Bows, buff, laced with pale buff; primaries, buff; secondaries, buff, with a well-defined lacing of pale buff; coverts, buff, laced with pale buff, the pale buff growing wider at extremity, forming two welldefined wing-bars.

BACK: Buff, each feather laced with pale buff.

TAIL: Buff, each feather laced with pale buff, the pale buff being wider at outer end of feather.

BREAST: Buff, each feather laced with pale buff.

BODY AND FLUFF: Body, buff, each feather laced with pale buff. Fhuff, light buff.

LEGS AND TOES: Thighs, buff, each feather laced with pale buff. Shanks and toes, slaty-blue.

NON-BEARDED POLISH.

(Golden, Silver and White.)

The same as the bearded varieties in every respect, including disqualifications, shape and color, except that they have no beard. (See general disqualifications.)

CLASS VI.

HAMBURGS.

Breed

HAMBURGS.....

Varieties Golden Spangled Silver Spangled Golden Peneiled Silver Peneiled White Black

SCALE OF POINTS.

Symmetry 4
Size 4
Condition 4
Comb
Head - Shape 2, Color 2 4
Beak — Shape 2, Color 2 4
Eyes — Shape 2, Color 2 4
Wattles and Ear-Lobes — Shape 5, Color 5 10
Neck - Shape 5, Color 2 7
Wings — Shape 4, Color 6 10
Back - Shape 4, Color 4 8
Tail - Shape 4, Color 8 19
Breast — Shape 4, Color 5
Body and Fluff - Shape 3, Color 3 6
Legs and Toes - Shape 2, Color 2 4
100

HAMBURGS.

The Hamburgs originated in Holland and derived their name from the city of Hamburg. They are one of our oldest standard breeds, and blood from at least two of the varieties has been used in establishing some of our most popular American breeds. They breed remarkably true to type, birds at all ages showing symmetrical outlines in striking contrast to other Standard fowl. In size they are rather small, and, while classed as ornamentals by some, they are remarkable egg producers and have been known in some localities as everlasting layers. The eggs of the Hamburg are rather small with white shells. Their plumage is close fitting and, in markings in the Silver and Golden Spangled and Silver and Golden Penciled, rival the pheasant in beauty. The plumage of the Golden Penciled female is considered by many to be the handsomest found in any Standard The combs of all varieties are rose, rather large for the size of the fowl. specimen. The difficulty of securing perfection in the wide range of color found in the several varieties, calls forth the greatest skill of the fanciers, and they are found in their highest state of perfection in the yards of our oldest and best informed breeders.

SHAPE OF MALE.

HEAD: Short, small.

BEAK: Of medium size.

EYES: Full.

COMB: Rose, not so large as to overhang the eyes or beak, square in front, firm and even on head, without inclining to either side, uniform on sides, top covered with small points, free from hollow in center, terminating at rear in a spike which inclines upward very slightly.

WATTLES AND EAR-LOBES: Wattles, broad, thin, well rounded, free from wrinkles. Ear-lobes, of medium size, flat, round, smooth, even, fitting closely to head.

NECK: Tapering, with full hackle flowing well over shoulders.

WINGS: Large, carried rather low.

BACK: Of medium length, flat at shoulders, straight, gradually sloping to rear of saddle.

TAIL: Full, well expanded, carried at an angle of forty degrees from the horizontal; sickles, well curved; coverts, abundant.

BREAST: Broad, prominent.

BODY AND FLUFF: Body, round, symmetrical. Fluff, rather short.

LEGS AND TOES: Thighs, of medium size; shanks, of medium length. Toes, straight. Shanks below hocks, and toes, free from feathers and down.

SHAPE OF FEMALE.

HEAD: Short, small.

BEAK: Of medium size.

EYES: Full.

COMB: Rose, similar to that of male, but smaller.

WATTLES AND EAR-LOBES: Wattles, small, thin, well rounded. Earlobes, small, flat, round, smooth, even, fitting closely to head.

NECK: Tapering, with full hackle.

WINGS: Large, carried rather low.

BACK: Of medium length, moderately full, with slight concave sweep to tail.

TAIL: Full, somewhat expanded, carried at an angle of forty degrees from the horizontal.

BREAST: Broad, prominent.

BODY AND FLUFF: Body, round, symmetrical. Fluff, rather short.

LEGS AND TOES: Thighs, of medium size, well developed; shanks, rather short, slender. Toes, straight. Shanks below hocks, and toes, free from feathers and down.

GOLDEN SPANGLED HAMBURGS.

Disqualifications.

Red in ear-lobes covering more than one-third of the surface; absence of distinct bars across the wings; markings wholly crescentic; shanks other than leaden-blue, except the natural fading from age; hen-feathered male. (See general disqualifications.)

COLOR OF MALE.

HEAD: Plumage, golden bay.

BEAK: Dark horn.

EYES: Reddish-bay.

COMB, FACE AND WATTLES: Bright red.

EAR-LOBES: White.

NECK: Golden bay, with a glossy, greenish-black stripe extending down middle of each feather, terminating in a point near its extremity.

WINGS: Bows, rich. golden bay, distinctly spangled with lustrous greenish-black; primaries, upper web black, lower web bay; secondaries, rich golden bay, lower feathers ending with lustrous greenish-black, crescent-shaped spangles, gradually increasing into round-shaped spangles

as they approach the back; coverts, clear golden bay, free from lacing, each feather ending with a large, greenish-black spangle, forming two distinct parallel bars across wings.

BACK: Lustrous golden bay, spangled with greenish-black, the texture of the feathers giving the spangles a rayed appearance; saddle feathers, lustrous golden bay with a lustrous greenish-black stripe extending down middle of each feather, same as in hackle.

TAIL: Lustrous greenish-black; sickles, lustrous greenish-black; coverts, lustrous greenish-black.

BREAST: Golden bay, each feather ending with a large, lustrous greenish-black spangle, the spangle being proportionate to size of feather.

BODY AND FLUFF: Golden bay, each feather ending with a large, greenish-black spangle, the spangle being proportionate to size of feather. Fluff, bay, tinged with slate.

LEGS AND TOES: Thighs, golden bay, each feather ending with a greenish-black spangle. Shanks and toes, leaden-blue.

UNDER-COLOR: Slate.

COLOR OF FEMALE.

HEAD: Plumage, rich, golden bay.

BEAK: Dark horn.

EYES: Reddish-bay.

COMB, FACE AND WATTLES: Bright red.

EAR-LOBES: White.

NECK: Golden bay, with a lustrous greenish-black stripe extending down middle of each feather, terminating in a point near its extremity.

WINGS: Bows, golden bay, distinctly spangled with lustrous greenishblack; primaries, upper web black, lower web bay; secondaries, golden bay, each feather ending with a lustrous greenish-black crescent-shaped spangle, gradually increasing into round-shaped spangles as it approaches the back; coverts, clear reddish-bay, free from lacing, each feather ending with a large, greenish-black spangle, forming two distinct parallel bars across wings.

BACK: Golden bay, each feather ending with a large, greenish-black spangle, the spangle being proportionate to size of feather.

TAIL: Greenish-black; coverts, golden bay, each feather ending with a lustrous greenish-black spangle.

BREAST: Golden bay, each feather ending with a large, greenishblack spangle, the spangle being proportionate to size of feather.

BODY AND FLUFF: Body, golden bay, each feather ending with a large, greenish-black spangle, the spangle being proportionate to size of feather. Fluff, slate, tinged with grav.

LEGS AND TOES: Thighs, golden bay, each feather ending with a greenish-black spangle. Shanks and toes, leaden-blue.

UNDER-COLOR: Slate.

Note: In all sections where the word "spangle" appears, when shape is not otherwise described, read, "edges of spangle following web of feather and meeting at shaft."

SILVER SPANGLED HAMBURGS.

Disqualifications.

Red in ear-lobes covering more than one-third of the surface; absence of distinct bars across the wings; markings wholly crescentic; shanks other than leaden-blue, except the natural fading from age; hen-feathered male. (See general disqualifications.)

COLOR OF MALE.

HEAD: Plumage, white.

BEAK: Dark horn.

EYES: Black, or brown.

COMB, FACE AND WATTLES: Bright red.

EAR-LOBES: White.

NECK: White, each feather ending with an elongated, black spangle, the spangle being proportionate to size of feather.

WINGS: Bows, silvery white, distinctly spangled with black; primaries, white, each feather edged with black at end; secondaries, clear, silvery white, each feather ending with a black, crescent-shaped spangle, gradually increasing into a round-shaped spangle as it approaches the back; coverts, silvery white, free from lacing, each feather ending with a large, black spangle, forming two distinct parallel bars across wings.

BACK: Clear, silvery white, spangled with black, the texture of feathers giving spangles a rayed appearance; saddle, clear, silvery white, each feather ending with a black spangle.

TAIL: White, each feather ending with a long, black spangle; sickles, pure white, ending with a large, black spangle; coverts, pure white, ending with black spangles.

BREAST: Clear, silvery white, each feather ending with a large, black spangle, the spangle being proportionate to size of feather.

BODY AND FLUFF: Body, clear, silvery white, each feather ending with a large, black spangle, the spangle being proportionate to size of feather. Fluff, slate, tinged with white.

LEGS AND TOES: Thighs, silvery white, each feather ending with a black spangle. Shanks and toes, leaden-blue.

UNDER-COLOR: Slate.

COLOR OF FEMALE.

HEAD: Plumage, white.

BEAK: Dark horn.

EYES: Black, or brown.

COMB, FACE AND WATTLES: Bright red.

EAR-LOBES: White.

NECK: White, each feather ending with an elongated, small, black spangle.

WINGS: Bows, silvery white, distinctly spangled with black; primaries, white, each feather ending with black at end; secondaries, clear, silvery white, each feather ending with a lustrous, black, crescent-shaped spangle, gradually increasing into a round-shaped spangle as it approaches the back; coverts, silvery white, each feather ending with a large, black spangle, forming two distinct parallel bars across wings.

BACK: Silvery white, each feather ending with a large, black spangle.

TAIL: White, each feather ending with a large, black spangle; coverts, white on the outside, each feather ending with a black spangle.

BREAST: Clear, silvery white, each feather ending with a black spangle, the spangle being proportionate to size of feather.

BODY AND FLUFF: Body, clear, silvery white, each feather ending with a black spangle, the spangle being proportionate to size of feather. Fluff, slate, tinged with white.

LEGS AND TOES: Thighs, silvery white, each feather ending with a black spangle. Shanks and toes, leaden-blue.

UNDER-COLOR: Slate.

Note. In all sections where the word "spangle" appears, when shape is not otherwise described, read "edges of spangle following the web of feather and meeting at shaft."

GOLDEN PENCILED HAMBURGS.

Disqualifications.

Red in ear-lobes covering one-third of the surface; breast of hen not penciled; shanks other than leaden-blue, except the natural fading from age; hen-feathered male. (See general disqualifications.)

COLOR OF MALE.

HEAD: Plumage, rich, bright bay. BEAK: Dark horn. EYES: Reddish-bay. COMB, FACE AND WATTLES: Bright red. EAR-LOBES: White.



SILVER SPANGLED HAMBURG MALE



SILVER SPANGLED HAMBURG FEMALE



GOLDEN PENCILED HAMBURG MALE



GOLDEN PENCILED HAMBURG FEMALE

NECK: Rich, bright reddish-bay.

WINGS: Bows, bright reddish-bay, primaries, upper web black, lower web bay; secondaries, upper web reddish-bay, penciled across with black bars, lower web reddish-bay, each feather ending with a small, black spot; coverts, reddish-bay, upper web slightly penciled across with black bars.

· BACK: Rich, bright reddish-bay.

TAIL: Black; sickles and coverts, greenish-black with a distinct edging of rich, reddish-bay, the narrower the better.

BREAST: Rich reddish-bay.

BODY AND FLUFF: Body, lustrous reddish-bay, the sides below wings penciled across with black bars. Fluff, black.

LEGS AND TOES: Thighs, reddish-bay. Shanks and toes, leadenblue.

UNDER-COLOR: Slate.

COLOR OF FEMALE.

HEAD: Plumage, bright reddish-bay.

BEAK: Dark horn.

EYES: Reddish-bay.

COMB, FACE AND WATTLES: Bright red.

EAR-LOBES: White.

NECK: Bright bay.

WINGS: Bows, clear bay, distinctly penciled across with greenishblack; primaries, bay; secondaries and coverts, bay, penciled across with greenish-black.

BACK: Bay, each feather distinctly penciled across with parallel bars of greenish-black.

TAIL: Bay, penciled across with greenish-black; coverts, bay, penciled across with greenish-black.

~ BREAST: Bright bay, each feather distinctly penciled across with parallel bars of greenish-black.

BODY AND FLUFF: Body, bay, each feather distinctly penciled across with parallel bars of greenish-black, the bars forming, as nearly as possible, parallel lines across the bird. Fluff, bay, penciled with black.

LEGS AND TOES: Thighs, bay, penciled across with greenish-black. Shanks and toes, leaden-blue,

UNDER-COLOR: Slate.

202

SILVER PENCILED HAMBURGS.

Disqualifications.

Red in ear-lobes covering one-third of the surface; breast of female not penciled; shanks other than leaden-blue, except the natural fading from age; hen-feathered malc. (See general disqualifications.)

COLOR OF MALE.

HEAD: Plumage, white.

BEAK: Dark horn.

EYES: Reddish-bay.

COMB, FACE AND WATTLES: Bright red.

EAR-LOBES: White.

NECK: Clear white.

WINGS: Bows, white; primaries, white; secondaries, upper web black, with a narrow border of white or gray on edge; lower web, white with a narrow stripe of black next to shaft of feather; coverts, apparently white when the wings are folded, but penciled with black on upper web.

BACK: Silvery white; saddle feathers, silvery white.

TAIL: Black; sickles and coverts, black, with a distinct edging of white, the narrower and more uniform the better.

BREAST: White.

BODY AND FLUFF: Body, white, the sides below wings peneiled across with black bars. Fluff, white.

LEGS AND TOES: Thighs, silvery white; shanks and toes, leaden-blue. UNDER-COLOR; Slate.

COLOR OF FEMALE.

HEAD: Plumage, white.

BEAK: Dark horn.

EYES: Reddish-bay.

COMB, FACE AND WATTLES: Bright red.

EAR-LOBES: White.

NECK: White, except at base which should be penciled aeross with narrow bars of greenish-black.

WINGS: Bows, white, distinctly penciled with greenish-black; primaries, white; secondaries and coverts, white, penciled across with greenish-black.

BACK: White, each feather distinctly penciled across with narrow, parallel bars of greenish-black.

TAIL: White, penciled across with greenish-black; coverts, silvery white, penciled across with greenish-black.

BREAST: White, each feather distinctly penciled across with narrow, parallel bars of greenish-black.

BODY AND FLUFF: Body, white, each feather distinctly penciled across with narrow, parallel bars of greenish-black, the bars forming, as nearly as possible, narrow, parallel lines across the bird. Fluff, white, penciled with black.

LEGS AND TOES: Thighs, white, penciled across with greenish-black; shanks and toes, leaden-blue.

They a

UNDER-COLOR: Slate.

WHITE HAMBURGS.

Disgualifications.

Red in ear-lobes covering one-third of surface; feathers other than white in any part of plumage; shanks other than leaden-blue, except the natural fading from age. (See general disqualifications.)

COLOR OF MALE AND FEMALE.

BEAK: Leaden-blue. EYES: Brown. COMB, FACE AND WATTLES: Bright red. EAR-LOBES: White. SHANKS AND TOES: Leaden-blue. PLUMAGE: Web, fluff and quills of feathers in all sections, pure white.

BLACK HAMBURGS.

Disgualifications.

Red in ear-lobes covering one-third of the surface; white in the face of cockerels or pullets; pure white in any part of plumage extending over half an inch, or two or more feathers tipped or edged with positive white; shanks other than leaden-blue or black, except the natural fading from age. (See general disqualifications.)

COLOR OF MALE AND FEMALE.

BEAK: Black.

EYES: Black, or brown.

COMB, FACE AND WATTLES: Bright red.

EAR-LOBES: White.

SHANKS AND TOES: Black.

PLUMAGE: Surface, lustrous greenish-black throughout. Undercolor, black.

CLASS VII.

FRENCH.

Breeds	Varieties
Houdans	Mottled
Crevecoeurs	Black
LA FLECHE	Black

SCALE OF POINTS.

(Except for La Fleche, which arc subject to Scale of Points for American Class.)

Symmetry 4
Weight 4
Condition 4
Comb 4
Head — Shape 2, Color 2 4
Beak — Shape 2, Color 2 4
Eyes — Shape 2, Color 2 4
Ear-Lobes and Wattles - Shape 2, Color 3 5
Neck — Shape 4, Color 4 8
Wings — Shape 4, Color 4 8
Back — Shape 4, Color 4 8
Tail - Shape 4, Color 4 8
Breast — Shape 6, Color 4 10
Body and Fluff - Shape 4, Color 3 7
Legs and Toes - Shape 3, Color 3 6
Crest and Beard — Shape 8, Color 4 12
100

HOUDANS.

The Houdan characteristics are quite pronounced and should be preserved in every detail. There is a certain regularity in the color of plumage of this breed that, too often, is overlooked. The glossy, black feathers should be tipped regularly with white in the proportion of about one tipped feather to five solid black ones; a splashy white is not desirable. The Standard weights are not placed unduly high, hence their attainment should be common in well-bred birds. Houdans resemble the Dorkings in shape and size. The crest of the Houdan is one of the most important sections; it should be round and not divided at the top.

Disgualifications.

Absence of crest or beard; feathers other than black or white in any part of plumage. (See general disqualifications.)

STANDARD WEIGHTS.

Cock	$7\frac{1}{2}$ lbs.	Hen	$6\frac{1}{2}$ lbs.
Cockerel	$6\frac{1}{2}$ lbs.	Pullet	$5\frac{1}{2}$ lbs.

SHAPE OF MALE.

HEAD: Of medium size, carried well up.

BEAK: Of moderate length, well curved.

NOSTRILS: Wide, cavernous.

EYES: Large.

^{COMB AND CREST:} Comb, V-shaped, of small size, resting against front of crest. Crest, large, well fitted on crown of head, falling backward on neck, and composed of feathers similar in shape and texture to those of hackle.

BEARD: Full, well developed, curving around to back of eyes, nearly hiding face.

WATTLES AND EAR-LOBES: Wattles, of uniform length, small, well rounded, nearly concealed by beard. Ear-lobes, entirely concealed by crest and beard.

NECK: Of medium length, well arched, with abundant hackle flowing well down on shoulders.

WINGS: Moderately large, well folded, bows concealed by breast feathers and points by saddle feathers. BACK: Long, broad, slightly sloping toward base of tail; saddle feathers, abundant.

TAIL: Full, expanded, carried at an angle of forty degrees from the horizontal; sickles and coverts, abundant and well curved.

BREAST: Broad, deep, round.

BODY AND FLUFF: Body, long, compact, well proportioned. Fluff, rather short.

LEGS AND TOES: Thighs, of medium length, large, set well apart: shanks, of medium length. Toes, five upon each foot, straight, except the fifth, which should be detached from the others and curve upward. Shanks below hocks, and toes, free from feathers and down.

SHAPE OF FEMALE.

HEAD: Of medium 'size.

BEAK: Of moderate length, well curved.

Nostrils: Wide, cavernous.

EYES: Large, full.

COMB AND CREST: Comb, V-shaped, similar to that of male. Crest, large, compact, regular, inclining backward in an unbroken mass.

BEARD: Full, well developed, curving around to back of eyes, nearly hiding face.

WATTLES AND EAR-LOBES: Wattles, of uniform length, small, well rounded, nearly concealed by beard. Ear-lobes, entirely concealed by crest and beard.

NECK: Of medium length, well arched.

WINGS: Moderately large, well folded.

BACK: Long, broad, slightly sloping toward base of tail.

TAIL: Of medium length, rather compact; carried at an angle of forty degrees from the horizontal.

BREAST: Broad, deep, well rounded.

BODY AND FLUFF: Body, long, compact, well proportioned. Fluff, rather short.

LEGS AND TOES: Thighs, short, strong, set well apart: shanks, of medium length. Toes, five upon each foot, straight, except the fifth, which should be detached from the others and curved upward. Shanks below hocks, and toes, free from feathers and down.

COLOR OF MALE AND FEMALE.

BEAK: Dark horn. EYES: Reddish-bay. COMB, FACE AND WATTLES: Bright red. EAR-LOBES: White. PLUMAGE: Surface, glossy black, mottled with white, the end of



HOUDAN MALE



HOUDAN FEMALE

• about one feather in five tipped with white; the white tips should be sharply defined and evenly distributed.

WINGS: Primaries, white and black, black predominating; second-aries, black.

TAIL: Black, ends of feathers tipped with white; sickle feathers, black edged with white.

SHANKS AND TOES: Pinkish-white, mottled with black.

210

CREVECOEURS.

Disqualifications.

⁵ Absence of crest or beard; pure white in any part of plumage, extending over half an inch, or two or more feathers tipped or edged with positive white, except in crest; shanks other than black or dark lead color. (See general disqualifications.)

STANDARD WEIGHTS.

Cock	8 lbs.	Hen	7 lbs.
Cockerel	7 lbs.	Pullet	6 lbs.

SHAPE OF MALE.

HEAD: Large, with a pronounced protuberance on top of skull. BEAK: Strong, well curved.

NOSTRILS: Broad, highly arched.

EYES: Full, bright.

~ Сомв AND CREST: Comb, leaf, like the letter V in shape, of medium size, resting against front of crest. Crest, large, well fitted on crown of head, regular, inclining backward, composed of feathers similar in shape and texture to those of hackle.

BEARD: Full, thick, extending around to back of eyes, nearly hiding face.

FACE: Almost wholly concealed by crest and beard.

WATTLES AND EAR-LOBES: Wattles, of uniform length, small, well rounded, nearly concealed by beard. Ear-lobes, small, nearly concealed by crest and beard.

NECK: Of medium length, well arched, with abundant hackle flowing well down on shoulders.

WINGS: Of medium size, well folded.

BACK: Broad, straight; saddle feathers, abundant.

TAIL: Full, expanded, carried moderately upright; sickles and coverts, abundant, well curved.

BREAST: Broad, full, rounding well to shoulders.

BODY AND FLUFF: Body, compact, well proportioned. Fluff, rather short.

LEGS AND TOES: Thighs, short, strong; shanks, short, fine in bone, standing well apart. Toes, four upon each foot, straight, well spread. Shanks and toes, free from feathers and down.

SHAPE OF FEMALE.

HEAD: Large, with a pronounced protuberance on top of skull. BEAK: Strong, well curved.

NOSTRILS: Broad, highly arched.

EYES: Full, bright.

COMB AND CREST: Comb, leaf, like letter V in shape, small and as nearly concealed by crest as possible. Crest, large, compact, even, globular, inclining backward in an unbroken mass.

BEARD: Full, thick, extending around to back of eyes, nearly hiding face.

FACE: Almost wholly concealed by crest and beard.

WATTLES AND EAR-LOBES: Wattles, of uniform length, small, well rounded, nearly concealed by beard. Ear-lobes, small, entirely concealed by crest and beard.

NECK: Of medium length, thick, well arched.

WINGS: Of medium size, well folded.

BACK: Broad, straight.

TAIL: Moderately expanded at base, converging to tip, carried moderately upright.

BREAST: Broad, full, rounding well to shoulders.

BODY AND FLUFF: Body, compact, well proportioned. Fluff, rather short.

LEGS AND TOES: Thighs, short, strong; shanks, short, fine in bone. Toes, four upon each foot, straight, well spread. Shanks and toes, free from feathers and down.

COLOR OF MALE AND FEMALE.

BEAK: Black, shading into horn at tip.

EYES: Bright red.

COMB, FACE, WATTLES AND EAR-LOBES: Red.

SHANKS AND TOES: Black, or dark leaden.

PLUMAGE: Rich, glossy black.

LA FLECHE.

Disqualifications.

'Presence of crest; pure white in any part of plumage extending over half an inch, or two or more feathers tipped or edged with positive white; shanks other than black or leaden-black in color. (See general disqualifications.)

STANDARD WEIGHTS.

Cock	$8\frac{1}{2}$ lbs.	Hen	$7\frac{1}{2}$ lbs.
Cockerel	$7\frac{1}{2}$ lbs.	P ullet	$6\frac{1}{2}$ lbs.

SHAPE OF MALE.

HEAD: Of medium size, long.

BEAK: Rather long, strong, well curved.

Nostrils: Wide, cavernous.

EYES: Large.

[•] Сомв: V-shaped; of medium size.

WATTLES AND EAR-LOBES: Wattles, of equal length, long, well rounded, pendulous. Ear-lobes, large.

NECK: Long, erect, with abundant hackle flowing well down on shoulders.

WINGS: Long, powerful, well folded.

BACK: Broad, very long, slanting to tail; saddle feathers, abundant.

TAIL: Very long, full, carried rather low; sickles, abundant; coverts, well curved.

BREAST: Broad, full, very prominent.

BODY AND FLUFF: Body, large, powerful, tapering to tail, with close plumage. Fluff, rather short.

LEGS AND TOES: Thighs, long, powerful; shanks, long. Toes, straight, large. Shanks and toes, free from feathers and down.

SHAPE OF FEMALE.

HEAD: Of medium size, long. BEAK: Rather long, strong, well curved. NOSTRILS: Wide, cavernous. EYES: Large. COMB: V-shaped; small. WATTLES AND EAR-LOBES: Wattles, of equal length, small, well rounded. Ear-lobes, small.

NECK: Long, carried upright, with full hackle.

WINGS: Long, powerful, well folded.

BACK: Broad, long, slanting to tail.

TAIL: Long, well expanded, carried upright.

BREAST: Broad, full, prominent.

BODY AND FLUFF: Body, large, deep, tapering to tail. Fluff, rather short.

LEGS AND TOES: Thighs, long, powerful; shanks, long. Toes, straight, large. Shanks and toes, free from feathers and down.

COLOR OF MALE AND FEMALE.

BEAK: Black, or dark horn with a small protuberance of bright red flesh at juncture of beak and nostrils.

EYES: Bright red.

COMB, FACE AND WATTLES: Bright red.

EAR-LOBES: White.

SHANKS AND TOES: Black, or leaden-black.

PLUMAGE: Rich, glossy black.

214

CLASS VIII.

GAMES AND GAME BANTAMS.

Breeds	Varieties
	(Black-Breasted Red
	Brown Red Golden Duckwing
	Golden Duckwing
Games	I Silver Duckwing
	Birchen
	Red Pyle
	White
	Birchen Red Pyle White Black
	(Black-Breasted Red
	Brown Red
	Brown Red Golden Duckwing
GAME BANTAMS	Silver Duckwing
	Birchen
	Red Pyle
	White
	Red Pyle White Black

SCALE OF POINTS.

Station	10
Condition	-6
Comb	2
Head — Shape 4, Color 1	5
Beak	-1
Eyes.	-1
Ear-Lobes and Wattles	2
Neck — Shape 5, Color 3	8
Wings — Shape 5, Color 4	9
Back — Shape 4, Color 3	7
	8
	$\overline{7}$
Body and Stern — Shape 4, Color 3	$\overline{7}$
and the second sec	15
Shortness of feathers.	6
ĩ	00

GAMES.

The Game has a style or carriage peculiar to itself, which is generally described by the word "Station." A high-stationed bird is most desirable. Shortness and closeness of feathering are of great importance, as loose-feathered birds invariably fail in shape of neck. If the neck feathers are too long and soft, the slimness and length of the neck are destroyed. The comb and wattles of the cock should be dubbed, in order to have the head and lower jaw smooth and free from ridges. Exceptionally large birds are undesirable, as overgrowth tends to coarseness at the expense of form and style of carriage, which are essential to superior quality in Games.

Disqualifications.

Cocks not dubbed; artificial coloring, trimming or plucking of foul feathers. Games are not to be disqualified for side sprigs. (See general disqualifications.)

SHAPE OF MALE.

HEAD: Long, lean and bony.

BEAK: Long, tapering, slightly curved.

EYES: Large, full, with keen expression.

COMB: Cock, neatly and smoothly dubbed; cockerel, if undubbed, single, small, straight, thin, erect, evenly serrated.

FACE: Lean, thin, with fine skin.

WATTLES AND EAR-LOBES: Cock, neatly and smoothly dubbed; cockerel, if undubbed, small, thin, round, smooth.

NECK: Long, very slightly arched, carried erect, tapering neatly and gradually from body to head, thin and clean-cut at throat, giving a distinct outline to head; hackle, short, close.

WINGS: Large, powerful, the fronts standing out from body at shoulders, the feathers folded closely together, the points not extending beyond body; carried without drooping, but not carried over the back.

BACK: Flat, rather short, straight on top from hackle to tail, broad at shoulders, narrowing and sloping to stern.

TAIL: Rather short, compact, closely folded, carried at slight elevation; sickle feathers, narrow, short, tapering; tail-coverts, narrow, fine, short.

BREAST: Broad, rounded at sides.

BODY AND STERN: Body, fine and close on under part; not deep. Stern, well tucked up underneath.

LEGS AND TOES: Thighs, long, muscular, standing out from body, but slightly sloping to hocks. Shanks, long, smooth, bony, standing well apart. Toes, long, straight, well spread. Shanks below hocks, and toes, free from feathers and down.

PLUMAGE: Short, close.

STATION: Erect.

SIZE: Exceptionally large birds are undesirable.

Note: Cockerels shown after Nov. 1st should be dubbed.

SHAPE OF FEMALE.

HEAD: Long, lean and bony.

BEAK: Long, tapering, slightly curved.

EYES: Large, full, with keen expression.

COMB: Single, small, straight, thin, erect, evenly serrated.

FACE: Lean, thin, with fine skin.

WATTLES AND EAR-LOBES: Wattles, small, thin, round. Ear-lobes, small.

NECK: Long, very slightly arched, carried erect, tapering neatly and gradually from body to head, thin and clean-cut at throat, giving a distinct outline to head; hackle, short, close.

WINGS: Large, powerful, the fronts standing out from body at shoulders, the feathers folded closely together, the points not extending beyond body; carried without drooping, but not carried over the back.

BACK: Flat, rather short, straight on top from hackle to tail, broad at shoulders, narrowing and sloping to stern.

TAIL: Rather short, compact, closely folded, carried at slight elevation.

BREAST: Broad, round at sides.

BODY AND STERN: Body, fine and close on under part; not deep. Stern, well tucked up underneath.

LEGS AND TOES: Thighs, long, muscular, standing out from body, but slightly sloping to hocks. Shanks, long, smooth, bony, standing well apart. Toes, long, straight, well spread. Shanks below hocks, and toes, free from feathers and down.

PLUMAGE: Short, close.

STATION: Erect.

SIZE: Exceptionally large birds are undesirable.

BLACK-BREASTED RED GAMES.

COLOR OF MALE.

HEAD: Plumage, light orange.

BEAK: Horn.

• Eyes: Red.

COMB, FACE, WATTLES AND EAR-LOBES: Red.

NECK: Hackle, light golden.

WINGS: Shoulders, black; wing-fronts, black: wing-bows, red; wingcoverts, lustrous black, forming a distinct bar across wing; primaries, black, except lower feather, the outer web of which should be bay; secondaries, part of outer web forming wing-bay, bay, remainder of feathers, black.

*BACK: Bright red; saddle, light golden.

TAIL: Black; sickle feathers and tail-coverts, lustrous black.

BREAST: Black.

BODY AND STERN: Black.

LEGS AND TOES: Thighs, black. Shanks and toes, willow-green.

COLOR OF FEMALE.

HEAD: Plumage, gold.

Beak: Horn.

EYES: Red.

COMB, FACE, WATTLES AND EAR-LOBES: Red.

NECK: Hackle, light golden with black stripe through middle of each feather terminating in a point near extremity of feather.

WINGS: Shoulders, wing-fronts, wing-bows, wing-coverts and secondaries, grayish-brown, stippled with golden brown; primaries, black.

^{*}BACK: Grayish-brown, stippled with golden brown.

TAIL: Black, except the two top feathers which, with the coverts, should be brown.

^{*} BREAST: Light salmon, shading off to ashy-brown toward thighs.

BODY AND STERN: Ashy-brown.

LEGS AND TOES: Thighs, ashy-brown. Shanks and toes, willowgreen.

BROWN RED GAMES.

COLOR OF MALE.

HEAD: Plumage, orange.

BEAK: Black.

EYES: Black.

COMB, FACE, WATTLES AND EAR-LOBES: Dark purple.

NECK: Hackle, lemon, with a harrow, dark stripe through middle of each feather, terminating in a point near extremity of feather.

WINGS: Shoulders, black; wing-fronts, black; wing-bows, lemon: wing-coverts, lustrous black; primaries and secondaries, black.

BACK: Lemon; saddle, lemon, with a narrow, dark stripe through middle of each feather, terminating in a point near extremity of feather.

TAIL: Black; sickle feathers and tail-coverts, lustrous black.

BREAST: Black, the feathers laced with lemon.

BODY AND STERN: Black.

LEGS AND TOES: Thighs, black. Shanks and toes, black.

COLOR OF FEMALE.

HEAD: Plumage, lemon.

BEAK: Black.

EYES: Black.

COMB, FACE, WATTLES AND EAR-LOBES: Dark purple.

NECK: Hackle, lemon with a narrow, dark stripe through middle of each feather terminating in a point near extremity of feather.

WINGS: Black.

BACK: Black.

TAIL: Black.

BREAST: Black, each feather laced with lemon.


BODY AND STERN: Black.

LEGS AND TOES: Thighs, black. Shanks and toes, black.



BLACK-BREASTED RED GAME MALE

220



BLACK-BREASTED RED GAME FEMALE

GOLDEN DUCKWING GAMES.

COLOR OF MALE.

HEAD: Plumage, creamy white.

BEAK: Horn.

EYES: Red.

COMB, FACE, WATTLES AND EAR-LOBES: Red.

NECK: Hackle, creamy white, free from striping.

WINGS: Shoulders, black; wing-fronts, black; wing-bows, golden; greater and lesser wing-coverts, blue-black, forming a distinct bar across wing; primaries, black, except lower feathers, outer web of which should be creamy white; secondaries, part of outer web forming wing-bay, creamy white, remainder of feathers, black.

BACK: Golden; saddle, light golden, free from black striping.

TAIL: Black; sickle feathers and tail-coverts, lustrous blue-black; lesser tail-coverts, light golden.

BREAST: Black.

BODY AND STERN: Black.

LEGS AND TOES: Thighs, black. Shanks and toes, willow.

COLOR OF FEMALE.

HEAD: Plumage, silvery gray.

BEAK: Horn.

EYES: Red.

COMB, FACE, WATTLES AND EAR-LOBES: Red.

NECK: Hackle, silvery gray, with narrow, dark stripe through middle of each feather terminating in a point near extremity of feather.

WINGS: Shoulders, wing-fronts, wing-bows, wing-coverts and secondaries, gray, stippled with dark gray; primaries, dark brown.

BACK: Gray, stippled with darker gray.

TAIL: Black, except the two top feathers, which should be gray. stippled with darker gray.

BREAST: Rich salmon.

BODY AND STERN: Ashy-gray.

LEGS AND TOES: Thighs, ashy-gray. Shanks and toes, willow.

SILVER DUCKWING GAMES.

COLOR OF MALE.

HEAD: Plumage, white.

BEAK: Horn.

EYES: Red.

Comb, Face, Wattles and Ear-Lobes: Red.

NECK: Hackle, white, free from black stripes.

WINGS: Shoulders, black; wing-coverts, blue-black; wing-fronts, black; wing-bows, white, forming distinct bar across wing; primaries, black, except lower feathers, outer web of which should be white; secondaries, part of outer web forming wing-bay, white, remainder of feathers, black.

*BACK: White; saddle, white, free from black stripes.

TAIL: Black; sickle feathers and tail-coverts, lustrous blue-black; lesser tail-coverts, white.

BREAST: Black.

BODY AND STERN: Black.

LEGS AND TOES: Thighs, black. Shanks and toes, willow.

COLOR OF FEMALE.

HEAD: Plumage, silvery gray.

BEAK: Horn.

EYES: Red.

COMB, FACE, WATTLES AND EAR-LOBES: Red.

NECK: Hackle, silvery gray, with narrow, black stripe through middle of each feather terminating in a point near extremity of feather.

WINGS: Shoulders, wing-fronts, wing-bows, wing-coverts and secondaries, light gray, finely stippled with darker gray; primaries, black

BACK: Light grav, finely stippled with darker gray.

TAIL: Black, except the two top feathers, which should be light gray, stippled with darker gray.

BREAST: Light salmon.

BODY AND STERN: Ashy-gray.

LEGS AND TOES: Thighs, ashy-gray. Shanks and toes, willow.



SILVER DUCKWING GAME MALE

STANDARD OF PERFECTION



SILVER DUCKWING GAME FEMALE

BIRCHEN GAMES.

COLOR OF MALE.

HEAD: Plumage, white.

BEAK: Black.

EYES: Black.

* COMB, FACE, WATTLES AND EAR-LOBES: Dark purple.

NECK: Hackle, white, with narrow, dark stripe through middle of each feather terminating in a point near extremity of feather.

WINGS: Shoulders, black; wing-fronts, black; wing-bows, white; wing-coverts, glossy black; primaries and secondaries, black.

BACK: White; saddle, white, with narrow, black stripe through middle of each feather.

TAIL: Black; sickle feathers and tail-coverts, lustrous black.

BREAST: Ground color, black, the feathers laced with white.

BODY AND STERN: Black.

LEGS AND TOES: Thighs, black. Shanks and toes, black.

COLOR OF FEMALE.

HEAD: Plumage, white.

BEAK: Black.

EYES: Black.

COMB, FACE, WATTLES AND EAR-LOBES: Dark purple.

NECK: Hackle, white, with narrow, dark stripe through middle of each feather terminating in a point near extremity of feather.

WINGS: Black.

BACK: Black.

TAIL: Black.

BREAST: Black, feathers laced with white.

BODY AND STERN: Black.

LEGS AND TOES: Thighs, black. Shanks and toes, black.

226

RED PYLE GAMES.

COLOR OF MALE.

HEAD: Plumage, bright orange.

BEAK: Yellow.

EYES: Red.

COMB, FACE, WATTLES AND EAR-LOBES: Red.

NECK: Hackle, light orange.

WINGS: Shoulders, white; wing-fronts, white; wing-bows, red; wingcoverts, white, forming distinct bar across wing; primaries, white, except lower feathers, outer web of which is bay; secondaries, part of outer web forming wing-bay, red, remainder of feathers, white.

BACK: Red; saddle, light orange.

TAIL: Sickle and tail-coverts, white.

BREAST: White.

BODY AND STERN: White.

LEGS AND TOES: Thighs, white. Shanks and toes, yellow.

COLOR OF FEMALE.

HEAD: Plumage, golden.

BEAK: Yellow.

EYES: Red.

COMB, FACE, WATTLES AND EAR-LOBES: Red.

NECK: Hackle, white, the feathers edged with gold.

WINGS: White.


BACK: White.

TAIL: White.


BREAST: Salmon.

BODY AND STERN: White.

LEGS AND TOES: Thighs, white. Shanks and toes, yellow.



RED PYLE GAME MALE



RED PYLE GAME FEMALE

WHITE GAMES.

COLOR OF MALE AND FEMALE.

BEAK: Yellow. EYES: Red. COMB, FACE, WATTLES AND EAR-LOBES: Red. LEGS AND TOES: Yellow. PLUMAGE: Web, fluff and quills of feathers in all sections, pure white.

BLACK GAMES.

COLOR OF MALE AND FEMALE.

BEAK: Black.

EYES: Brown.

COMB, FACE, WATTLES AND EAR-LOBES: Deep red.

LEGS AND TOES: Black.

PLUMAGE: Surface, lustrous greenish-black throughout; undercolor, black.

GAME BANTAMS.

Disqualifications.

Cocks, not dubbed; artificial coloring, trimming or plucking of foul feathers; cocks weighing over 28 ounces; hens weighing over 26 ounces; cockerels weighing over 26 ounces; pullets weighing over 24 ounces. Game Bantams are not to be disqualified for side sprigs. (See general disqualifications.)

STANDARD WEIGHTS.

Cock	22 oz.	Hen	20 oz.
Cockerel	20 oz.	Pullet	18 oz.

SHAPE AND COLOR OF MALE AND FEMALE.

The shape and color of Game Bantams shall be the same as of the corresponding varieties of Games.

CLASS IX.

ORIENTALS.

Breeds	Varieties
Cornish	{ Dark White White-Laced Red
SUMATRAS	Black
Malays	Black-Breasted Red

SCALE OF POINTS.

Station	8
	4
	4
G 1	6
Head — Shape 3, Color 1	4
	2
	4
	2
	1
	7
	8
	0
	8
	0
	9
	9
Shortness of Feathers.	4
$\overline{10}$	$\overline{0}$

CORNISH FOWLS.

The Cornish Fowl originated in Cornwall, England, some years prior to 1846. They were produced by crossing a Lord Derby Black-Breasted Red Game with a Red Aseel imported from India. Later on the blood of the Sumatra Game was introduced. The parental blood is apparent in the Cornish of the present day. From the Aseel they derive the short, thick legs, large thighs, deep and broad breast, great width of back at shoulders, comparatively short neck and projecting brows; from the Lord Derby Game, the red color of plumage and the tendency of the breed toward red eves; from the Sumatra Game, the great luster of plumage, especially in the tail. They are sturdy in appearance, and the thighs are stout and muscular. The breast bone is well set in, causing a lack of fullness of breast, which is, however, very broad and rounded at the sides. The carriage is upright, the shoulders being carried high and the stern low. The body between thighs should be very wide. The White variety is identical with the Dark Cornish, except that the plumage should be pure white.

STANDARD WEIGHTS.

Cock	9 lbs.	Hen	7 lbs.
Cockerel	8 lbs.	Pullet	6 lbs.

SHAPE OF MALE.

HEAD: Short, deep and broad, the crown projecting over the eyes, indicating great vigor and strong constitution.

BEAK: Short and stout, well curved.

EYES: Full, with bold and fearless expression, not sunken, in the sense of being close together.

COMB AND FACE: Comb, pea, small, firmly and closely set upon head. Dubbed males deduct the full value of the comb. Face, rather coarse in texture.

WATTLES AND EAR-LOBES: Wattles, small, even, smooth in texture. Ear-lobes, small, smooth in texture.

NECK: Medium in length, slightly arched; throat, full, dotted with small feathers.

WINGS: Short and muscular, closely folded; wing-fronts standing out prominently from body at shoulders; wing-points, slightly rounded at extreme ends when folded, closely tucked at ends and held on a line with lower tail-coverts.

BACK: Medium in length, top line of back slightly convex, sloping downward from base of neck to tail, and slightly sloping from each side of back bone, well filled in at base of neck; hip-bones very wide apart; very broad across the shoulders, carrying its width well back to a line with the thighs, showing good width between wings and then narrowing to tail.

TAIL: Short and closely folded, carried slightly drooping.

BREAST: Broad and deep, well rounded at sides, projecting beyond wing-fronts when specimen is standing erect.

BODY AND STERN: Body, well rounded at sides; keel, long and straight. Stern, well tucked up.

LEGS AND TOES: Thighs, of medium length, round, muscular, set well apart; shanks, short and stout in bone. Toes, long, strong and straight, well spread. Shanks below hocks, and toes, free from feathers and down.

PLUMAGE: Short, narrow and close.

STATION AND CARRIAGE: Station, low; carriage, erect, upright, indicating great vigor.

SHAPE OF FEMALE.

HEAD: Short, deep and broad, the crown projecting over the eyes, indicating great vigor and strong constitution.

BEAK: Well curved.

EYES: Full, with bold and fearless expression, not sunken in the sense of being close together.

COMB AND FACE: Comb, pea, small, and closely set upon head. Face, rather coarse in texture.

WATTLES AND EAR-LOBES: Wattles, small, even; smooth in texture. Ear-lobes, small, smooth in texture.

NECK: Medium in length, slightly arched; throat, full, dotted with small feathers.

WINGS: Short and muscular, closely folded; wing-fronts, standing out prominently from body at shoulders; wing-points, slightly rounded at extreme ends when folded, closely tucked at ends and held on a line with lower tail-coverts.

BACK: Medium in length; top line of back slightly convex, sloping downward from base of neck to tail, and slightly sloping from each side of back bone; well filled in at base of neck, hip-bones very wide apart; very broad across the shoulders, carrying its width well back to a line with the thighs showing good width between wings and then narrowing to tail.

TAIL: Short and closely folded, carried slightly drooping.

BREAST: Broad and deep, well rounded at sides, projecting beyond wing-fronts when specimen is standing erect.

234

BODY AND STERN: Body, well rounded at sides; keel, long and straight. Stern, well tucked up.

LEGS AND TOES: Thighs, of medium length, round, muscular, set well apart; shanks, short and stout. Toes, long, strong and straight, well spread. Shanks, below hocks, and toes, free from feathers and down.

PLUMAGE: Short, narrow and close.

BODY IN HAND: Firm, compact, muscular.

STATION AND CARRIAGE: Station, low; carriage, erect, upright, indicating great vigor.

DARK CORNISH.

Disqualifications.

Combs other than pea or irregular pea; solid while, blue or black shanks. (See general disqualifications.)

COLOR OF MALE.

HEAD: Greenish-black.

BEAK: Yellow.

EYES: Yellow, approaching pearl.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Hackle, lustrous greenish-black; shafts, red; plumage, other than hackle, lustrous greenish-black, shafts, red.

WINGS: Wing-fronts, greenish-black; wing-bows, lustrous greenishblack and dark red intermixed, the black greatly predominating; coverts, forming wing-bars, lustrous greenish-black; primaries, black, except a narrow edging of bay on outer web; secondaries, upper web black, lower web one-third black next to shaft, the remainder bay.

BACK: Lustrous greenish-black and dark red intermixed, the black greatly predominating; saddle feathers, like back in color, but with a somewhat larger proportion of dark red.

TAIL: Black; sickles and coverts, lustrous greenish-black.

BREAST: Lustrous greenish-black.

BODY AND STERN: Black.

LEGS AND TOES: Thighs, black; shanks and toes, yellow. UNDER-COLOR: Dark slate.

COLOR OF FEMALE.

HEAD: Plumage, greenish-black. BEAK: Yellow. EYES: Yellow, approaching pearl.

AMERICAN POULTRY ASSOCIATION



DARK CORNISH MALE



DARK CORNISH FEMALE

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Hackle, lustrous black, with bay shaft to each feather; plumage, other than hackle, bay, approaching mahogany, each feather having two pencilings of lustrous black, the pencilings following contour of web of feathers.

WINGS: Primaries, black, except a narrow edging of irregularly penciled bay upon outer part of web; secondaries, upper web black, lower web black next to shaft of feather, with a broad margin of irregularly penciled bay; wing-bows and coverts, bay, approaching mahogany, each feather having two pencilings of lustrous black, the pencilings following contour of web of feather.

BACK: Bay, approaching mahogany.

TALL: Main feathers, black, except the two upper feathers which are irregularly penciled with bay; coverts, bay, approaching mahogany, each feather having two pencilings of lustrous black, the pencilings following contour of web of feather.

BREAST: Bay, approaching mahogany, each feather having two pencilings of lustrous black, the pencilings following contour of web of feather.

BODY AND STERN: Body, bay, approaching mahogany, each feather having two pencilings of lustrous black, the pencilings following contour of web of feather. Stern, black, or black tinged with bay.

LEGS AND TOES: Thighs, black, more or less penciled with bay, shanks and toes, yellow.

WHITE CORNISH.

Disqualifications.

Combs other than pea or irregular pea; red, buff or positive black in any part of plumage; solid green or white shanks. (See general disqualifications.)

COLOR OF MALE AND FEMALE.

BEAK: Yellow.

EYES: Yellow, approaching pearl.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

SHANKS AND TOES: Yellow.

PLUMAGE: Web, fluff and quills of feathers in all sections, pure white.

WHITE-LACED RED CORNISH.

STANDARD WEIGHTS.

Cock	8 lbs.	Hen	$6 \mathrm{lbs.}$
Cockerel	7 lbs.	Pullet	5 lbs.

Disqualifications.

Combs other than pea or irregular pea; solid white, blue or black shanks. (See general disqualifications.)

COLOR OF MALE.

HEAD: Rich, bright red, each feather tipped with white.

BEAK: Bright yellow.

EYES: Yellow, or approaching pearl.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Bright, rich red, each feather laced with silvery white; undercolor, snow white.

WINGS: Wing-fronts, wing-bows and shoulders, bright, rich red, each feather regularly and accurately laced with a narrow lacing of silvery white; coverts, bright, rich red, forming wing-bars, accurately laced with white; primaries, bright, rich red, ending with white and well up on lower edge; secondaries, bright, rich red, with well-defined, accurate lacings of white; flight-coverts, red, laced with white; under-color, snow white.

BACK: Bright, rich red, each feather ending with silvery white approaching the letter "V" in shape; saddle feathers prominent, each feather laced with silvery white, the texture of the feather giving a ray appearance; under-color, snow white.

TAIL: White, with shaft and extreme center, red; sickles and coverts, white, with red shaft and center.

BREAST: Bright, rich red, each feather laced with a narrow lacing of white, regular and accurate, following shape of web to fluff; undercolor, snow white.

BODY AND FLUFF: Bright, rich red, each feather regularly and accurately laced with a narrow lacing of white, throughout; under-color, snow white.


LEGS AND TOES: Thighs, bright, rich red, each feather accurately laced with white; under-color white; shanks and toes, a strong, bright yellow.

COLOR OF FEMALE.

HEAD: Bright, rich red, each feather laced with white.

BEAK: Bright yellow.

EYES: Yellow, or approaching pearl.



WHITE-LACED RED CORNISII MALE



WHITE-LACED RED CORNISH FEMALE

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: Bright, rich red, each feather accurately laced with white; under-color, snow white.

WINGS: Bright, rich red, with wing-bows, wing-fronts, shoulders and wing-bars accurately laced with a narrow lacing of white; primaries, bright, rich red ending with white and well up on lower edge; secondaries, bright, rich red, with well-defined, accurate lacings of white; under-color, snow white.

BACK: Bright, rich red throughout, with each feather from cape to tail, regularly and accurately laced, with a narrow white lacing conforming perfectly to shape of feather and free from mossings or barrings; undercolor, snow white.

TAIL: Red, each feather laced with white, the white being wider at extremity of feather.

BREAST: Bright, rich red, with each feather regularly and accurately laced with a narrow lacing of white conforming perfectly to shape of feather, free from mossings or barrings; under-color, snow white.

BODY AND FLUFF: Bright, rich red, each feather accurately laced with white; under-color, snow white.

LEGS AND TOES: Thighs, red, each feather accurately laced with white; under-color, snow white; shanks and toes, a bright, strong yellow.

BLACK SUMATRAS.

Disqualifications.

Combs other than pea; white ear-lobes; feathers other than black in any part of plumage. (See general disqualifications.)

SCALE OF POINTS.

Symmetry 1	0
Condition 1	0
Comb — Shape 3, Color 3	6
Head and Beak — Shape 2, Color 2	4
	4
	2
	8
	8
	8
	2
	8
	8
Legs and Toes — Shape 4, Color 4	8
Length of Feathers.	4

SHAPE OF MALE.

HEAD: Short and round.

BEAK: Of medium length, strong, well curved.

EYES: Large and bold.

Comb: Pea, small.

WATTLES AND EAR-LOBES: Very small.

NECK: Rather long, well arched; hackle, long, flowing.

WINGS: Long, large, carried with fronts slightly raised; points of feathers folded closely together, not drooping and not carried over the back.

BACK: Of medium length, broad at shoulders, slightly narrowing to tail, with very long, flowing saddle feathers.

TAIL: Long, drooping, carried at an angle of thirty degrees above the horizontal, with abundance of feathers and coverts which should be long and flowing.

BREAST: Broad, full.

BODY AND STERN: Body, firm, museular, tapering to tail. Stern, compact.

LEGS AND TOES: Thighs, of medium length, large, strong; shanks, rather short, standing well apart. Toes, long, straight, and well spread. Shanks below hocks, and toes, free from feathers and down.

SHAPE OF FEMALE.

HEAD: Short and round.

BEAK: Of medium length, strong, well curved.

EYES: Large and bold.

Comb: Pea, small.

WATTLES AND EAR-LOBES: Very small.

NECK: Rather long; hackle, long.

WINGS: Long, large; points not drooping and not carried over the back.

BACK: Of medium length, broad at shoulders, slightly narrowing to tail.

TAIL: Long, large, drooping, carried at an angle of thirty degrees above the horizontal.

BREAST: Broad, round, full.

BODY AND STERN: Body, firm, muscular, tapering to tail. Stern, compact.

LEGS AND TOES: Thighs, of medium length, large, strong; shanks, rather short, standing well apart. Toes, well spread. Shanks below hocks, and toes, free from feathers and down.

COLOR OF MALE AND FEMALE.

BEAK: Dark olive or leaden-black.

EYES: Dark brown.

COMB AND FACE: Purple.

WATTLES AND EAR-LOBES: Dark red.

LEGS AND TOES: Dark olive or leaden-black.

- PLUMAGE: Very lustrous greenish-black throughout.

BLACK-BREASTED RED MALAYS.

Disqualifications.

Single or lopped combs; shanks or feet other than yellow in color; duck feet. (See general disqualifications.)

STANDARD WEIGHTS.

Cock	9 lbs.	Hen	7 lbs.
Cockerel	7 lbs.	Pullet	5 lbs.

STANDARD HEIGHTS.

Cock	26 in.	Hen	18 in.
Cockerel	18 in.	Pullet	15 in.

SCALE OF POINTS.

Station	10
Weight and Height	12
Condition	8
Head, Beak and Eyes — Shape 5, Color 6	11
Comb	6
Wattles and Ear-Lobes	4
Neck — Shape 3, Color 3	6
Wings — Shape 4, Color 4	8
Back — Shape 2, Color 3	5
Tail — Shape 3, Color 3	6
Breast — Shape 3, Color 3	6
Body and Stern - Shape 2, Color 2	4
Thighs and Shanks - Shape 3, Color 3	6
Feet	\mathcal{Q}
Hardness of Feather — Condition 3, Hardness 3	6
	100

SHAPE OF MALE.

HEAD: Broad, long, crown heavy and projecting over the eyes, giving a fierce, cruel expression.

BEAK: Thick, short, strong.

EYES: Large, clear.

COMB: Rather small, resembling a strawberry or knob in front; set well forward. If males are dubbed, deduct six points.

WATTLES AND EAR-LOBES: Very small.

NECK: Long, nearly straight and upright; hackle, short, scanty.

WINGS: Of medium length, large, strong, bony, very prominent at shoulders, carried compactly against sides; wing-points resting under saddle feathers, without drooping or being carried over back.

BACK: Long, slanting, rather convex in outline, tapering to tail, large and broad at shoulders; saddle, narrow, drooping; saddle feathers, short, scanty.

TAIL: Of medium length, drooping, well folded together; sickle feathers curved, but not long.

BREAST: Broad, full; breast-bone, deep, prominent.

BODY AND STERN: Body, firm, muscular, broad at intersection of shoulders, tapering toward tail. Stern, well tucked up.

THIGHS AND SHANKS: Thighs, long, hard, round, set well apart. Shanks, long.

FEET: Flat, broad; toes, well apart, long, straight. Shanks and toes free from feathers and down.

HARDNESS OF FEATHER: Feathers, short, lying close, hard, firm and strong.

SHAPE OF FEMALE.

HEAD: Broad, long, crown heavy and projecting over the eyes, giving a fierce, cruel expression.

BEAK: Thick, short, strong; face and throat bare of feathers.

EYES: Large, clear.

COMB: Rather small, resembling a strawberry or knob in front; set well forward.

WATTLES AND EAR-LOBES: Very small.

NECK: Long, nearly straight and upright; hackle, short.

WINGS: Of medium length, large, strong, bony, very prominent at shoulders, carried compactly against sides; wing-points resting under saddle feathers, without drooping or being carried over back.

BACK: Long, slanting, rather convex in outline, tapering to tail, large and broad at shoulders.

TAIL: Of medium length, carried slightly drooping, well folded.

BREAST: Broad, full; breast-bone, deep, prominent.

BODY AND STERN: Body, firm, muscular, broad at intersection of shoulders, tapering toward tail. Stern, well tucked up.

THIGHS AND SHANKS: Thighs, long, hard, round, set well apart. Shanks, long, bony, strong, standing evenly apart; scales smooth.

FEET: Flat, broad; toes, well apart, long, straight. Shanks and toes free from feathers and down.

HARDNESS OF FEATHER: Feathers short, lying close, hard, firm, strong.

COLOR OF MALE.

HEAD: Plumage, red or maroon.

BEAK: Yellow, or yellow striped with horn.

EYES: Pearl, yellow or daw.

COMB, FACE, WATTLES AND EAR-LOBES: Rich red or purplish.

NECK: Plumage, other than hackle, black; hackle, dark red, shading into reddish-maroon.

WINGS: Wing-fronts, black; wing-bows, a rich, glossy, dark red; coverts, glossy greenish-black, forming a wide bar across the wings; primaries, black, outer edge rich bay; secondaries, part of outer web forming wing-bay, rich bay, the remainder of feathers black.

BACK: Rich, glossy, dark red or maroon; saddle feathers, rich, dark red.

TAIL: Black; sickle feathers and tail coverts, ricn, glossy greenishblack.

BREAST: Glossy black.

BODY AND STERN: Black.

THIGHS AND SHANKS: Thighs, black. Shanks and feet, yellow. UNDER-COLOR: Slate, tinged with brown.

COLOR OF FEMALE.

HEAD: Plumage, dark brown.

BEAK: Yellow, or yellow and horn.

EYES: Pearl, yellow or daw.

COMB, FACE, WATTLES AND EAR-LOBES: Rich red or purplish.

NECK: Plumage, other than hackle, cinnamon-brown; hackle, dark brown, or brown striped with black.

WINGS: Wing-fronts, wing-bows, coverts and secondaries, brown; primaries, very dark brown.

BACK: Dark or cinnamon-brown, not infrequently penciled.

TAIL: Very dark brown or black.

BREAST: Cinnamon-brown, not infrequently penciled.

BODY AND STERN: Brown.

THIGHS AND SHANKS: Thighs, brown. Shanks and feet, yellow. UNDER-COLOR: Slate, tinged with brown.

BLACK-BREASTED RED MALAY BANTAMS.

Disqualifications.

Same as for large Malays; also, cocks weighing over 30 ounces, hens over 28 ounces, cockerels over 28 ounces, pullets over 26 ounces.

STANDARD WEIGHTS.

Cock	26 oz.	Hen	24 oz.
Cockerel	24 oz.	Pullet	22 oz.

SHAPE AND COLOR OF MALE AND FEMALE.

The general shape and color of Black-Breasted Red Malay Bantams shall be the same as those of the standard-size Malays.

Class X.

ORNAMENTAL BANTAMS.

Breeds		Varieties
Breeds Sebrights	 •••••••••••••••	{ Golden { Silver
Rose-Comb	 · · · · · · · · · · · · · · · · · · ·	{ White { Black
BOOTED	 	White
Booted Brahma	 	{ Light { Dark
Cochin	 	Buff Partridge White Black
Japanese	 ••••••	Black Tailed White Black
Polish	 • • • • • • • • • • • • • • • • • •	Bearded White Buff Laced Non-Bearded

ORNAMENTAL BANTAMS.

Ornamental Bantams are bred chiefly for pleasure and fancy, but they possess many useful qualities as well, being, as a rule, good layers and valuable as sitters; in fact, Cochin Bantam hens are used to hatch the eggs of Pheasants and other fowls under domestication. Among ornamental bantams the Cochin and Brahma Bantams are miniatures of the large Cochins and Brahmas in shape and color; the Black and White Rose-Combs are counterparts of the graceful and stylish Hamburgs, carrying, however, wings and tails somewhat larger in proportion to the body. They are the embodiment of grace, style and sprightliness.

Sebright Bantams, were originated in England by the late Sir John Sebright and were the result of thirty years of painstaking care in mating and breeding. They are, perhaps, the greatest achievement of the fancier's art in producing birds of both sexes that are marvels of diminutive size and laced feathers in all sections. The feathers in both male and female are laced exactly alike. The low carriage of wings and wellspread tail give to these beautiful birds a most distinctive and striking appearance.

The Japanese Bantams are one of the curiosities of the Bantam class. The disproportionately large comb, face, wings and tail (of the male), and remarkable shortness of legs are the chief characteristics. The tail is distinguished by the long, sword-shaped sickles, that are carried forward and upright to an unusual degree.

Polish Bantams should be the same in shape, style and plumage as the large varieties of Polish.

The White Booted are distinct from the White Cochin Bantams in the possession of an abundance of stiff feathers, pronounced vulture-hocks, and an upright and sprightly carriage.

SCALE OF POINTS FOR SEBRIGHT AND ROSE-COMB BANTAMS.

Symmetry
Weight
Condition
Comb
Head — Shape 2, Color 2
Beak — Shape 2, Color 2
Eye — Shape 2, Color 2
Wattles and Ear-Lobes — Shape 4, Color 4
Neck — Shape 3, Color 4
Wings — Shape 5, Color 5 10
Back — Shape 4, Color 4
Tail — Shape 6, Color 6 19
Breast — Shape 5, Color 4 9
Body and Fluff — Shape 4, Color 4 8
Legs and Toes — Shape 3, Color 3
100
SCALE OF POINTS FOR BOOTED WHITE, BRAHMA, ALI
SCALE OF POINTS FOR BOOTED WHITE, BRAHMA, ALI COCHIN AND JAPANESE BANTAMS.
COCHIN AND JAPANESE BANTAMS.
Symmetry
COCHIN AND JAPANESE BANTAMS. Symmetry
COCHIN AND JAPANESE BANTAMS. Symmetry
COCHIN AND JAPANESE BANTAMS. Symmetry Weight Condition Comb
COCHIN AND JAPANESE BANTAMS. Symmetry Weight Condition Comb Head — Shape 3, Color 3
COCHIN AND JAPANESE BANTAMS. Symmetry Weight Condition Comb Head — Shape 3, Color 3 Wattles and Ear-Lobes
COCHIN AND JAPANESE BANTAMS. Symmetry Weight Condition Comb Head — Shape 3, Color 3 Wattles and Ear-Lobes Neck — Shape 4, Color 6
COCHIN AND JAPANESE BANTAMS. Symmetry Weight Condition Comb Comb Head — Shape 3, Color 3 Wattles and Ear-Lobes Neck — Shape 4, Color 6 Wings — Shape 4, Color 4
COCHIN AND JAPANESE BANTAMS.Symmetry8Weight6Condition6Comb8Head — Shape 3, Color 36Wattles and Ear-Lobes6Neck — Shape 4, Color 610Wings — Shape 4, Color 48Back — Shape 4, Color 48
COCHIN AND JAPANESE BANTAMS. Symmetry 8 Weight 6 Condition 6 Comb 8 Head Shape 3, Color 3 6 Wattles and Ear-Lobes 6 Neck Shape 4, Color 6 10 Wings Shape 4, Color 4 8 Back Shape 4, Color 4 8 Tail Shape 4, Color 4 8
COCHIN AND JAPANESE BANTAMS. Symmetry 8 Weight 6 Condition 6 Comb 8 Head — Shape 3, Color 3 6 Wattles and Ear-Lobes 6 Weigs — Shape 4, Color 6 10 Wings — Shape 4, Color 4 8 Back — Shape 4, Color 4 8 Tail — Shape 4, Color 4 8 Breast — Shape 5, Color 5 10
COCHIN AND JAPANESE BANTAMS. Symmetry 8 Weight 6 Condition 6 Comb 6 Comb 8 Head Shape 3, Color 3 6 Wattles and Ear-Lobes 6 Neck Shape 4, Color 6 10 Wings Shape 4, Color 4 8 Back Shape 4, Color 4 8 Tail Shape 4, Color 5 10

SEBRIGHT BANTAMS.

Disqualifications.

Combs other than rose; absence of spike; cocks or cockerels having hackle feathers extending over shoulders or sickle feathers extending more than an inch and a half beyond tail proper; shanks other than slaty-blue in color; cocks weighing over 30 ounces; hens weighing over 26 ounces; cockerels weighing over 26 ounces; pullets weighing over 24 ounces. (See general disqualifications.)

STANDARD WEIGHTS.

Cock	26 oz.	Hen	22 oz.
Cockerel	22 oz.	Pullet	20 oz.

SHAPE OF MALE.

HEAD: Large, round in front and carried well back.

BEAK: Short, slightly curved.

EYES: Large, round.

COMB: Rose, square in front, firm and even on head, terminating at rear in a spike which inclines upward very slightly; top covered with small points.

WATTLES AND EAR-LOBES: Wattles, broad, well rounded. Earlobes, flat.

NECK: Tapering, well arched, carried very far back; hen-feathered, free from true hackle feathers.

WINGS: Large, carried low, but not so low as to conceal hocks.

BACK: Very short, free from saddle hangers.

TAIL: Full, well expanded, carried at an angle of seventy degrees from the horizontal, very high, free from sickles; feathers, broadest toward the ends, the two upper, which may be slightly curved, not extending more than an inch and a half beyond others; coverts, straight, round at ends and lying close to sides of tail.

BREAST: Full, round, carried prominently forward.

BODY AND FLUFF: Body, compact, deep, short. Fluff, short.

LEGS AND TOES: Thighs, very short and stout; shanks, short, rather slender. Toes, straight. Shanks below hock, and toes, free from feathers and down.

SHAPE OF FEMALE.

HEAD: Broad and well rounded.

BEAK: Short, slightly curved.

EYES: Large, round.

COMB: Rose, similar to that of male, but very small.

WATTLES AND EAR-LOBES: Wattles, small, well rounded. Ear-lobes, flat, small.

NECK: Tapering, upright.

WINGS: Large, carried low, but not so low as to conceal hocks.

BACK: Short, tapering to tail.

TAIL: Full, well expanded, carried at an angle of seventy degrees from the horizontal.

BREAST: Full, round, carried prominently forward.

BODY AND FLUFF: Body, compact, deep, short. Fluff, short.

LEGS AND TOES: Thighs, very short, stout; shanks, short, rather slender. Toes, straight. Shanks below hocks, and toes, free from feathers and down.

GOLDEN SEBRIGHT BANTAMS.

COLOR OF MALE.

BEAK: Dark horn.

EYES: Brown.

COMB AND FACE: Reddish-purple.

WATTLES AND EAR-LOBES: Wattles, bright red. Ear-lobes, reddishpurple.

SHANKS AND TOES: Slaty-blue.

PLUMAGE: Surface throughout, golden yellow, each feather evenly and distinctly laced all around with a narrow edging of lustrous black. Under-color, slate.

COLOR OF FEMALE.

BEAK: Dark horn.

Eyes: Brown.

COMB AND FACE: Reddish-purple.

WATTLES AND EAR-LOBES: Wattles, bright red. Ear-lobes, reddishpurple.

SHANKS AND TOES: Slaty-blue.

PLUMAGE: Surface throughout, golden yellow, each feather evenly and distinctly laced all around with a narrow edging of lustrous black. Under-color, slate.



SILVER SEBRIGHT BANTAM MALE



SILVER SEBRIGHT BANTAM FEMALE

SILVER SEBRIGHT BANTAMS.

COLOR OF MALE.

BEAK: Dark horn.

EYES: Brown.

· Comb and Face: Reddish-purple.

WATTLES AND EAR-LOBES: Wattles, bright red. Ear-lobes, reddishpurple.

SHANKS AND TOES: Slaty-blue.

PLUMAGE: Surface throughout, silvery white, each feather evenly and distinctly laced all around with a narrow edging of lustrous black. Undercolor, slate.

COLOR OF FEMALE.

BEAK: Dark horn.

Eyes: Brown.

COMB AND FACE: Reddish-purple.

WATTLES AND EAR-LOBES: Wattles, bright red. Ear-lobes, reddishpurple.

SHANKS AND TOES: Slaty-blue.

PLUMAGE: Surface throughout, silvery white, each feather evenly and distinctly laced all around with a narrow edging of lustrous black. Under-color, slate.

ROSE-COMB BANTAMS.

Disqualifications.

Combs other than rose; absence of spike; cocks weighing over 28 ounces; hens weighing over 24 ounces; cockerels weighing over 24 ounces; pullets weighing over 22 ounces. (See general disqualifications.)

STANDARD WEIGHTS.

Cock	26 oz.	Hen	22 oz.
Cockerel	22 oz.	Pullet	20 oz.

SHAPE OF MALE.

HEAD: Small, round, carried well backward over the body.

BEAK: Short, slightly curved.

EYES: Full.

COMB: Rose, square in front, firm and even on head, terminating at rear in spike which inclines upward very slightly; top covered with small points.

WATTLES AND EAR-LOBES: Wattles, broad, thin, well rounded. Ear-lobes, prominent, flat, round, smooth, even, fitting closely to head.

NECK: Tapering, carried back so as to bring head toward tail; hackle, full, long, descending well over shoulders.

WINGS: Large, points carried low, but not to conceal hocks; secondaries, slightly expanded.

BACK: Very short, tapering to tail; saddle feathers, abundant, long. TAIL: Full, well expanded, carried at an angle of forty degrees from the horizontal; sickles, long, well curved; coverts, abundant.

BREAST: Full, round, carried prominently forward.

BODY AND FLUFF: Body, plump, tapering toward tail. Fluff, short. LEGS AND TOES: Thighs, short; shanks, short, smooth, tapering. Toes, straight. Shanks and toes free from feathers and down.

SHAPE OF FEMALE.

HEAD: Small, round. BEAK: Short, slightly curved.

EYES: Full.

COMB: Rose, similar to that of male, but smaller.

AMERICAN POULTRY ASSOCIATION



ROSE-COMB BLACK BANTAM MALE



ROSE-COMB BLACK BANTAM FEMALE

WATTLES AND EAR-LOBES: Wattles, small, thin, well rounded. Earlobes, prominent, flat, round, smooth, even, fitting closely to head.

NECK: Short, tapering, carried well back.

WINGS: Large, points carried low, but not to conceal hocks.

BACK: Short, tapering to tail.

TAIL: Full, well expanded. Carried at an angle of forty degrees from the horizontal.

BREAST: Full, round, carried prominently forward.

BODY AND FLUFF: Body, compact, tapering toward tail. Fluff, short.

LEGS AND TOES: Thighs, short; shanks, smooth, short, tapering. Toes, straight. Shanks and toes free from feathers and down.

ROSE-COMB WHITE BANTAMS.

Disgualifications.

Feathers other than white in any part of plumage; shanks other than white. (See general disqualifications.)

COLOR OF MALE AND FEMALE.

BEAK: White.

EYES: Reddish-bay.

COMB AND FACE: Bright red.

WATTLES AND EAR-LOBES: Wattles, bright red. Ear-lobes, white. SHANKS AND TOES: White, with pinkish tinge on back of shanks and between scales.

PLUMAGE: Web, fluff and quills of feathers in all sections, pure white.

ROSE-COMB BLACK BANTAMS.

Disgualifications.

Pure white in any part of plumage, extending over half an inch, or two or more feathers tipped or edged with positive white. Shanks other than black or very dark leaden-blue. (See general disqualifications.)

COLOR OF MALE AND FEMALE.

BEAK: Black. EYES: Brown. COMB AND FACE: Bright red. WATTLES AND EAR-LOBES: Wattles, bright red. Ear-lobes, white. SHANKS AND TOES: Black. PLUMAGE: Surface, lustrous greenish-black throughout.

BOOTED WHITE BANTAMS.

Disqualifications.

Feathers other than white in any part of plumage; absence of vulturehocks; shanks not feathered down the outer sides, shanks other than white; outer toes not feathered; cocks weighing over 28 ounces; hens weighing over 24 ounces; cockerels weighing over 24 ounces; pullets weighing over 22 ounces. (See general disqualifications.)

STANDARD WEIGHTS.

Cock	.26 oz.	Hen	22 oz.
Cockerel	22 oz.	Pullet	20 oz.

SHAPE OF MALE.

HEAD: Small, round, carried well back. BEAK: Short, slightly curved.

EYES: Full.

COMB, WATTLES AND EAR-LOBES: Comb, single, of medium size, firm and straight on head, evenly serrated. Wattles, broad, thin, well rounded. Ear-lobes, flat.

NECK: Tapering, curved well back, with full, long hackle, descending well over shoulders.

WINGS: Large, points carried a little low.

BACK: Short; saddle feathers, abundant, long.

TAIL: Full, well expanded, very upright; sickles, long, well curved; coverts, abundant, long.

BREAST: Full, round.

BODY AND FLUFF: Body, rather short and compact. Fluff, moderately full.

LEGS AND TOES: Thighs, long, well furnished with long, stiff feathers or vulture-hocks which almost touch the ground; shanks, long, heavily feathered on the outer sides. Toes, straight, outer toes heavily feathered to their extremities.

SHAPE OF FEMALE.

HEAD: Small, round. BEAK: Short, slightly curved. EYES: Full. COMB: Single, small, firm and straight on head, evenly serrated.

WATTLES AND EAR-LOBES: Wattles, small, well rounded. Ear-lobes, flat.

NECK: Of medium length, tapering, carried well back.

WINGS: Large, points carried a little low.

BACK: Short.

TAIL: Full, well expanded, rather upright.

BREAST: Full, round.

BODY AND FLUFF: Body, rather short and compact. Fluff, moderately full.

LEGS AND TOES: Thighs, long, well furnished with long, stiff feathers or vulture-hocks; shanks, long, heavily feathered on outer sides. Toes, straight, outer toes heavily feathered to their extremities.

COLOR OF MALE AND FEMALE.

BEAK: White. EYES: Reddish-bay. COMB, FACE, WATTLES AND EAR-LOBES: Bright red. SHANKS AND TOES: White. PLUMAGE: Pure white.

BRAHMA BANTAMS.

(Light and Dark.)

Brahma Bantams, male and female, should conform in miniature fashion to the general outlines of the larger Brahmas. Stiff hock plumage is very objectionable.

Disqualifications.

Disqualifications for Brahma Bantams shall be the same as for larger Brahmas of the corresponding variety.

STANDARD WEIGHTS.

Cock	30 oz.	Hen	26 oz.
Cockerel	26 oz.	Pullet	24 oz.

DISQUALIFYING WEIGHTS.


Cock	34 oz.	Hen	30 oz.
Coekerel	30 oz.	Pullet	28 oz.

SHAPE AND COLOR, MALE AND FEMALE.

The general shape and color of Brahma Bantams shall conform to the description of the corresponding variety of the larger Brahmas.



BUFF COCHIN BANTAM MALE



BUFF COCHIN BANTAM FEMALE



BLACK COCHIN BANTAM MALE



BLACK COCHIN BANTAM FEMALE

COCHIN BANTAMS.

The Cochin Bantam male should conform in miniature fashion to the general outlines of the larger Cochin. Hc should be broad, deep, plump, and well rounded, of bold and forward carriage, short in legs, head carried not much higher than tail. Plumage, long, loose and abundant, the more fluff plumage the better; stiff hock plumage is objectionable. The Cochin Bantam female should conform, in a feminine way, with the male. In general outlines she should be rather short, neat and well rounded, very profuse of feathering and short in leg. Stiff hock plumage is objectionable.

Disqualifications.

The disqualifications for all Cochin Bantams shall be the same as for larger Cochins of the corresponding variety, except as to hock plumage.

STANDARD WEIGHTS.

Cock	30 oz.	Hen	26 oz.
Cockerel	26 oz.	Pullet	24 oz.

DISQUALIFYING WEIGHTS.

Cock	34 oz.	Hen	30 oz.
Cockerel	30 oz.	Pullet	28 oz.

SHAPE AND COLOR, MALE AND FEMALE.

The general shape and color of all Cochin Bantams shall conform to the description of the corresponding variety of the larger Cochins.

JAPANESE BANTAMS.

STANDARD WEIGHTS.

Cock	26 oz.	Hen	22 oz.
Cockerel	22 oz.	Pullet	20 oz.

SHAPE OF MALE.

HEAD: Rather large and broad.

BEAK: Very strong, well curved.

EYES: Large.

COMB: Single, large, firm and straight on head; evenly serrated, having five distinct points.

WATTLES AND EAR-LOBES: Wattles, large, pendent. Ear-lobes, large, smooth.

NECK: Rather short, curving prominently backward, with abundant, hackle flowing well over shoulders.

WINGS: Large, long, points decidedly drooping.

BACK: Very short; saddle feathers, abundant.

TAIL: Very large, somewhat expanded, carried in so erect a position as to almost come in contact with back of head; sickles, long, very upright, very slightly curved.

BREAST: Very full, round, carried prominently forward.

BODY AND FLUFF: Body, rather short, deep and compact. Fluff, short.

LEGS AND TOES: Thighs, of medium size, short; shanks, very short, smooth. Toes, straight. Shanks and toes free from feathers and down.

SHAPE OF FEMALE.

HEAD: Rather large and broad.

BEAK: Strong, well curved.

EYES: Large.

COMB: Single, large, firm and straight on head; evenly serrated, having five distinct points.

WATTLES AND EAR-LOBES: Wattles, of medium size, well rounded. Ear-lobes of medium size, smooth.

NECK: Short, well curved.

WINGS: Large, long, points decidedly drooping.

BACK: Short.

TAIL: Large, carried fairly upright.

BREAST: Full, round, prominent.

BODY AND FLUFF: Body, rather short, deep and compact. Fluff, short.

LEGS AND TOES: Thighs, of medium size, short; shanks, very short, smooth. Toes, straight. Shanks and toes free from feathers and down.

BLACK-TAILED JAPANESE BANTAMS.

Disqualifications.

Combs other than single; shanks other than yellow; cocks weighing over 30 ounces; hens weighing over 26 ounces; cockerels weighing over 26 ounces; pullets weighing over 24 ounces. (See general disqualifications.)

COLOR OF MALE.

HEAD: White.

BEAK: Yellow.

EYES: Reddish-bay.

COMB, FACE, WATTLES AND EAR-LOBES: Bright red.

NECK: White.

WINGS: Primaries, dark slate or black, edged with white; secondaries, dark slate or black, with wide edging of white on upper web, lower web white; eoverts, white. The wing, when folded, shows white only.

BACK: White; saddle feathers, white.

TAIL: Black; sickles and coverts, black, edged with white. BREAST: White.

BODY AND FLUFF: White.

LEGS AND TOES: Thighs, white; shanks and toes, yellow.

COLOR OF FEMALE.

HEAD: White. BEAK: Yellow. EYES: Reddish-bay. COMB, FACE, WATTLES AND EAR-LOBES: Bright red. NECK: White. WINGS: Primaries, dark slate or black, edged with white; secondaries,

dark slate or black with wide edging of white on upper web, lower web white; coverts, white. The wing when folded shows white only.

BACK: White.

TAIL: Black; coverts, white. Two top feathers edged with white. BREAST: White.

BODY AND FLUFF: White.

LEGS AND TOES: Thighs, white; shanks and toes, yellow.

WHITE JAPANESE BANTAMS.

Disqualifications.

Combs other than single; feathers other than white in any part of plumage; shanks other than yellow; cocks weighing over 30 ounces; hens weighing over 26 ounces; cockerels weighing over 26 ounces; pullets weighing over 24 ounces. (See general disqualifications.)

COLOR OF MALE AND FEMALE.

BEAK: Yellow. EYES: Reddish-bay. Comb, Face, Wattles and Ear-Lobes: Bright red. Shanks and Toes: Yellow. Plumage: Pure white.

BLACK JAPANESE BANTAMS.

Disqualifications.

Combs other than single; pure white in any part of plumage extending over half an inch, or two or more feathers tipped or edged with positive white; shanks other than yellow or yellowish-black: cocks weighing over 30 ounces; hens weighing over 26 ounces; cockerels weighing over 26 ounces; pullets weighing over 24 ounces. (See general disqualifications.)

COLOR OF MALE AND FEMALE.

BEAK: Yellow, or yellow shaded with black. EYES: Brown. COMB, FACE, WATTLES AND EAR-LOBES: Bright red. SHANKS AND TOES: Yellow, or yellow shaded with black. PLUMAGE: Surface, lustrous greenish-black throughout.



BLACK-TAILED JAPANESE BANTAM MALE



BLACK-TAILED JAPANESE BANTAM FEMALE

POLISH BANTAMS.

SCALE OF POINTS.

Symmetry	4
Size	
Condition	4
Comb	2
Head — Shape 3, Color 3	6
Crest — Shape 12, Color 8 2	20
	8
Neck — Shape 3, Color 3	6
Wings — Shape 4, Color 4	
	8
Tail Shape 5, Color 5 1	10
	8
Body and Fluff Shape 3, Color 3	6
Legs and Toes - Shape 3, Color 3	

STANDARD WEIGHTS.

Coek	26 oz.	Hen	22 oz.
Coekerel	22 oz.	Pullet	20 oz.

SHAPE OF MALE.

HEAD: Large, with a considerable protuberance on top of skull. BEAK: Rather long.

NOSTRILS: Large, with crown elevated above ordinary curve of beak. EYES: Large, full.

COMB AND CREST: Comb, V-shaped, having two prongs of small size — the smaller the better — retreating into crest; natural absence of same not to be considered a defect. Crest, very large, thick, flowing, well fitted on crown of head, rising well in front so as not to obstruct the sight, and falling over on both sides and at rear in a regular, even mass, composed of feathers similar in shape and texture to those of hackle.

BEARD: In bearded varieties, thick, full, extending back to crest.

WATTLES AND EAR-LOBES: Wattles, thin, pendulous, well rounded on lower edges. Ear-lobes, small, even in surface, almond-shaped.

NECK: Of medium length, slightly arched, with abundant hackle flowing well over shoulders.

WINGS: Large, well folded.

BACK: Straight, wide across the shoulders, tapering to tail; saddle feathers, abundant.

TAIL: Large, well expanded, carried at an angle of forty-five degrees from the horizontal; sickles and coverts, well curved, abundant.

BREAST: Round, deep, full, prominent.

BODY AND FLUFF: Body, full, comparatively wide at shoulders, tapering from front to rear. Fluff, rather short.

LEGS AND TOES: Thighs, of medium length and size; shanks, of medium length. Toes, straight. Shanks and toes free from feathers and down.

SHAPE OF FEMALE.

HEAD: Similar to that of the male, but smaller.

BEAK: Rather long.

NOSTRILS: Large, with crown elevated above ordinary curve of beak. EYES: Large, full, bright.

COMB AND CREST: Comb, V-shaped, having two prongs of small size — the smaller the better — retreating into crest, natural absence of same not to be considered a defect. Crest, very large, round, even on head.

BEARD: In bearded varieties, thick, full, extending back to crest.

WATTLES AND EAR-LOBES: Wattles, thin, small, well rounded on lower edges. Ear-lobes, small, even in surface, rounded on lower edges.

NECK: Of medium length, tapering, with hackle flowing well over shoulders.

WINGS: Large, well folded.

BACK: Straight, broadest at shoulders, tapering to tail.

TAIL: Large, broad, well expanded, carried at an angle of forty-five degrees from the horizontal.

BREAST: Round, full, prominent.

BODY AND FLUFF: Body, full, widest at shoulders, tapering from front to rear. Fluff, rather short.

LEGS AND TOES: Thighs, of medium length and size; shanks, of medium length. Toes, straight. Shanks and toes free from feathers and down.

BEARDED WHITE POLISH BANTAMS.

Disqualifications.

Combs other than V-shaped; shanks other than blue or slaty-blue, except the natural fading from age; cocks weighing over 30 ounces; hens weighing over 26 ounces; cockerels weighing over 26 ounces; pullets weighing over 24 ounces. (See general disqualifications.)

COLOR OF MALE AND FEMALE.

BEAK: Slaty-blue.

EYES: Reddish-bay.

COMB AND FACE: Bright red.

WATTLES AND EAR-LOBES: Wattles, red. Ear-lobes, bluish-white. SHANKS AND TOES: Blue, or slaty-blue.

PLUMAGE: Web, fluff and quills of feathers in all sections, pure white.

BUFF LACED POLISH BANTAMS.

Disqualifications.

Shanks other than blue or slaty-blue, except the natural fading from age. (See general disqualifications.)

COLOR OF MALE.

BEAK: Slaty-blue.

EYES: Reddish-bay.

COMB AND FACE: Bright red.

WATTLES AND EAR-LOBES: Wattles, bright red. Ear-lobes, white.

CREST: Rich buff, laced with pale buff.

BEARD: Rich buff, laced with pale buff.

HEAD: Rich buff, ticked with pale buff.

NECK: Rich buff, each feather laced with pale buff.

WINGS: Wing-bows, rich buff, laced with pale buff. Primaries, buff, the outer end having an edging of pale buff. Secondaries, rich buff, with a well-defined pale buff lacing. Coverts, rich buff, each feather laced with pale buff, widest at ends, forming two well-defined wing-bars.

BACK: Rich buff, the end of each feather laced with pale buff. Saddle rich buff, each feather laced with pale buff.

TAIL: Buff. Sickles and coverts, buff, each feather laced with pale buff.

BREAST: Rich buff, each feather laced with pale buff.

BODY AND FLUFF: Body, rich buff, each feather laced with pale buff. Fluff, light buff. LEGS AND TOES: Thighs, buff, laced with pale buff. Shanks and toes, slaty-blue.

COLOR OF FEMALE.

BEAK: Slaty-blue.

EYES: Reddish-bay.

COMB AND FACE: Bright red.

WATTLES AND EAR-LOBES: Wattles, bright red. Ear-lobes, white. CREST: Buff, laced with pale buff.

BEARD: Buff, each feather laced with pale buff.

NECK: Buff, each feather laced with pale buff.

WINGS: Bows, buff, laced with pale buff. Primaries, buff. Secondaries, buff, with a well-defined lacing of pale buff. Coverts, buff, laced with pale buff, the pale buff growing wider at extremity, forming two well-defined wing-bars.

BACK: Buff, each feather laced with pale buff.

TAIL: Buff, each feather laced with pale buff, the pale buff being wider at outer end of feather.

BREAST: Buff, each feather laced with pale buff.

BODY AND FLUFF: Body, buff, each feather laced with pale buff. Fluff, light buff.

LEGS AND TOES: Thighs, buff, each feather laced with pale buff. Shanks and toes, slaty-blue.

NON-BEARDED POLISH BANTAMS.

The same as the bearded varieties in every respect, including disqualifications, shape and color, except that they have no beard. (See general disqualifications.)

CLASS XI.

MISCELLANEOUS.

Breeds	Varieties
Silkies	White
SULTANS	White
FRIZZLES	Any Color

SILKIES.

Silkies derive their name from the peculiar formation of the plumage, their feathers being webless and of a silky texture. This peculiarity lends attractiveness to the breed, as it is possessed by no other Standard fowl. Their general appearance, short, feathered legs, broad backs and profuse plumage, are suggestive of the Cochin. The length of the webless feathers is a particularly desirable feature. The contrast formed by the white plumage and purple face is noticeable on account of its singularity; in fact, the appearance of these birds presents, throughout, a series of contradictions to the generally-accepted laws which govern Standard-bred fowls.

Disqualifications.

Absence of crest or of fifth toe: feathers not truly silky; shanks not feathered down outer sides; vulture-hocks. (See general disqualifications.)

Symmetry	4
	4
	4
Head and Beak — Shape 3, Color 5	8
	3
Comb and Crest — Comb 5. Crest 10 1	5
Wattles and Ear-Lobes	6
Neck — Shape 4, Color 4	8
	6
	8
	8
	6
	6
	8
Texture of Plumage	6
10	0

SCALE OF POINTS.

SHAPE OF MALE.

HEAD: Short, round. BEAK: Short, stout. EYES: Large. COMB AND CREST: Comb, nearly round, cushion covered with small corrugations set prominently and firmly on the head; crest, soft and full, as upright as comb will permit, falling gracefully backward.

WATTLES AND EAR-LOBES: Wattles, of medium length; concave from without inward, nearly semi-circular. Ear-lobes, oval.

NECK: Short, with very full hackle flowing well over shoulders.

WINGS: Small, carried low, the primaries and secondaries have a ragged, fringe-like appearance and the ends are fairly covered by the saddle hangers.

BACK: Broad, short; saddle, rising gradually from about the middle of back toward tail.

TAIL: Small, main feathers having a ragged, fringe-like appearance.

BREAST: Full.

BODY AND FLUFF: Body, broad, squarely formed. Fluff, full and abundant.

LEGS AND TOES: Thighs, short, well furnished with silky fluff; shanks, short, feathered on outer sides with silky plumage. Toes, five on each foot, the outer toes feathered.

SIZE: Coek should not weigh more than three pounds.

SHAPE OF FEMALE.

HEAD: Small, short, round.

BEAK: Short, stout.

EYES: Large.

COMB AND CREST: Comb, similar to that of male, but very small. Crest, small, globular, erect.

WATTLES AND EAR-LOBES: Wattles, small. Ear-lobes, small and round.

NECK: Short, with abundant hackle.

WINGS: Small, carried low; the primaries and secondaries have a ragged and fringe-like appearance and the ends are fairly covered by the saddle hangers.

BACK: Broad and short, rising in a concave sweep from middle back to a rounded cushion which extends to tail.

TALL: Small, almost concealed by cushion and fluff; main tail feathers have a ragged, fringe-like appearance.

BREAST: Full.

BODY AND FLUFF: Body, broad, compact. Fluff, full, abundant.

LEGS AND TOES: Thighs, short, well furnished with silky fluff; shanks, short, feathered on outer sides with silky plumage. Toes, five on each foct, the outer toes feathered.

PLUMAGE: Soft, silky, webless.

SIZE: Hens should not weigh more than two pounds.

COLOR OF MALE AND FEMALE.

BEAK: Blue.

EYES: Black.

COMB AND FACE: Purple.

WATTLES AND EAR-LOBES: Wattles, purple. Ear-lobes, turquoise blue.

SHANKS AND TOES: Leaden-blue. PLUMAGE: White.

SULTANS.

They have, for their most attractive characteristics, the novel features of a full crest, muff and beard, with vulture-hocks and profuse shank and toe feathering. These peculiarities should be most prominent in their form and outlines.

Disgualifications.

Beak other than white or pale flesh color; large, red face; absence of beard; absence of vulture-hocks; shanks not feathered down outer sides. (See general disqualifications.)

SCALE OF POINTS.

Symmetry	4
Size	4
Condition	4
Head — Shape 3, Color 3	6
Comb and Crest — Comb, 4, Crest 12	16
Wattles and Ear-Lobes 4, Beard 8 1	12
Neck — Shape 4, Color 4	8
Wings — Shape 3, Color 3	6
Back - Shape 4, Color 4	
Tail — Shape 4, Color 4	8
Breast — Shape 3, Color 3	6
Body and Fluff - Shape 3, Color 3	6
Legs and Toes 1	2
	_

SHAPE OF MALE.

HEAD: Medium size.

BEAK: Short, well curved.

Nostrils: Large.

Eyes: Oval.

COMB AND CREST: Comb, very small, having two spikes V-shaped. Crest, large, globular and compact.

BEARD: Very full, joining whiskers and extending to crest.

WATTLES AND EAR-LOBES: Wattles, small, round. Ear-lobes, small, round, concealed by crest and whiskers.

NECK: Short, arched, carried well back.

WINGS: Rather large, carried low.

BACK: Rather long and straight.

TAIL: Large, full, abundantly furnished with sickles and coverts. BREAST: Deep and prominent.

BODY AND FLUFF: Body, very square, deep, compact, carried low. LEGS AND TOES: Thighs, very short, well feathered, with long, full vulture-hocks; shanks, short, heavily feathered down outer sides. Toes, five upon each foot, straight, the middle and outer toes well feathered.

SIZE: Cocks should weigh five pounds.

SHAPE OF FEMALE.

HEAD: Medium size.

BEAK: Short, well curved.

Nostrils: Large.

EYES: Oval.

COMB AND CREST: Comb, very small, having two spikes, V-shaped. Crest, large, globular and compact.

BEARD: Very full, joining whiskers and extending to crest.

WATTLES AND EAR-LOBES: Wattles, small, round. Ear-lobes, small, round, concealed by crest and whiskers.

NECK: Short, arched, carried well back.

WINGS: Large, carried low.

BACK: Long and straight.

TAIL: Large, well expanded, rather erect.

BREAST: Deep and prominent.

BODY AND FLUFF: Body, very square, compact, carried low.

LEGS AND TOES: Thighs, very short, well feathered, with long, full vulture-hocks; shanks, short, heavily feathered down outer sides. Toes, five upon each foot, straight, outer and middle toes well feathered.

SIZE: Hens should weigh four pounds.

COLOR OF MALE AND FEMALE.

BEAK: Slaty-blue.

EYES: Reddish-bay.

COMB AND FACE: Comb, bright red. Face, bright red, but covered by whiskers and almost invisible.

WATTLES AND EAR-LOBES: Bright red.

SHANKS AND TOES: Slaty-blue.

PLUMAGE: Web, quill and fluff of feathers in all sections. pure white.

FRIZZLES.

Disgualifications.

Combs other than single; not matching in combs, in color of legs or in color of plumage when shown in pane, trice or pens; wry tails; more than four toes. (See general disqualifications.)

NO SCALE OF POINTS.

MALE AND FEMALE.

The feathers show a tendency to curve backward or upward at the ends, this curving at the ends being most noticeable in the hackle and saddle feathers, but the more all of the feathers are curved the better. Feathers curving upward on neck and back of head, after the style of the hood in hooded pigeons, to be encouraged.

COLOR: Solid; black, white, red and bay admissible, provided the birds match when shown in pairs, trios and pens.

COMB: Single.

CLASS XII.

TURKEYS.

Τ7		•		
¥	a	u	tι	es

Turkeys	Bronze Narragansett White Black Buff Slate
	Bourbon

SCALE OF POINTS.

Symmetry	4
Weight	15
Condition	4
Head	5
Throat Wattle	5
Neck — Shape 3, Color 3	6
Wings — Shape 4, Color 8	12
Back — Shape 4, Color 6	10
Tail — Shape 4, Color 8	12
Breast — Shape 6, Color 5	11
Body and Fluff Shape 6, Color 5	
Legs and Toes - Shape 3, Color 2	5
	100

TURKEYS.

The turkey male should be large in frame and deep in body, with a broad, round, full breast that varies in prominence according to the variety and gives the fowl a stately and majestic appearance. The head should be of good size, and the eyes possess an alert and bold expression. The legs and shanks must be large, straight, and well set. The outlines of all sections should be in perfect harmony.

The turkey female should be large in frame and deep in body, with a broad, round, full breast, being similar in all sections to the male, except finer in structure. She, too, is stately in appearance. The head should be of good size, with a bright, watchful eye; the legs and shanks large, straight and well set, the outlines of each section conforming to those of the male, except in size.

SHAPE OF MALE AND FEMALE.

HEAD: Long, broad, carunculated.

BEAK: Strong, curved, well set in head.

EYES: Bright, clear.

THROAT WATTLE: Heavily carunculated.

NECK: Long, curving backward toward tail.

BEARD: Long, bristly, prominent.

WINGS: Large, powerful, smoothly folded, carried well up on sides.

BACK: Broad, somewhat curving, rising from neck and descending in graceful curve to tail.

TAIL: Rather long.

BREAST: Broad, deep, full, well rounded.

BODY: Long, deep through the middle, finely rounded.

LEGS AND TOES: Thighs, long, stout; shanks, large, long, strong. Toes, straight, strong,

BRONZE TURKEYS.

Disqualifications.

White feathers in any part of plumage; wings showing one or more primary or secondary feathers clear black or brown, or absence of white or gray bars more than one-half the length of primaries; color of back, tail or tail-coverts clear black, brown or gray; crooked back; decidedly wry tail; adult cocks weighing less than 30 pounds; yearling cocks weighing less than 25 pounds; cockerels weighing less than 18 pounds; hens weighing less than 14 pounds; pullets weighing less than 10 pounds. (See general disqualifications.)

Note. The following defects should be cut severely. Absence of one or more pirmary or secondary wing feathers. Absence of one or more center main tail feathers; white or gray bars showing on main tail feathers beyond coverts; absence of black bands on one or more of the large main tail coverts; decidedly wry wings; decidedly crooked breast bone.

STANDARD WEIGHTS.

Adult Cock	36 lbs.	Coekerel	25 lbs.
Yearling Cock	33 lbs.	Hen	20 lbs.

When two specimens are both over Standard weight and equal in all other points, the one nearest Standard weight shall win.

COLOR OF MALE.

HEAD: Rich red, changeable to bluish-white. BEAK: Light horn at tip, dark at base. EYES: Dark brown. THROAT WATTLE: Rich red, changeable to bluish-white. NECK: Light, rich, brilliant bronze. BEARD: Black.

WINGS: Bows, light, rich, brilliant bronze ending in a narrow band of black; primaries, each feather evenly and distinctly barred straight across with parallel bars of black and white throughout the length of feather; secondaries, dull black, evenly and regularly barred across with parallel bars of white, the more distinct the better, the color changing to a bronze brown as the middle of back is approached, and the white bars become less distinct, an edging of brown in secondaries being very objectionable; coverts, a beautiful, rich bronze, forming a beautiful, broad, bronze band across wings when folded, feathers terminate in a wide black band forming a glossy, ribbon-like mark which separates them from primaries and secondaries. Flight coverts, barred similar to primaries.



BRONZE TURKEY MALE



BRONZE TURKEY FEMALE

BACK: From neck to middle of back, a light, rich, brilliant bronze, each feather terminating in a very narrow, black band extending across end; from middle of back to tail-coverts, black, each feather having a brilliant bronze band extending across it near the end.

TAL: Dull black, each feather evenly and distinctly marked transversely with parallel lines of brown, each feather having a wide, black band extending across it near the end (the more bronze on this band the better), and terminating in a wide edging of white. Coverts, dull black, each feather evenly and distinctly marked transversely with parallel lines of brown, each feather having a wide, black and bronze band extending across it near the end, and terminating in a wide edging of white, the few larger coverts extending well out on tail, having little bronze on them. The more distinct the colors throughout the whole plumage, the better.

BREAST: Light, rich, brilliant bronze, feathers on lower part of breast, approaching the body, terminate in a black band extending across the end.

BODY AND FLUFF: Body, black, beautifully shaded with bronze, but not so decided nor so rich as breast. Fluff, black, each feather having a wide, brilliant bronze band extending across it near the end and terminating in a narrow edging of white.

LEGS AND TOES: Thighs, similar to breast, but less brilliant in shade; shanks and toes, in mature birds, pinkish; in young birds, dark, approaching black.

COLOR OF FEMALE.

Plumage, similar to that of male, except an edging of white on feathers of back, wing-bows, wing-coverts, breast and body, which edging should be narrow in front, gradually widening as it approaches the rear. Beak, eves, throat wattle, legs and toes same as male.

NARRAGANSETT TURKEYS.

Disqualifications.

Buff or slate-colored feathers in any part of plumage; crooked back; decidedly wry tail; cocks weighing less than 22 pounds; hens weighing less than 14 pounds. (See general disqualifications.)

STANDARD WEIGHTS.

Cock	30 lbs.	Hen	18 lbs.
Cockerel	20 lbs.	Pullet	12 lbs.
Yearlin	g Cock		

COLOR OF MALE.

HEAD: Rich red, changeable to bluish-white.

BEAK: Light horn.

EYES: Brown.

THROAT WATTLE: Rich red, changeable to bluish-white.

NECK: Upper part, black, each feather ending in a broad, steel-gray band. Lower part, black, each feather ending in a broad, steel-gray band, edged with black, the edging of black increasing as the body is approached.

BEARD: Black.

WINGS: Bows, metallic black, each feather ending with a band of steel-gray, edged with metallic black; primaries, each feather evenly and distinctly barred across with parallel bars of black and white; secondaries, marked similar to those of primaries, but less distinct and approaching a light gray; coverts, inside web, black or dark brown; outside web, a light steel-gray, approaching white, terminating in a metallic black band, forming a wide, steel-gray band across the wing when folded.

BACK: Rich, metallic black; saddle, black, each feather ending in a broad, steel-gray band, approaching white; the light band increasing as the tail-coverts are approached.

TAIL: Dull black, each feather regularly penciled with parallel lines of light brown, ending in a broad band of metallic black, edged with steelgray, approaching white; coverts, dull black, each feather regularly penciled with parallel lines of light brown, ending in a band of metallic black, with a wide edging of light steel-gray approaching white.

BREAST: Metallic black, each feather ending in a broad, light, steelgray band, edged with black.

BODY AND FLUFF: Body, metallic black, each feather ending in a broad, light, steel-grav band, edged with black.

LEGS AND TOES: Thighs, rich metallic black, each feather ending in a light, steel-gray band, edged with black: shanks and toes, deep salmon.

COLOR OF FEMALE.

PLUMAGE: Similar to that of male, except back shall be metallic black, each feather ending in a broad band of light steel-gray approaching white; the color of the other sections being not so distinct as in the male, and the feathers terminating in an edging of lighter gray, approaching white. AMERICAN POULTRY ASSOCIATION

WHITE HOLLAND TURKEYS.

Disqualifications.

Feathers other than white in any part of plumage; crooked back; deeidedly wry tail; color of legs other than white or pinkish-white; cocks weighing less than 20 pounds; hens weighing less than 12 pounds. (See general disqualifications.)

STANDARD WEIGHTS.

Coek	28 lbs.	Hen	18 lbs.
Cockerel	20 lbs.	Pullet	14 lbs.

COLOR OF MALE AND FEMALE.

HEAD: Rich red, changeable to bluish-white.

BEAK: Pinkish, or flesh.

Eves: Dark brown.

THROAT WATTLE: Rich red, changeable to bluish-white.

SHANKS AND TOES: White, or pinkish-white.

PLUMAGE: Web, quill and fluff of feathers in all sections, pure white, except beard in male, which is deep black.

BLACK TURKEYS.

Disgualifications.

Feathers other than black in any part of plumage; crooked back; decidedly wry tail; cocks weighing less than 20 pounds; hens weighing less than 12 pounds. (See general disqualifications.)

STANDARD WEIGHTS.

Coek	27 lbs.	Hen	18 lbs.
Cockerel	18 lbs.	Pullet	12 lbs.

COLOR OF MALE AND FEMALE.

HEAD: Rich red, changeable to bluish-white. BEAK: Dark horn, or slaty-black. EYES: Dark brown. THROAT WATTLE: Rich red, changeable to bluish-white. SHANKS AND TOES: Dark lead, or slaty-black. PLUMAGE: Surface, lustrous, greenish-black throughout.

BUFF TURKEYS.

Disqualifications.

Crooked back; decidedly wry tail; cocks weighing less than 18 pounds; hens weighing less than 12 pounds. (See general disqualifications.)

STANDARD WEIGHTS.

Cock	27 lbs.	Hen	18 lbs.
Cockerel	18 lbs.	Pullet	12 lbs.

COLOR OF MALE AND FEMALE.

HEAD: Rich red, changeable to bluish-white. BEAK: Bluish-white. EYES: Dark hazel. THROAT WATTLE: Rich red, changeable to bluish-white. SHANKS AND TOES: Bluish-white, or flesh-color. PLUMAGE: Pure buff, the wings being of a very light shade.

SLATE TURKEYS.

Disgualifications.

Feathers other than slaty or ashy-blue (which may be dotted with black) in any part of plumage; crooked back; decidedly wry tail; cocks weighing less than 18 pounds; hens weighing less than 12 pounds. (See general disqualifications.)

STANDARD WEIGHTS.

Cock	27 lbs.	Hen	18 lbs.
Cockerel	18 lbs.	Pullet	12 lbs.

COLOR OF MALE AND FEMALE.

HEAD: Rich red, changeable to bluish-white. BEAK: Light blue, dark blue, or horn. EYES: Dark hazel. THROAT WATTLE: Rich red, changeable to bluish-white.

SHANKS AND TOES: Light, or dark blue.

PLUMAGE: Slaty, or ashy-blue, sometimes dotted with black, but the freer from dotting the better,

BOURBON RED TURKEYS.

From the most available authority to be found, the Bourbon Red Turkeys are an early native of Bourbon County, Kentucky, and are bred up from what, in early days, was called the Wild Yellow Turkey.

STANDARD WEIGHTS.

Cock	30 lbs.	Hen	18 lbs.
Cockerel	22 lbs.	Pullet	14 lbs.

COLOR OF MALE AND FEMALE.

HEAD: Rich red, changeable to bluish-white.

BEAK: Light horn at the tip, darker at the base.

EYES: Dark brown.

THROAT WATTLE: Rich red, changeable to bluish-white.

NECK: Deep brownish-red.

WINGS: Bows, deep brownish-red; primaries and secondaries, white. BACK: Deep brownish-red.

TAIL: White.

BREAST: Deep brownish-red.

BODY AND FLUFF: Body, deep brownish-red; fluff, brownish-red.

LEGS AND TOES: Thighs, deep brownish-red. Shanks and toes, reddish-pink,

CLASS XIII.

DUCKS.

Breeds	Varieties
Рекін	. White
AVIESDUDY	White
ROUEN	. Colored
Rouen	. Black
Call	Gray
East India Crested	Black
Crested	. White
Muscovy	Colored
Indian Runner Swedish	Blue

SCALE OF POINTS FOR ALL DUCKS EXCEPT INDIAN RUNNER AND CRESTED WHITE.

Symmetry	•••			 																		-5
Weight*.				 			 					, .										18
Condition				 			 															- 6
Head																						
Beak				 			 															-1
Eyes				 								•										-4
Neck				 																		5
Wings				 			 															-5
Back				 			 															12
Tail				 																		- 3
Breast				 			 															15
Body				 			 															15
Legs and '	Гое	s.		 																		-1
0																					-	100

*For weight, read, "smallness of size" in applying the scale to Call and East Indian Ducks.

DUCKS.

The most popular ducks are those whose size gives them a marketable value as table poultry. The male and female Pekin, Aylesbury, Rouen and Cayuga Ducks should be large, long and broad in body, full in breast, with deep, well-set keels and all sections finely rounded, giving them a finished, plump appearance. The nearer they are bred to Standard weights the better. The head should be large, the bill broad and long on upper line, and the eyes bright. The neck should be of good length and well arched.

The body of White and Colored Muscovys should be long, broad and deep; the tail of good length, carried nearly horizontal; wings, large, long and powerful; shanks and feet short and large; head of good size, the top covered with crest-like feathers which are elevated under excitement. The sides of face should be covered with caruncles — the larger the better. The male in both varieties is fully one-third larger than the female.

East India and Call Ducks — the bantams of the duck family should be small in size, both male and female — the smaller the better. The body should be short, well rounded and carried nearly horizontal. The head is small, the bill short and concave, and the neck short and slender.

The Crested Whites have the general characteristics of the Pckins, except that they possess crests and are one pound lighter in weight.

PEKIN DUCKS.

Disqualifications.

Bill or bean of drake marked with black; feathers other than white or creamy white in any part of plumage; twisted wing; crooked back; decidedly wry tail. (See general disqualifications.)

STANDARD WEIGHTS.

Adult Drake	9 lbs.	Adult Duck	8 lbs.
Young Drake	8 lbs.	Young Duck	7 lbs.

SHAPE OF DRAKE AND DUCK.

HEAD: Long, finely formed.

BILL: Of medium size, slightly convex between juncture with head and extremity of bill.

EYES: Large, deep set.

NECK: In drake, rather long and large; in duck, of medium length; in both, carried well forward, arched.

WINGS: Short, carried closely and smoothly against sides.

BACK: Long, broad, with slightly concave sweep from shoulder to tail.

TAIL: Rather erect, the curled feathers of drake being hard and stiff. BREAST: Broad, deep, prominent.

BODY: Long, broad, carried just clear of ground.

LEGS AND TOES: Thighs and shanks, short, large, set well back. Toes, straight, connected by web.

CARRIAGE OF BODY: Elevated in front, sloping downward toward rear.

COLOR OF DRAKE AND DUCK.

BILL: Orange-yellow, free from black. EXES: Deep leaden-blue. SHANKS AND TOES: Reddish-orange. PLUMAGE: Creamy white.

AYLESBURY DUCKS.

Disqualifications.

Bill or bean of drake marked with black; feathers other than pure white in any part of plumage; twisted wing; crooked back; decidedly wry tail. (See general disqualifications.)

STANDARD WEIGHTS.

Adult Drake	9 lbs.	Adult Duck	8 lbs.
Young Drake	8 lbs.	Young Duck	7 lbs.

SHAPE OF DRAKE AND DUCK.

HEAD: Large, long, finely formed.

BILL: Long, broad; outline nearly straight from top of head to tip of bill.

EYES: Full, deep set.

NECK: Long, moderately thick, slightly curved. WINGS: Strong, carried closely and smoothly against sides. BACK: Long, broad, straight on top.



PEKIN DRAKE



PEKIN DUCK

TAIL: Only slightly elevated; composed of stiff, hard feathers; sex feathers of drake, hard, well curled.

BREAST: Deep, prominent.

BODY: Long, deep, broad; keel, straight.

LEGS AND TOES: Thighs, short, stout; shanks, stout, strong. Toes, straight, connected by web.

CARRIAGE OF BODY: Nearly horizontal.

COLOR OF DRAKE AND DUCK.

BILL: Pale flesh-color, free from black or dark marks. EYES: Deep leaden.

SHANKS AND TOES: Bright, light orange.

PLUMAGE: Web, quill and fluff of feathers in all sections, pure white.

ROUEN DUCKS.

Disqualifications.

Bills clear yellow, dark green, blue or lead color; any approach to white ring on neck of duck; white in primaries or secondaries; twisted wing; crooked back, decidedly wry tail. (See general disqualifications.)

STANDARD WEIGHTS.

Adult Drake	9 lbs.	Adult Duck	8 lbs.
Young Drake	8 lbs.	Young Duck	7 lbs.

SHAPE OF DRAKE AND DUCK.

HEAD: Full and round.

BILL: Long, broad, wider at extremity than at base; top slightly depressed from crown of head to tip of bill.

EYES: Bold, bright.

NECK: Long, tapering, curved, erect.

· WINGS: Short, carried smoothly against sides.

BACK: Long, broad, slightly arched.

TAIL: Only slightly elevated; composed of hard, stiff feathers; sex feathers, hard, well curled.

BREAST: Broad, deep.

BODY: Long, deep, broad; keel, long, straight.

LEGS AND TOES: Thighs, short, large; shanks, short, large. Toes, straight, connected by web.

CARRIAGE OF BODY: Nearly horizontal.

COLOR OF DRAKE.

HEAD: Rich, lustrous green.

BILL: Greenish-yellow, without any other shade, except black bean at tip.

EYES: Dark brown.

NECK: Rich, lustrous green, with a distinct white ring on the lower part, not quite meeting at back.

WINGS: Flights, slaty-black and brown, free from white; coverts, pale, clear gray; small coverts, gray, clearly penciled; pinion coverts, dark gray to slaty-black; bars formed by a line of white in center of small coverts which should be gray tipped with black, coming to a line at base of flight coverts which should be slaty-black above the quill, and a rich, iridescent blue below, tipped with white at end of lower side, making two distinct white bars (the pinion bar being edged with black), with a distinct blue, ribbon-like mark between them.

BACK: Upper part, ashy-gray, mixed with green, becoming a rich hustrous green on lower part of rump; shoulders, gray, finely streaked with wavy brown lines.

TAIL: Dark, ashy-brown, outer web in old birds edged with white; coverts, black, showing very rich, purple reflections; tail well supplied on under side with solid, beetle-green feathers.

BREAST: Very rich purplish-brown or claret, extending well down on breast and free from any other color.

BODY: Under part, steel-gray; sides, steel-gray, very finely penciled across the feathers with glossy black, growing lighter near the vent and ending in solid greenish-black, forming a distinct line of separation between the two colors.

LEGS AND TOES: Thighs, ashy-gray; shanks and toes, orange, with brownish tinge.

COLOR OF DUCK.

HEAD: Deep brown, with two light tan stripes on each side, running from bill to point behind eyes.

BILL: Brownish-orange, with dark blue blotch on upper part and black bean at tip.

Eyes: Dark brown.

NECK: Golden brown, penciled with dark lustrous brown, free from any appearance of a white ring.

WINGS: Flat of wing, light brown, with distinct pencilings of rich, greenish-brown; wing-bar, rich, brilliant purple, each end of bar banded with white; secondaries, dark brown, with distinct pencilings that conform to shape of feather.

BACK: Rich, golden brown, richly marked with wide pencilings of



ROUEN DRAKE



ROUEN DUCK

greenish-black; shoulder coverts, dark brown with distinct pencilings of light brown that conform to shape of feather.

TAIL: Golden brown, with distinct, broad, wavy penciling of dark greenish-brown; coverts, brown, with broad, distinct and regular pencilings of greenish-brown.

BREAST: Rich, golden brown, with distinct wide pencilings of light brown that conform to shape of feather.

BODY: Under part, light brown, each feather distinctly penciled with rich, dark brown, to point of tail; sides, dark brown, with distinct pencilings of light brown that conform to shape of feather.

LEGS AND TOES: Thighs, dark brown, distinctly penciled; shanks and toes, orange or orange-brown.

CAYUGA DUCKS.

Disqualifications.

White in any part of plumage; twisted wing; crooked back; decidedly wry tail. (See general disqualifications.)

STANDARD WEIGHTS.

Adult Drake	8 lbs.	Adult Duck	7 lbs.
Young Drake	7 lbs.	Young Duck	6 lbs.

SHAPE OF DRAKE AND DUCK.

HEAD: Long, finely formed.
BILL: Long, top line slightly depressed.
EYES: Full.
NECK: Of medium length, slightly arched.
WINGS: Short, folded closely and smoothly against sides.
BACK: Long, broad.
TAIL: Only slightly elevated; composed of hard, stiff feathers; sex feathers of drake, hard, well curled.

BREAST: Broad, full, prominent.

BODY: Long, deep, broad.

LEGS AND TOES: Thighs, short, large; shanks, of medium length and size. Toes, straight, connected by web.

CARRIAGE OF BODY: Nearly horizontal.

COLOR OF DRAKE AND DUCK.

BILL: Black.

EYES: Dark brown.

SHANKS AND TOES: Dark slate or black, the latter preferred.

PLUMAGE: Lustrous greenish-black throughout, except primaries of duck, which are sometimes dark brown.

CALL DUCKS.

SHAPE OF DRAKE AND DUCK.

HEAD: Small, slender. BILL: Short, trim. EYES: Of medium size, bright.

NECK: Of medium length.

WINGS: Neat, closely folded.

BACK: Comparatively short.

TAIL: Only slightly elevated; composed of hard, stiff feathers; sex feathers of drake, well curled.

BREAST: Round, full.

BODY: Short, compact, small — the smaller the better.

LEGS AND TOES: Thighs, short, plump: shanks, short. Toes, straight, connected by web.

CARRIAGE OF BODY: Nearly horizontal, possessing a startled and gamy appearance.

GRAY CALL DUCKS.

Disgnalifications.

Any approach to white ring on neck of duck; white primaries in either sex; twisted wing; crooked back; decidedly wry tail. (See general disqualifications.)

COLOR OF DRAKE.

HEAD: Rich, lustrous green.

BILL: Greenish-yellow.

EYES: Dark brown.

NECK: Lustrous green, with a distinct white ring on lower part, not quite meeting at back.

WINGS: Grayish-brown, mixed with green, with broad, ribbon-like mark of rich purple — showing metallic reflections of green and blue — edged with white, the two colors quite distinct; primaries, dark dusky brown.

BACK: Ashy-gray, mixed with green on upper part; on lower part and rump, rich, lustrous green.

TAIL: Dark ashy-brown; outer web in old birds edged with white; tail-coverts, black, showing very rich purple reflections.

BREAST: Rich purplish-brown or claret, extending well down on breast and free from any other color.

BODY: Under part and sides, steel-gray, growing lighter near vent and ending in solid, beetle-green black, forming distinct line of separation between the two colors.

LEGS AND TOES: Thighs, ashy-gray; shanks and toes, orange, with a brownish tinge.

COLOR OF DUCK.

HEAD: Deep brown, with two light tan stripes on each side, running from bill behind eyes.

BILL: Brownish-orange.

EYES: Dark brown.

NECK: Light brown, penciled with dark, lustrous brown, free from any appearance of a white ring.

WINGS: Light brown, mixed with green, with broad, ribbon-like bars of rich purple across them, edged with white, the two colors distinct; primaries, brown.

BACK: Light brown, richly marked with green.

TAIL: Light brown, with distinct, broad, wavy penciling of dark greenish-brown; tail-coverts, brown, with broad, distinct and regular penciling of dark brown or greenish-brown.

BREAST: Dark brown, richly penciled with lighter brown.

BODY: Under part and sides, light brown, each feather distinctly penciled with rich, dark brown to point of tail.

LEGS AND TOES: Thighs, dark brown, distinctly penciled; shanks and toes, orange, or orange-brown.

WHITE CALL DUCKS.

Disqualifications.

Bill or bean of drake marked with black; feathers other than white or creamy white in any part of plumage; twisted wing; crooked back; decidedly wry tail. (See general disqualifications.)

COLOR OF DRAKE AND DUCK.

BILL: Bright yellow. EYES: Blue. SHANKS AND TOES: Bright orange. PLUMAGE: Web, quill and fluff of feathers in all sections, pure white.

BLACK EAST INDIA DUCKS.

Disqualifications.

White in any part of plumage; twisted wing; crooked back; decidedly wry tail. (See general disqualifications.)

SHAPE OF DRAKE AND DUCK.

HEAD: Short, slender.

BILL: Rather short.

EYES: Of medium size.

NECK: Short, nicely arched.

WINGS: Long, well folded.

BACK: Of medium width, rather long.

TAIL: Slightly elevated, composed of short, stiff feathers; sex feathers of drake, well curled.

BREAST: Full, plump.

BODY: Long, comparatively small — the smaller the better.

LEGS AND TOES: Thighs, short, plump; shanks, short. Toes, straight, connected by web.

CARRIAGE OF BODY: Nearly horizontal, possessing a gamy appearance.

COLOR OF DRAKE AND DUCK.

BILL: Drake, very dark green; duck, black.

Eyes: Dark brown.

SHANKS AND TOES: Black.

PLUMAGE: Rich black, with brilliant, greenish tint.

CRESTED WHITE DUCKS.

Disqualifications.

Absence of crest; bill of drake marked with black: feathers other than white or creamy white in any part of plumage; twisted wing; crooked back; decidedly wry tail. (See general disqualifications.)

STANDARD WEIGHTS.

Adult Drake	7 lbs.	Adult Duck 6	6 lbs.
Young Drake	6 lbs.	Young Duck	5 lbs.

AMERICAN POULTRY ASSOCIATION

SCALE OF POINTS.

ymmetry	5
Veight 1	2
Condition 1	0
Iead 4, Beak 4, Size 4 1	2
Crest	5
Veck	8
Vings	3
Back 1	2
`ail	4
Breast	2
Body	5
egs and Toes	
10	_

SHAPE OF DRAKE AND DUCK.

HEAD: Of medium size. BILL: Of medium size. EYES: Large, bright. CREST: Large, well balanced on crown of head. NECK: Rather long, slightly arched. WINGS: Of medium length, smoothly folded. BACK: Of medium length and width. TAIL: Only slightly elevated; composed of hard, stiff feathers; sex feathers of drake, well curled. BREAST: Prominent, full. BODY: Of medium length, plump. LEGS AND TOES: Thighs, short, plump; shanks, short. Toes, straight, connected by web. CARRIAGE OF BODY: Nearly horizontal.

COLOR OF DRAKE AND DUCK.

BILL: Yellow.

Eves: Blue.

SHANKS AND TOES: Light orange.

PLUMAGE: Web, quill and fluff of feathers in all sections, pure white.

MUSCOVY DUCKS.

STANDARD WEIGHTS.

Adult Drake	10 lbs.	Adult Duek	7 lbs.
Young Drake	8 lbs.	Young Duck	6 lbs.

SHAPE OF DRAKE AND DUCK.

HEAD: Rather long; in drake, large, the top covered with long, crestlike feathers, which are elevated or depressed by the bird when it becomes excited or alarmed; sides of head and face covered with caruncles — the larger the better.

BILL: Rather short, of medium width.

EYES: Of medium size, having slightly over-arched socket.

NECK: Of medium length, well arched.

WINGS: Very long, stout.

BACK: Long, broad, somewhat flat.

TAIL: Rather long, with abundance of stiff plumage.

BREAST: Broad, full.

Body: Long, broad.

LEGS AND TOES: Thighs, very short, large; shanks, short, large. Toes, straight, connected by web.

CARRIAGE OF BODY: Nearly horizontal.

COLORED MUSCOVY DUCKS.

Disqualifications.

Plumage more than one-half white; twisted wing: crooked back; decidedly wry tail. (See general disqualifications.)

COLOR OF DRAKE AND DUCK.

HEAD: Glossy black and white.

BILL: Pink, shaded with horn.

EYES: Brown.

FACE: Caruncles, red.

NECK: Black, or black and white, black predominating.

WINGS: Coverts, rich, lustrous greenish-black.

BACK: Lustrous blue-black, sometimes broken with white feathers. TAIL: Black.

BREAST AND BODY: Lustrous blue-black, sometimes broken with white; the blacker the plumage the better.

LEGS AND TOES: Thighs, white or black, white preferred; shanks **and toes**, varying from yellow to dark lead.

WHITE MUSCOVY DUCKS.

Disqualifications.

Smooth heads; feathers other than pure white in any part of plumage; twisted wing; crooked back; decidedly wry tail. (See general disqualifications.)

COLOR OF DRAKE AND DUCK.

BILL: Pinkish flesh-color. EYES: Blue. FACE: Caruncles, red. SHANKS AND TOES: Pale orange or yellow. PLUMAGE: Web, quill and fluff of feathers in all sections, pure white.

INDIAN RUNNER DUCKS.

Disqualifications.

Claret breast; blue wing-bars; absence of two or more primaries or secondaries; twisted wing; crooked back; decidedly wry tail. (See general disqualifications.)

STANDARD WEIGHTS.

Drake $4\frac{1}{2}$ lbs. Duck	
--------------------------------	--

SCALE OF POINTS.

Carriage
Weight
Condition
Head — Shape 4, Color 3 7
Beak — Shape 3, Color 2 5
Eyes
Neck — Shape 8, Color 4 12
Wings — Shape 3, Color 3 6
Back — Shape 7, Color 3 10
Tail — Shape 2, Color 2
Breast — Shape 7, Color 3 10
Body — Shape 5, Color 3 8
Legs and Toes - Shape 2, Color 2 4
100

SHAPE OF DRAKE AND DUCK.

HEAD: Long, flat, finely formed.

BILL: Strong at base, fairly broad and long, extending down from the skull in a straight line, giving it the appearance of a long wedge.

EYES: Set high in head.

NECK: Long, thin.

WINGS: Of medium length, carried closely to body.

BACK: Long, narrow.

TAIL: Composed of hard, stiff feathers; sex feathers of drake, hard, well curled.

BREAST: Full, but not rounded, showing but little suggestion of kcel. Carried well up.

BODY: Long, narrow, racy-looking, carried erectly, with no indication of keel, resembling the penguin in form.

LEGS AND TOES: Legs, of medium length, set well apart. Toes, straight, connected by web.

CARRIAGE OF BODY: Very erect.

COLOR OF DRAKE AND DUCK.

HEAD: Fawn and white, the fawn in head of drake darker than in **other** parts of the body. A narrow line of white divides the cap from the **cheek** markings behind the eyes, and a line of white about one-eighth of an **inch** wide divides the base of the bill from the head markings.

BILL: Drake, yellow, when young; greenish-yellow when fully developed. Duck, yellow, spotted with green when young, a dull cucumbergreen when fully matured, with black bean in both drake and duck.

EYES: Dark brown.

NECK: White, from head to where breast markings begin, which should be about one and one-half to two inches above base of neck.

WINGS: Shoulder, and top part of wings, same as breast. Primaries and secondaries, white. The white of the primaries and secondaries should extend up the lower edge of the wings to a point a little above the white of the lower part of the body, forming an inverted V-shaped marking on each side of the body. The fawn on the shoulder, top part of wings, when the wings are folded, comes to a point on the lower part of the back, forming a heart shape, like a heart pressed flat on the back.


BACK: Even fawn throughout.

TAIL: Drake, bronze-green; duck, light fawn.

BREAST: Fawn and white, divided about half way between point of breast-bone and legs; upper half, fawn, lower part, white.

BODY AND FLUFF: White, except an indistinct line of color which runs from base of tail to thigh.

SHANKS AND TOES: Orange red.



INDIAN RUNNER DRAKE

STANDARD OF PERFECTION



INDIAN RUNNER DUCK

313

BLUE SWEDISH DUCKS.

Disqualifications.

Yellow bills; absence of white in breast; feathers of any other color than blue forming more than one-fourth of plumage; twisted wing; crooked back; decidedly wry tail. (See general disqualifications.)

STANDARD WEIGHTS.

Adult Drake	8 lbs.	Adult Duck	7 lbs.
Young Drake	$6\frac{1}{2}$ lbs.	Young Duck	$5\frac{1}{2}$ lbs.

SHAPE OF DRAKE AND DUCK.

HEAD: Long, finely formed.

BILL: Of medium size, nearly straight in outline when viewed sidewise.

EYES: Full, bright.

NECK: Long, slightly arched.

WINGS: Short, carried closely.

BACK: Long, broad, with slight concave sweep from shoulders to tail. TAIL: Slightly elevated; curled feathers in tail of drake.

BREAST: Full, deep.

BODY: Broad, of medium length, rangy.

LEGS AND TOES: Thighs, short, stout; shanks, stout. Toes, straight, connected by web.

CARRIAGE OF BODY: Nearly horizontal; somewhat elevated in front.

COLOR OF DRAKE AND DUCK.

HEAD: Drake, dark blue, sometimes approaching black, with a green sheen. Duck, same as general body color.

BILL: Drake, greenish-blue. Duck, smutty brown, with a dark brown blotch, similar to Rouen Duck blotch, only larger.

Eyes: Dark brown.

WINGS: Two main flight feathers, pure white; balance of wing uniform with general plumage.

BREAST: Front part, called the bib, covered with pure white feathers, forming heart-shaped spot about three by four inches in size, often extending upward to lower mandible.

SHANKS AND TOES: Reddish-brown to grayish-black, the former preferred.

PLUMAGE: Uniform steel-blue throughout, except as noted above.

CLASS XIV.

GEESE.

Breeds	Varieties
Toulouse	. Gray
EMBDEN	. White
African	
Chinese	∫ Brown ·
WILD OR CANADIAN	Gray
Egyptian	Colored

GEESE.

The male of the Toulouse, Embden and African varieties — the heavy weights of the goose family — should be broad and flat in back, with deep, round, full breast and long body, these features giving the bird a massive appearance. The head should be large, the neck of good length and slightly arched, and the bird well balanced in carriage. The female should resemble the male, except that she is somewhat less massive.

Chinese Geese are an ornamental variety of medium size, with long, arched necks, carried very upright, and having a large knob at base of the beak. In body, they are short and upright, the general effect being novel and striking.

Wild or Canadian Geese, now domesticated, are seen most frequently in public parks. They are of medium size, with long, arched, snake-like necks, and have small heads, carried well elevated, which give them a bold and defiant appearance.

In Egyptian Geese the sexes are nearly alike in color, shape and general appearance. They are decidedly odd members of the goose family, being very different in most respects from the other Standard varieties of geese. Some writers have gone so far as to separate them from the goose tribe. Striking characteristics are their small size and pugnacious disposition.

SCALE OF POINTS.

mmetry 8
eight
ondition
ead 10
eck
ings
uck 10
ull
reast
ody 12
gs and Toes
100

STANDARD OF PERFECTION

TOULOUSE GEESE.

Disqualifications.

White feathers in primaries or secondaries; twisted wing; crooked back; decidedly wry tail. (See general disqualifications.)

STANDARD WEIGHTS.

Adult Gander	25 lbs.	Adult Goose	20 lbs.
Young Gander	20 lbs.	Young Goose	16 lbs.

SHAPE OF GANDER AND GOOSE.

HEAD: Rather large, short.

BILL: Comparatively short, stout at base.

EYES: Large, full.

NECK: Of medium length, carried rather erect; dewlap very desirable in aged fowls.

WINGS: Large, strong, smoothly folded against sides.

BACK: Of moderate length, broad, curving slightly from neck to tail. TAIL: Comparatively short; feathers, hard, stiff.

BREAST: Broad, deep.

BODY: Of good length, broad, very deep, compact, in fat specimens almost touching the ground. Keel deep with straight line from breast to abdomen; stern, almost square.

LEGS, AND TOES: Thighs and shanks, short, stout. Toes, straight, connected by web.

COLOR OF GANDER AND GOOSE.

HEAD: Gray.

BILL: Pale orange.

EYES: Dark brown or hazel.

NECK: Dark blue-gray, shading to lighter gray as it approaches the back.

WINGS: Primaries, dark gray or brown; secondaries, darker than primaries, with very narrow edging of lighter gray; coverts and flat of wing, dark gray, with very narrow edging of lighter gray.

BACK: Dark gray.

TAIL: Gray and white, the ends tipped with white.

BREAST: Light gray, edged with white.

BODY: Underneath, light gray, growing lighter until it becomes almost white upon abdomen, the white extending back to and around tail; sides, light gray, becoming dark blue-gray over thighs, edged with lighter gray;

318 AMERICAN POULTRY ASSOCIATION



TOULOUSE GANDER



TOULOUSE GOOSE

white covering all lower posterior parts; from front view very little white visible.

LEGS AND TOES: Thighs, light gray; shanks and toes, deep reddishorange.

EMBDEN GEESE.

Disqualifications.

Feathers other than pure white in any part of plumage; twisted wing; crooked back; decidedly wry tail. (See general disqualifications.)

STANDARD WEIGHTS.

Adult Gander	20 lbs.	Adult Goose	18 lbs.
Young Gander	18 lbs.	Young Goose	16 lbs.

SHAPE OF GANDER AND GOOSE.

HEAD: Rather large.

BILL: Of medium length and size, stout at base.

EYES: Large.

NECK: Rather long, carried quite upright.

WINGS: Large, well rounded, strong, smoothly folded against sides. BACK: Long and straight.

TAIL: Comparatively short; feathers, hard, stiff.

BREAST: Round, deep, full, without keel.

BODY: Large, square, very deep, in fat specimens almost touching the ground; abdomen, full and deep.

LEGS AND TOES: Thighs, short, large; shanks, short, stout. Toes, straight, connected by web.

COLOR OF GANDER AND GOOSE.

BILL: Orange. EYES: Bright blue. SHANKS AND TOES: Deep orange. PLUMAGE: Pure white.

320

AFRICAN GEESE.

Disqualifications.

Beak and knob other than black; absence of knob or dewlap; white feathers in primaries and secondaries; twisted wing; crooked back; decidedly wry tail. (See general disqualifications.)

STANDARD WEIGHTS

Adult Gander.	20 lbs.	Adult Goose	18 lbs.
Young Gander	16 lbs.	Young Goose	14 lbs.

SHAPE OF GANDER AND GOOSE.

HEAD: Large, with large knob; heavy dewlap under throat, which in young birds is but slightly developed.

KNOB: Large.

BILL: Rather large, stout at base.

EYES: Large.

NECK: Long, curved; throat embellished with dewlap.

WINGS: Large, strong, smoothly folded against sides.

BACK: Broad, flat.

TAIL: Composed of stiff, hard feathers.

BREAST: Round, moderately full.

BODY: Large, long, carried rather upright.

LEGS AND TOES: Thighs, short, stout; shanks, of medium length. Toes, straight, connected by web.

COLOR OF GANDER AND GOOSE.

HEAD: Black or very dark.gray. KNOB: Black. BILL: Black. EYES: Dark brown. NECK: Light gray, with a dark gray stripe down back of neck from head to body.

WINGS: Dark gray.

BACK: Dark gray.

TAIL: Dark gray.

BREAST: Gray.

BODY: Light gray on under parts.

LEGS AND TOES: Thighs, light gray; shanks and toes, dark orange.

CHINESE GEESE.

Disqualifications.

Absence of knob; white feathers in primaries or secondaries; twisted wing; crooked back; decidedly wry tail. (See general disqualifications.)

STANDARD WEIGHTS.

Adult Gander	$12 \mathrm{lbs.}$	Adult Goose	10 lbs.
Young Gander	$10 \ lbs.$	Young Goose	8 lbs.

SHAPE OF GANDER AND GOOSE.

HEAD: Of medium size, with large knob at base of bill. KNOB: Large, the larger the better. BILL: Of medium length, stout at base. EYES: Large, bright. NECK: Long, gracefully arched, carried very upright. WINGS: Large, strong, smoothly folded against sides. BACK: Of medium length and width, slightly arched from neck to tail. TAIL: Composed of hard, stiff feathers. BREAST: Round, full. BODY: Rather short, round, plump. LEGS AND TOES: Thighs, short, stout; shanks, of medium length.

Toes, straight, connected by web.

BROWN CHINESE.

COLOR OF GANDER AND GOOSE.

HEAD: Brown.

KNOB: Dark brown or black.

BILL: Black.

EYES: Hazel or brown.

NECK: Light brown or grayish-brown, with a dull, yellowish-brown stripe down back of neck from head to body.

WINGS: Grayish-brown.

BACK: Dark brown.

TAIL Gravish-brown.

BREAST Grayish-brown.

BODY: Grayish-brown, lighter in shade on under parts.

LEGS AND TOES: Thighs, grayish-brown; shanks and toes, dusky orange.

322

STANDARD OF PERFECTION

WHITE CHINESE GEESE.

Disqualifications.

Absence of knob; feathers other than pure white in any part of plumage; twisted wing; crooked back; decidedly wry tail. (See general disqualifications.)

COLOR OF GANDER AND GOOSE.

KNOB: Orange. BILL: Orange. EYES: Light blue. SHANKS AND TOES: Orange-yellow. PLUMAGE: Pure white.

WILD OR CANADIAN GEESE.

Disqualifications.

Twisted wing; the clipping of one wing to prevent flying is not to handicap specimen; crooked back; decidedly wry tail. (See general disqualifications.)

STANDARD WEIGHTS.


Adult Gander	12 lbs.	Adult Goose	10 lbs.
Young Gander	10 lbs.	Young Goose	8 lbs.

SHAPE OF GANDER AND GOOSE.

HEAD: Rather small.
BILL: Small, tapering toward point.
EYES: Prominent, sharp, bold.
NECK: Long, slender, snaky in appearance.
WINGS: Long, large, powerful.
BACK: Long, rather narrow, arched from neck to tail.
TAIL: Composed of hard, stiff feathers.
BREAST: Full, deep.
BODY: Rather long, somewhat slender.
LEGS AND TOES: Thighs, rather short; shanks, rather long. Toes, straight, of medium length, connected by web.

COLOR OF GANDER AND GOOSE.

HEAD: Black, with a white stripe nearly covering side of face. BILL: Black. EYES: Black. NECK: Black, shading to light gray at base.



WHITE CHINESE GANDER



WHITE CHINESE GOOSE

WINGS: Dark gray; primaries, dusky black, showing only dark gray when wing is folded; secondaries, brown, lighter than primaries.

BACK: Dark gray.

TAIL: Glossy black.

BREAST: Light gray, growing darker as it approaches legs. BODY: Under part of body, from legs to tail, white. LEGS AND TOES: Thighs, gray; shanks and toes, black.

EGYPTIAN GEESE.

Disqualifications.

Twisted wing; the clipping of one wing to prevent flying is not to handicap specimen; crooked back; decidedly wry tail. (See general disqualifications.)

STANDARD WEIGHTS.

Adult Gander	10 lbs.	Adult Goose	8 lbs.
Young Gander	8 lbs.	Young Goose	6 lbs.

SHAPE OF GANDER AND GOOSE.

HEAD: Small, rather long.

BILL: Of medium length and size.

EYES: Prominent, bold.

NECK: Of medium length, rather small.

WINGS: Large; on wing-joints, in lieu of the ordinary hard knobs, there are strong, white, horny spurs, about five-eighths of an inch long.

BACK: Rather narrow, slightly arched from neck to tail.

TAIL: Composed of hard, stiff feathers.

BREAST: Round, not deep.

BODY: Rather long, somewhat small and slender.

LEGS AND TOES: Thighs, of medium length, stout; shanks, rather long. Toes, straight, long, connected by web.

COLOR OF GANDER AND GOOSE.

HEAD: Black and gray, with chestnut patch around eyes.

BILL: Purple or bluish-red.

EYES: Orange.

NECK: Gray and black.

WINGS: Shoulders, white with narrow, black stripe or bar of rich metallic luster; primaries and secondaries, glossy black.

BACK: Gray and black.

326

TAIL: Glossy black.

BREAST: Center, chestnut; remainder, gray. BODY: Gray and black on upper parts; under parts, pale buff or yellow, distinctly and regularly penciled with black lines. LEGS AND TOES: Thighs, pale buff; shanks and toes, reddish-yellow.

CONSTITUTION.

ARTICLE XI.

NEW BREEDS AND VARIETIES.

SECTION 1. Before a new breed or variety can be admitted to THE AMERICAN STANDARD OF PERFECTION it must comply with the following requirements, to wit:

-0

(a) It must be able to produce fifty per cent of the specimens reasonably true to the type and characteristics of the breed or variety, as set forth in the proposed Standard, and must have been exhibited in at least two generations, both male and female, at "one show conducted under American Poultry Association rules in each of three successive annual show seasons. A written statement by one or more poultry judges who are members of The American Poultry Association, and who officiated at these shows, setting forth the qualification for admission to the Standard, shall be furnished by said judge to the Secretary-Treasurer of The American Poultry Association, who shall forward a copy of the same to the exhibitor of the birds concerned."

(b) If application is made for admission of a new breed, the breed must possess such new breed characteristics as to give it a very distinct character of its own, and if application is made for the admission of a new variety, the variety must truly possess all the type characteristics of the breed of which it is a variety. Extraordinary care shall be exercised to prevent multiplicity of varieties.

SECTION 2. A petition addressed to The American Poultry Association shall be presented.

(a) This petition shall contain a description of the breed or variety seeking admission, together with all ascertainable facts regarding its origin and breeding, and a prayer for its admission.

(b) Affidavits of not less than five breeders of the breed or variety shall be presented, containing statements of the percentage of specimens breeding reasonably true to type and characteristics of the breed or variety as above required.

(c) The proposed standard for the breed or variety shall be presented at the same time with the petition, but may be amended by the petitioner or the association before the admission of the breed or variety. This standard shall be read at the meeting at which admission of the breed or variety is sought.

(d) At least ninety (90) days prior to the meeting of the Association

at which admission to the Standard of Perfection is sought the papers required in the application shall be filed with the Secretary-Treasurer, who shall give to all members of the Association sixty (60) days' notice of the pendency of such application.

SECTION 3. If upon consideration of all the evidence, the Association is satisfied that the breed or variety is worthy of recognition in the Standard of Perfection; that it has, in fact, the qualities and characteristics set forth in the application; that all claims and characteristics set forth in the application are justified, and that all requirements for its admission have been complied with, a majority vote of the members present and voting by written ballot shall admit the breed or variety to the Standard of Perfection.

BY-LAWS.

1

ARTICLE IV.

AMERICAN POULTRY ASSOCIATION'S POULTRY SHOW RULES.

The following rules and regulations shall be printed on the back of each entry blank used by Branch and Associate Members of The American Poultry Association, or other clubs or societies whose exhibitions are to be held, and advertised to be held, under the poultry show rules of The American Poultry Association, and must be signed in ink by each exhibitor whose entries are accepted:

SECTION 1. Any person under disqualification by The American Poultry Association for fraudulent practices is ineligible to compete or judge at this show. Fraudulent practices shall be understood to include, among other dishonorable acts, the lending, borrowing or hiring of birds for exhibition in competition; also "faking" of any kind, as defined in the Glossary of Technical Terms in THE AMERICAN STANDARD OF PERFECTION.

SECTION 2. Every bird entered for competition must be the bona fide property of the exhibitor; otherwise all entries of the exhibitor shall be cancelled, he shall forfeit all entry fees, shall receive no prize money or other premium, and if ordered to do so, must remove his exhibit from the show room within forty-eight hours. In case of disqualification under this rule other exhibits may, at the discretion of the management, be moved up in the list of winners, subject to the disqualified exhibitor's right of appeal.

SECTION 3. Any exhibitor at this show, if called upon to do so by the management, shall make affidavit that he is the bona fide owner of every bird entered by him for competition.

SECTION 4. The judge or judges officiating at this show shall dis**qualify any exhibit** found to contain a specimen entered for competition **that** is not the bona fide property of the exhibitor, or that has been faked.

SECTION 5. This Association reserves the right to return entries, thus

BY-LAWS

enabling the Secretary to exclude the exhibits of any disqualified person endeavoring to show under his own or another's name. In the event of it coming to the knowledge of the management that any disqualified person is exhibiting, his birds shall be debarred from competition, his entries cancelled, entry fees forfeited, and prize money and other premiums withheld.

SECTION 6. Exhibitors must not interfere with, nor attempt in any manner to influence the judge or judges officiating at this show, on penalty of having their winnings protested by other exhibitors in the class.

SECTION 7. The judges shall be required personally to place, or superintend the placing of all prize ribbons or prize cards on the coops of the winning specimens.

SECTION 8. No bird shall be removed from the show until the close of the same without the written consent of the Secretary.

SECTION 9. Any exhibitor who shall be disqualified at this show for fraudulent practices shall have the right of appeal to the Executive Board of The American Poultry Association, also to the next annual meeting of the Association; but meanwhile shall be temporarily disqualified from exhibiting at any show held under American Poultry Association rules, and it is understood that every exhibitor who signs this entry blank thereby agrees that his entries may be cancelled, and all entry fees, prize moneys and other premiums withheld by the management of this show, in the event of his being disqualified; provided that, if his appeal is sustained, all entry fees, prize moneys and other premiums shall be delivered to him; provided further, that his appeal must be made within one year of the date of the disqualification.

SECTION 10. Notice of disqualification with a detailed statement of facts, with such corroborative evidence as is procurable, shall be mailed within five days after the close of the show by the Secretary or some other officer of this Association to the Secretary-Treasurer of The American Poultry Association, and a complete copy of the notice of disqualification, and other papers or charges accompanying said notice shall be mailed at the same time to the exhibitor or judge disqualified.

SECTION 11. In case of alleged fraudulent practice on the part of any judge, exhibitor or other person, or of collusion, the aggrieved exhibitor shall have the right to protest in writing, on depositing the sum of five dollars with the secretary of the show, and said protest shall be passed upon forthwith by the management of the show, subject to an appeal by either party to the Executive Board of The American Poultry Association, and to the next annual meeting of the Association. In case the protest is sustained, the fee shall be refunded.

SECTION 12. Any person may protest in writing for palpable dishonesty or fraudulent practice of the judge in placing awards. Such protest must be handed to the secretary of the show, and a copy delivered or mailed to the judge and to the Chairman of the Executive Board of The

BY-LAWS

American Poultry Association, before the close of the show, provided, that an appeal may be taken to the Executive Board, also to the Association as a whole.

SECTION 13. No judge of poultry at this show shall exhibit in any class he is assigned to pass upon; should he do so, he shall be disqualified forthwith by the management on protest of any exhibitor or member of The American Poultry Association, and another judge shall be assigned to the class.

SECTION 14. No exhibitor at this show shall receive a prize on any bird that has been owned by or in the possession of the judge assigned to the class within six months prior to the close of the entries.

1

SECTION 15. The printed regulations or rules of this show, where they are not less stringent than, or where they do not conflict with, the foregoing, shall be binding on the exhibitors and judges and supplemental to The American Poultry Association rules.

SECTION 16. Any exhibitor at this show who is not a member of The American Poultry Association, shall submit, and hereby agrees to submit, to the jurisdiction of The American Poultry Association, and shall be dealt with as though he were a member of the Association. Each exhibitor at this show shall sign the appended declaration, to-wit:


"To WHOM IT MAY CONCERN: Be it known that for the purposes of this show I agree to be bound by the poultry show rules of The American Poultry Association, as above set forth.

••••••


Exhibitor."

PRESS OF MURRAY AND EMERY COMPANY BOSTON, MASS.

•







UUJU LIDI 2-62232 University of California SOUTHERN REGIONAL LIBRARY FACILITY 405 Hilgard Avenue, Los Angeles, CA 90024-1388 Return this material to the library from which it was borrowed. Biomedical Library DEC 1 6 1992 JAN 2 IY Biomeuru INIU



